STANDARD OPERATING PROCEDURE · BY ROLE

How to
Reports and exports: every download on Reports and Adjustments

For: Inventory control, supervisors and admins · Full Harvest Inventory

Every button on the **Adjustments** and **Reports** tabs that gives you a file, what is in it, and when to use which. Every export is of the count picked at the top of the page — pick the count first.

Printed October 22, 2026

Contents

1 — In one minute 3

2 — Before you export 5

3 — Adjustments: Positive and negative — Download this list (CSV) 6

4 — Adjustments: the ERP worksheet (CSV) 7

5 — Adjustments: ERP upload, an aisle at a time (Excel) 8

6 — Adjustments: Adjustments CSV 9

7 — Reports: Fix list CSV and Labels only (CSV) 10

8 — Reports: Filed as the count goes, and the Final report 11

9 — Reports: Export everything (Excel) 12

10 — Reports: Pallet report CSV 14

11 — Reports: Raw counts CSV 15

12 — Reports: Exceptions CSV 16

13 — Reports: Uncounted bins CSV 17

14 — Reports: Count sheets (printable) 18

15 — Which export for which job 19

16 — When something is not right 20

17 — Who may use them, and where the filed copies are kept 21

1 — In one minute

TAB	BUTTON	YOU GET	FOR
Adjustments	**Download this list (CSV)**	The positive or negative lines on screen	Reading or sharing one side
Adjustments	**Download the ERP worksheet (CSV)**	Every adjustment, with an *In ERP* column to fill in	Keying the whole count into the ERP, then marking it
Adjustments	**⬇ Excel** on an aisle's row	Every pallet in that aisle, with an *Uploaded to ERP* column	Keying the ERP an aisle at a time
Adjustments	**Adjustments CSV**	The approval record: who approved or rejected each line, and why	The audit trail for approvals
Reports	**Fix list CSV** / **Labels only (CSV)**	Labels to replace, damage, blocked bins / just the labels, each with its state and who ticked it off	The walk-round with a label printer
Settings → Lists	**⬇ Download the loaded list** / **⬇ Download the loaded report**	The bin list and the inventory report as loaded on the count, every column	Checking what the count is being compared against
Reports	**Final report** and the filed files	Each aisle's numbers as it was finished; every sheet at the end	The record that survives on its own
Reports	**Export everything (Excel)**	One workbook, every table, in plain words	The auditor, the manager, the shared drive
Reports	**Pallet report CSV**	One row per pallet: report, counts, bins, lot, status, ERP mark	Working the differences in Excel
Reports	**Raw counts CSV**	Every scan line, as recorded	A reconciliation, or checking one line
Reports	**Exceptions CSV**	Only the flagged scan lines	What needs a second look
Reports	**Uncounted bins CSV**	Bins with no count at all	What is left to do

TAB	BUTTON	YOU GET	FOR
Reports	**Open a printable sheet**	A paper count sheet	Counting without a scanner

2 — Before you export

- **The count at the top of the page** is the one exported. A file name carries its number (`pallets-session-12.csv`) or its name (`Q3-wall-to-wall-aisle-F01-for-ERP-2026-10-20.xlsx`).
- **The pallet report's filters do not change the files.** *Hide matching pallets*, *Status*, *Aisle / bin* and the rest narrow what you read on screen; the CSVs and the workbook always have every row.
- **CSV or Excel.** A CSV opens in Excel and is the shape the ERP and other systems read; its headings are short column names (`counted_qty`). *Export everything* and the aisle sheets are Excel workbooks for people: plain headings, *Yes* / *No*, times on the warehouse's clock.
- **The count that stands.** Where a bin was counted again, the latest count is the one in the *Counted* figures — a 2nd count stands over the 1st, a 3rd over both. The earlier counts are kept in their own columns.
- **A count still running** exports what is in so far. An aisle still being counted says so.
- **Downloads** must be on your login for the file buttons; without it they are greyed out.

3 — Adjustments: Positive and negative — Download this list (CSV)

Dashboard → Adjustments → Positive and negative. Pick **Positive**, **Negative** or **All** (the two tiles at the top pick a side too), then **Download this list (CSV)**.

It downloads exactly the lines on screen, with *Hide lines already in the ERP* applied if it is ticked: `adjustments-positive-session-12.csv`, `-negative-` or `-all-`.

COLUMN	WHAT IT IS
Pallet	The pallet ID
Item	The SKU
Bin	Where it was counted (or where the report put it, if it was not found)
Why	*More than the report*, *Less than the report*, *Not found*, *Not on the report — found on the floor*, *Counted twice*
System qty	What the inventory report said
Counted qty	The count that stands
Adjustment	Counted less the report: + is stock to add, − stock to take off
Approval	*approved*, *rejected*, *waiting*, or blank when the count needs no approvals
In ERP	*yes* once the line is marked as keyed into the ERP

4 — Adjustments: the ERP worksheet (CSV)

Dashboard → Adjustments → Positive and negative → Download the ERP worksheet (CSV). Every positive and negative line on the count, whatever side is on screen: `erp-worksheet-session-12.csv`.

COLUMN	WHAT IT IS
Side	*Positive* or *Negative*
Pallet, System, Item, Bin	The line, and which system it belongs to
Why	As in section 3
Report quantity, Counted quantity, Adjustment	The report, the count that stands, the difference
Approval	*approved* / *rejected* / *waiting*, or *not required*
In ERP	*yes* when it is marked as keyed in — **this is the column you fill in**
Entered by, Entered at	Who marked it, and when
Changed since entered	*was 12* — counted again after it went into the ERP; the ERP has the old number

Bring it back: write *yes* (or *x*, a date, your initials) in **In ERP** for every line you keyed, then **Upload the worksheet back…** on the same card. Those lines are marked as in the ERP; *no* takes a mark off; a blank leaves a line as it was. Only the *In ERP* column is read — a quantity changes only by being counted.

5 — Adjustments: ERP upload, an aisle at a time (Excel)

Dashboard → Adjustments → ERP upload, an aisle at a time. A row for every aisle — its lines, how many are uploaded, and whether it is still being counted. **⬇ Excel** on a row downloads that aisle: `Q3-wall-to-wall-aisle-F01-for-ERP-2026-10-20.xlsx`.

The workbook has two sheets. **Aisle F01** — every pallet in the aisle, the matches included:

COLUMN	WHAT IT IS
Aisle, Bin, Pallet, System, Item, Description, Lot	The line
Report bin, Report quantity	What the inventory report said
Counted quantity	The count that stands
Adjustment	The difference; 0 for a match
Result	*Matches*, *Quantity differs*, *In a different bin*, *Not found*, *Not on the report*…
Count	*1st*, *2nd* or *3rd* — which count the figure is
Uploaded to ERP	**Fill this in** as you key each line
Uploaded by, Uploaded at	Who marked it, and when
Changed since uploaded	*was 12* — counted again after it went in

How to use — the same instructions, inside the file.

Bring it back: ⬆ Upload a filled-in sheet… on the card. The lines on the sheet with *yes* are marked as uploaded, and the aisle's row counts them. *No* takes a mark off; a blank leaves a line as it was.

6 — Adjustments: Adjustments CSV

Dashboard → Adjustments → Adjustments → Adjustments CSV — the approval record, when the count asks for approvals: `adjustments-session-12.csv`.

COLUMN	WHAT IT IS
pallet_id, sku, location	The line
kind	What kind of difference: a quantity, *MISSING*, *NOT IN MASTER*, *COUNTED TWICE*
expected_qty, counted_qty, variance_qty	The report, the count, the difference
status	*pending*, *approved*, *rejected*, *auto* (under the thresholds)
reason, note	The reason picked when it was approved or rejected, and any note
decided_by, decided_at	Who decided, and when
in_erp, entered_by, entered_at	Whether it is marked as in the ERP, by whom, when

7 — Reports: Fix list CSV and Labels only (CSV)

Dashboard → Reports → Fix list. Fix list CSV is everything reported from the floor: `fix-list-session-12.csv`.

COLUMN	WHAT IT IS
Kind	*Label to replace*, *Damage*, *Blocked bin*, *Other*
What	Pallet, bin, racking, product…
Bin, Aisle, Pallet	Where
Problem, Note	What is wrong, in the counter's words
Reported by team, Scanner, Reported	Who, on which gun, when
Confirmed	For a label: whether the bin or pallet was scanned or typed to confirm it
Status	*Open* or *Fixed*
Fixed by, Fixed at, Outcome	Who fixed it, when, and what was done

Labels only (CSV) is the label printer's list: `labels-to-replace-session-12.csv` — *what* (pallet or bin label), *location_code*, *aisle*, *pallet_id*, *issue* (*typed in*, *nothing readable*), *sku*, *description*, *qty*, *team*, *device_id*, *comments*, *scanned_at*.

8 — Reports: Filed as the count goes, and the Final report

Dashboard → Reports → Filed as the count goes. Each aisle a team hands back as complete is filed at once, as plain CSV files, so a count that stops halfway already has every finished aisle written down. The table lists each filing with a download link for each file:

- **An aisle's filing** — *count-lines*, *pallets*, *bins*, *bins-not-counted*, *second-counts* and *fix-list*, each for that aisle alone, and a *README.txt* saying what it is.
- **Final report** — once every bin has a count and no second count is open, the button files every sheet of *Export everything* (section 9) the same way. Until then it is greyed out, and the line beside it says why: *Not yet: 120 bins still to count, 3 second counts still open.*

9 — Reports: Export everything (Excel)

Dashboard → Reports → Pallet report → Export everything (Excel). One workbook with every table the app keeps for the count, in plain words: `Q3-wall-to-wall-2026-10-20.xlsx`.

SHEET	WHAT IS ON IT
Summary	The count, its type and status; started, ended, time on the clock, downtime, counting time, pace; bins on the list / counted / left; pallets on the report and found; empty bins; lines; flagged lines; teams; scanners; positive and negative adjustments in pallets and units, and the net; the time zone; who exported it and when
Count lines	Every scan: when, team, clock-in numbers, scanner, aisle, bin, pallet, system, quantity, empty bin, item, description, lot, best before, 2nd / 3rd count, not on report, bin not on list, outside the team's aisle, counted twice, pallet and rack label state, second label of, flag / reason, comments, voided, when it reached the server
Pallets	The pallet report: pallet, system, item, description, variant, entry no., result, report and counted quantity, difference, report bin, found in, times counted, teams, report and counted lot, best before, second label, last scanned, comments
Adjustments	Side, pallet, system, item, bin, why, report and counted quantity, adjustment, approval, approval reason, approved by, in ERP, entered by, entered at
Not on the report	Pallets the report does not have — sold or shipped in the system, found on the floor: where found, quantity, lot, teams, approval, ERP state, and a blank **Investigation** column
Bins	Every bin: zone, aisle, level, description, counted, recorded empty, lines, last counted
Bins not counted	Bins with no line at all
Teams	Each team: shift, started, last activity, time on the count, downtime, counting time, lines, lines and bins an hour, state
Downtime	Each quiet spell on the count: from, to, minutes
Sign-ons	Who signed on, when, on which scanner, and when they signed off
SOS	Every SOS: who, what, where, who answered, the outcome
Stopped scanning	Every stopped-scanning alert, and how it was cleared

SHEET	WHAT IS ON IT
Second counts	Every second and third count: bin, pallet, round, why, raised by, first counted by, team, state, when, done by
Counts side by side	Every bin counted again, a row a pallet: the report, the 1st, 2nd and 3rd counts with their teams, the final count and which number stands
Fix list	As section 7
Log	Everything anybody did on the count: when, who, what, detail

10 — Reports: Pallet report CSV

Dashboard → Reports → Pallet report → Pallet report CSV — the whole pallet report, every row whatever the filters show: `pallets-session-12.csv`.

COLUMN	WHAT IT IS
pallet_id, source, sku, description, variant, uom, entry_no	The pallet, its system, and the report's details
expected_qty, counted_qty, variance_qty	The report, the count that stands, the difference
expected_location, found_location	The report's bin, and the bin(s) it was counted in
times_counted, teams, comments, last_scan	How often, by whom, what they wrote, when
status	`MATCH`, `QTY VARIANCE`, `WRONG BIN`, `MISSING`, `NOT IN MASTER`, `COUNTED TWICE`, `SECOND LABEL`, `NOT COUNTED`
recounted, first_count_qty, second_pass_qty, open_recounts	Counted again (1/0), the 1st and 2nd counts, and any second count still open
expected_lot, found_lot, lot_status, expiry, expiry_status	The lot on the report and the one counted, and whether the date has passed or is close
alias_of, also_tagged	Second labels, from counts taken that way
erp_uploaded, erp_by, erp_at, erp_changed	Marked as in the ERP, by whom, when, and 1 if it has moved since

On screen, the same report reads **Pallet ID, System, SKU, Description, Expected, 1st count, 2nd count, Counted, Expected bin, Found in** (only when it differs), **Lot, Expiry, Team, Comments, Status, ERP upload**.

11 — Reports: Raw counts CSV

Dashboard → Reports → Pallet report → Raw counts CSV — every scan line exactly as it was recorded, voided ones included: `counts-session-12.csv`.

COLUMN	WHAT IT IS
id	The line's number
pallet_id, qty, location_code, aisle	What was scanned, how many, where
sku, description, lot, expiry	From the report, and the lot and date scanned
alias_of	A tag saved as a second label (counts taken that way)
comments	What the counter wrote, or the note on a pallet with more than one label
team, employees, device_id	Who and on which scanner
unknown_pallet, unknown_location, off_assignment, duplicate_pallet, empty_bin	1 when the line was: not on the report, a bin not on the list, outside the team's aisle, counted twice, an empty bin
label_issue, bin_label_issue	*typed*, *none*, *assumed* — a label that would not scan
pass, recount_id	1, 2 or 3 — first, second or third count — and which second count it was for
override_reason	The reason picked when the gun warned
voided	1 when the line was voided
scanned_at, received_at	When it was scanned, and when it reached the server

12 — Reports: Exceptions CSV

Dashboard → Reports → Pallet report → Exceptions CSV — the same columns as the raw counts, only the lines that were flagged: a pallet not on the report, a bin not on the list, outside the team's aisle, counted twice, a reason picked on a warning, or a label that would not scan: `exceptions-session-12.csv`.

13 — Reports: Uncounted bins CSV

Dashboard → Reports → Pallet report → Uncounted bins CSV — every bin on the list with no count at all: *aisle*, *code* (the bin), *zone*. `uncounted-bins-session-12.csv`. An empty bin recorded as *EMPTY* is counted, so it is not on it.

14 — Reports: Count sheets (printable)

Dashboard → Reports → Count sheets. Not a download: **Open a printable sheet** opens a page to print, for counting on paper.

- **Aisle** and **Levels** narrow it (*F01*, *A-C*); blank is the whole site.
- **Only bins with no count yet** leaves out what is already counted.
- **Show what the system expects** adds a *System says* column; left off, the sheet is blind, so it is a count and not a copy.

Columns: **Bin**, **Lvl**, **Pos**, **Face** (front or back), *System says* if asked, **Pallet ID**, **Qty**, **Notes** — the last three to fill in by hand.

15 — Which export for which job

THE JOB	THE EXPORT
Key the adjustments into the ERP	The aisle sheets (section 5), or the ERP worksheet (section 4) — and upload it back to mark the lines
Show a manager or auditor the whole count	**Export everything**
Work the differences in Excel	**Pallet report CSV**
Find the pallets sold in the system but found on the floor	*Not on the report* in **Export everything**
Prove who approved what	**Adjustments CSV**
See every scan, or check one line	**Raw counts CSV**
What still needs a look	**Exceptions CSV**, **Uncounted bins CSV**
The label printer's walk-round	**Labels only (CSV)**
The record if anything goes wrong	**Filed as the count goes**, and the **Final report**

16 — When something is not right

YOU SEE	WHAT IT MEANS	WHAT TO DO
A download button is greyed out	Your login does not have *Downloads*	Ask an admin
The CSV has more rows than the screen	The screen is filtered; the file never is	As meant — filter in Excel
Accents or dashes look wrong in a CSV	The file was opened as plain text	Open it in Excel, or import it as UTF-8
Changed since entered / uploaded on a line	It was counted again after it went into the ERP	Key the new number, then mark it again
Final report is greyed out	A bin has no count, or a second count is open	It says which; finish them first
An aisle sheet says the aisle is still being counted	Lines there may still change	Wait for the aisle, or key it knowing it may move
A pallet's comment from its first count is not on the report	The report shows the count that stands	The comment is still in **Raw counts CSV** and the *Count lines* sheet

17 — Who may use them, and where the filed copies are kept

TO	A LOGIN NEEDS
Download any file on these tabs, open a count sheet, file the **Final report**	*Downloads and printouts*
Mark lines as in the ERP, by hand or by uploading the worksheet or an aisle sheet	*Approve adjustments*
Approve or reject adjustments	*Approve adjustments*
See the tabs at all	The Dashboard's *Adjustments* and *Reports* tabs — or Inventory Control, which mirrors them

They are ticked per login under **Settings → Logins**. A button the login may not use is greyed out and says why; the server refuses it either way.

The filed copies (section 8) are written on the server, in an *exports* folder next to the backups, one folder a count and one a filing, and stay there whatever happens to the database. The download links on the card are the way to get them. They are numbers in words, not a backup: the database backup is under **Settings → Backups & log**.

The **log** (Settings → Backups & log, and the *Log* sheet of Export everything) records who downloaded an aisle for the ERP, who marked or unmarked lines as in the ERP and from which file, each aisle filed, and the final report. The plain CSV downloads are not logged.