

Overview

Dataset statistics

Number of variables	24
Number of observations	2693
Missing cells	2440
Missing cells (%)	3.8%
Duplicate rows	0
Duplicate rows (%)	0.0%
Total size in memory	505.1 KiB
Average record size in memory	192.0 B

Variable types

Numeric	11
Categorical	9
Boolean	4

Alerts

host_name has a high cardinality: 1046 distinct values	High cardinality
host_since has a high cardinality: 1189 distinct values	High cardinality
host_acceptance_rate has a high cardinality: 61 distinct values	High cardinality
host_verifications has a high cardinality: 185 distinct values	High cardinality
amenities has a high cardinality: 2631 distinct values	High cardinality
id is highly correlated with host_id	High correlation
accommodates is highly correlated with room_type and 2 other fields (room_type, bedrooms, beds)	High correlation
bedrooms is highly correlated with room_type and 2 other fields (room_type, accommodates, beds)	High correlation
beds is highly correlated with accommodates and 1 other fields (accommodates, bedrooms)	High correlation
number_of_reviews is highly correlated with reviews_per_month	High correlation
reviews_per_month is highly correlated with number_of_reviews	High correlation
host_response_time is highly correlated with host_response_rate and 1 other fields (host_response_rate, host_acceptance_rate)	High correlation
host_response_rate is highly correlated with host_id and 5 other fields (host_id, host_response_time, host_acceptance_rate, neighbourhood, room_type, has_availability)	High correlation
host_id is highly correlated with id and 2 other fields (id, host_response_rate, host_acceptance_rate)	High correlation
host_acceptance_rate is highly correlated with host_id and 5 other fields (host_id, host_response_time, host_response_rate, neighbourhood, room_type, minimum_nights)	High correlation
neighbourhood is highly correlated with host_response_rate and 1 other fields (host_response_rate, host_acceptance_rate)	High correlation
room_type is highly correlated with host_response_rate and 3 other fields (host_response_rate, host_acceptance_rate, accommodates, bedrooms)	High correlation
minimum_nights is highly correlated with host_acceptance_rate	High correlation
has_availability is highly correlated with host_response_rate	High correlation
host_response_time has 561 (20.8%) missing values	Missing
host_response_rate has 561 (20.8%) missing values	Missing
host_acceptance_rate has 306 (11.4%) missing values	Missing
bedrooms has 164 (6.1%) missing values	Missing
beds has 34 (1.3%) missing values	Missing
review_scores_rating has 414 (15.4%) missing values	Missing
reviews_per_month has 400 (14.9%) missing values	Missing
amenities is uniformly distributed	Uniform
id has unique values	Unique
beds has 87 (3.2%) zeros	Zeros
availability_365 has 366 (13.6%) zeros	Zeros
number_of_reviews has 400 (14.9%) zeros	Zeros


Reproduction

Analysis started	2022-10-25 03:37:39.247721
Analysis finished	2022-10-25 03:38:10.881451
Duration	31.63 seconds
Software version	pandas-profiling v3.4.0 (https://github.com/pandas-profiling/pandas-profiling)
Download configuration	config.json (data:text/plain;charset=utf-8,%7B%22title%22%3A%20%22Pandas%20Profiling%20Report%22%2C%20%22dataset%22%3A%20%7B%22description%22%3A%20%22%22%

Variables

Select Columns ▾

id		Real number ($\mathbb{R}_{\geq 0}$)	HTGH
CORRELATION (This variable has a high correlation with 1 fields: host_id)			
UNIQUE			
Distinct	2693		
Distinct (%)	100.0%		
Missing	0		
Missing (%)	0.0%		
Infinite	0		
Infinite (%)	0.0%		
Mean	27091380.81		
Minimum	12651		
Maximum	47299925		
Zeros	0		
Zeros (%)	0.0%		
Negative	0		
Negative (%)	0.0%		
Memory size	21.2 KiB		




Quantile statistics

Minimum	12651
5-th percentile	2293877
Q1	16299270
median	28749977
Q3	39469121
95-th percentile	45971436
Maximum	47299925
Range	47287274
Interquartile range (IQR)	23169851

Descriptive statistics

Standard deviation	13789171.58
Coefficient of variation (CV)	0.5089874035

Kurtosis	-1.075274055
Mean	27091380.81
Median Absolute Deviation (MAD)	11191580
Skewness	-0.3160441557
Sum	$7.295708851 \times 10^{10}$
Variance	$1.901412527 \times 10^{14}$
Monotonicity	Strictly increasing



Value	Count	Frequency (%)
12651	1	< 0.1%
36181128	1	< 0.1%
36046093	1	< 0.1%
36074842	1	< 0.1%
36074899	1	< 0.1%
36074974	1	< 0.1%
36101248	1	< 0.1%
36116005	1	< 0.1%
36146876	1	< 0.1%
36180313	1	< 0.1%
Other values (2683)	2683	99.6%

Value	Count	Frequency (%)
12651	1	< 0.1%
39342	1	< 0.1%
40560	1	< 0.1%
44504	1	< 0.1%
45287	1	< 0.1%
45444	1	< 0.1%
55301	1	< 0.1%
63146	1	< 0.1%
72211	1	< 0.1%
83584	1	< 0.1%


Value	Count	Frequency (%)
47299925	1	< 0.1%
47295017	1	< 0.1%
47291853	1	< 0.1%
47274772	1	< 0.1%
47274637	1	< 0.1%
47274445	1	< 0.1%
47274359	1	< 0.1%
47274251	1	< 0.1%
47270034	1	< 0.1%
47268762	1	< 0.1%

host_idReal number ($\mathbb{R}_{\geq 0}$)

HIGH

CORRELATION (This variable has a high correlation with 3 fields: id, host_response_rate, host_acceptance_rate).

Distinct	1515
Distinct (%)	56.3%
Missing	0
Missing (%)	0.0%
Infinite	0
Infinite (%)	0.0%
Mean	91811769
Minimum	249
Maximum	382559015
Zeros	0
Zeros (%)	0.0%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	249
5-th percentile	1130179
Q1	13635140
median	48005494
Q3	147286744
95-th percentile	302759750
Maximum	382559015
Range	382558766
Interquartile range (IQR)	133651604

Descriptive statistics

Standard deviation	99219007.04
Coefficient of variation (CV)	1.080678524
Kurtosis	0.2644001559
Mean	91811769
Median Absolute Deviation (MAD)	43195618
Skewness	1.159531113

Sum	$2.472490939 \times 10^{11}$
Variance	$9.844411358 \times 10^{15}$
Monotonicity	Not monotonic



Histogram with fixed size bins (bins=50)

Value	Count	Frequency (%)
48005494	56	2.1%
43806	31	1.2%
94282453	24	0.9%
18839434	21	0.8%
9419684	20	0.7%
269221260	19	0.7%
38163072	19	0.7%
6017407	17	0.6%
41574587	16	0.6%
2917744	16	0.6%
Other values (1505)	2454	91.1%

Value	Count	Frequency (%)
249	1	< 0.1%
12561	1	< 0.1%
43806	31	1.2%
49735	3	0.1%
52835	2	0.1%
71812	1	< 0.1%
87889	2	0.1%
89518	1	< 0.1%
92529	1	< 0.1%
100536	1	< 0.1%

Value	Count	Frequency (%)
382559015	7	0.3%
380641928	1	< 0.1%
380309040	2	0.1%
379825113	1	< 0.1%
376763079	2	0.1%
375427836	3	0.1%
375204509	5	0.2%
375074897	1	< 0.1%
373966777	1	< 0.1%
370318518	1	< 0.1%

host_name

Categorical

HIGH

CARDINALITY

Distinct

1046

Distinct (%)

38.8%

Missing

0

Missing (%)

0.0%

Memory size

21.2 KiB

Length

Max length	35
Median length	31
Mean length	6.672855551
Min length	1

Characters and Unicode

Total characters	17970
Distinct characters	71
Distinct categories	10 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	3 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	3 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique


Unique	581	?
Unique (%)	21.6%	

Sample

1st row	Laurel
2nd row	Annette
3rd row	Megan
4th row	Maggie
5th row	Diane And Mike

Common Values

Value	Count	Frequency (%)
Zeus	56	2.1%
Vic	31	1.2%
Startup House	27	1.0%
Alex	27	1.0%
Kimberly	25	0.9%
Kia	23	0.9%
Tribe	21	0.8%
John	20	0.7%
Churchill	20	0.7%
Evgeny	19	0.7%
Other values (1036)	2424	90.0%

Length

Value	Count	Frequency (%)
and	79	2.4%
zeus	69	2.1%
vic	56	1.7%
alex	31	0.9%
house	30	0.9%
startup	27	0.8%
kimberly	27	0.8%
kia	26	0.8%
john	23	0.7%
Other values (1060)	2905	88.2%

Most occurring characters

Value	Count	Frequency (%)
a	1929	10.7%
e	1720	9.6%
n	1520	8.5%
i	1438	8.0%
r	1088	6.1%
l	951	5.3%
o	671	3.7%
	621	3.5%
t	576	3.2%
s	544	3.0%
Other values (61)	6912	38.5%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	13890	77.3%
Uppercase Letter	3289	18.3%
Space Separator	621	3.5%
Other Punctuation	98	0.5%
Open Punctuation	23	0.1%
Close Punctuation	23	0.1%
Dash Punctuation	11	0.1%
Decimal Number	11	0.1%
Other Letter	3	< 0.1%
Math Symbol	1	< 0.1%

Most frequent character per category*Lowercase Letter*

Value	Count	Frequency (%)
a	1929	13.9%
e	1720	12.4%
n	1520	10.9%
i	1438	10.4%
r	1088	7.8%
l	951	6.8%
o	671	4.8%
t	576	4.1%
s	544	3.9%
u	520	3.7%
Other values (20)	2933	21.1%

Uppercase Letter

Value	Count	Frequency (%)
A	337	10.2%
M	322	9.8%
J	274	8.3%
S	246	7.5%
C	198	6.0%
L	195	5.9%
K	175	5.3%
E	171	5.2%
R	139	4.2%

Value	Count	Frequency (%)
V	127	3.9%
Other values (16)	1105	33.6%

Other Punctuation

Value	Count	Frequency (%)
&	73	74.5%
'	16	16.3%
.	8	8.2%
/	1	1.0%

Decimal Number

Value	Count	Frequency (%)
5	9	81.8%
2	1	9.1%
4	1	9.1%

Other Letter

Value	Count	Frequency (%)
勁	1	33.3%
楊	1	33.3%
倩	1	33.3%

Space Separator

Value	Count	Frequency (%)
	621	100.0%

Open Punctuation

Value	Count	Frequency (%)
(23	100.0%

Close Punctuation

Value	Count	Frequency (%)
)	23	100.0%

Dash Punctuation

Value	Count	Frequency (%)
-	11	100.0%

Math Symbol

Value	Count	Frequency (%)
+	1	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	17179	95.6%
Common	788	4.4%
Han	3	< 0.1%

Most frequent character per script*Latin*

Value	Count	Frequency (%)
a	1929	11.2%
e	1720	10.0%
n	1520	8.8%
i	1438	8.4%
r	1088	6.3%
l	951	5.5%
o	671	3.9%
t	576	3.4%
s	544	3.2%
u	520	3.0%
Other values (46)	6222	36.2%

Common

Value	Count	Frequency (%)
	621	78.8%
&	73	9.3%
(23	2.9%
)	23	2.9%
'	16	2.0%
-	11	1.4%
5	9	1.1%
.	8	1.0%
/	1	0.1%
2	1	0.1%
Other values (2)	2	0.3%

Han

Value	Count	Frequency (%)
勁	1	33.3%
楊	1	33.3%

Value	Count	Frequency (%)
倩	1	33.3%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	17961	99.9%
None	6	< 0.1%
CJK	3	< 0.1%

Most frequent character per block*ASCII*

Value	Count	Frequency (%)
a	1929	10.7%
e	1720	9.6%
n	1520	8.5%
i	1438	8.0%
r	1088	6.1%
l	951	5.3%
o	671	3.7%
	621	3.5%
t	576	3.2%
s	544	3.0%
Other values (54)	6903	38.4%

None

Value	Count	Frequency (%)
è	3	50.0%
ê	1	16.7%
ü	1	16.7%
§	1	16.7%

CJK

Value	Count	Frequency (%)
勁	1	33.3%
楊	1	33.3%
倩	1	33.3%

host_since

Categorical

HIGH

CARDINALITY

Distinct

1189

Distinct (%)

44.2%

Missing

0

Missing (%)

0.0%

Memory size

21.2 KiB

Length

Max length	8
Median length	7
Mean length	6.947642035
Min length	6

Characters and Unicode

Total characters	18710
Distinct characters	11
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	665	?
Unique (%)	24.7%	


Sample

1st row	10/29/09
2nd row	5/18/10
3rd row	7/20/10
4th row	8/8/10
5th row	8/13/10

Common Values

Value	Count	Frequency (%)
11/2/15	56	2.1%
10/6/09	31	1.2%
6/17/19	27	1.0%
9/9/16	24	0.9%
7/24/14	21	0.8%
10/14/13	20	0.7%
7/12/12	19	0.7%
7/11/15	19	0.7%
4/20/13	18	0.7%
11/19/18	16	0.6%
Other values (1179)	2442	90.7%

Length



Value	Count	Frequency (%)
11/2/15	56	2.1%
10/6/09	31	1.2%
6/17/19	27	1.0%
9/9/16	24	0.9%
7/24/14	21	0.8%
10/14/13	20	0.7%
7/12/12	19	0.7%
7/11/15	19	0.7%
4/20/13	18	0.7%
11/19/18	16	0.6%
Other values (1179)	2442	90.7%

Most occurring characters

Value	Count	Frequency (%)
/	5386	28.8%
1	5029	26.9%
2	1797	9.6%
6	988	5.3%
5	962	5.1%
9	863	4.6%
3	812	4.3%
4	783	4.2%
7	782	4.2%
8	694	3.7%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	13324	71.2%
Other Punctuation	5386	28.8%

Most frequent character per category*Decimal Number*

Value	Count	Frequency (%)
1	5029	37.7%
2	1797	13.5%
6	988	7.4%
5	962	7.2%
9	863	6.5%
3	812	6.1%
4	783	5.9%
7	782	5.9%
8	694	5.2%
0	614	4.6%

Other Punctuation

Value	Count	Frequency (%)
/	5386	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	18710	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
/	5386	28.8%
1	5029	26.9%
2	1797	9.6%
6	988	5.3%
5	962	5.1%
9	863	4.6%
3	812	4.3%
4	783	4.2%
7	782	4.2%
8	694	3.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	18710	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
/	5386	28.8%
1	5029	26.9%
2	1797	9.6%
6	988	5.3%
5	962	5.1%
9	863	4.6%
3	812	4.3%
4	783	4.2%
7	782	4.2%
8	694	3.7%

host_response_time

Categorical

HIGH

CORRELATION (This variable has a high correlation with 2 fields: host_response_rate, host_acceptance_rate).
MISSING

Distinct	4
Distinct (%)	0.2%
Missing	561
Missing (%)	20.8%
Memory size	21.2 KiB

Length

Max length	18
Median length	14
Mean length	14.53846154
Min length	12

Characters and Unicode

Total characters	30996
Distinct characters	16
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique


Unique	0	?
Unique (%)	0.0%	

Sample

1st row	within an hour
2nd row	within a few hours
3rd row	within an hour
4th row	within an hour
5th row	within an hour

Common Values

Value	Count	Frequency (%)
within an hour	1572	58.4%
within a few hours	333	12.4%
within a day	182	6.8%
a few days or more	45	1.7%
(Missing)	561	20.8%

Length**Category Frequency Plot**

Value	Count	Frequency (%)
within	2087	30.6%
an	1572	23.1%
hour	1572	23.1%
a	560	8.2%
few	378	5.5%
hours	333	4.9%
day	182	2.7%
days	45	0.7%
or	45	0.7%
more	45	0.7%

Most occurring characters

Value	Count	Frequency (%)
i	4687	15.1%
h	4174	13.5%
n	3992	12.9%
w	3659	11.8%
a	2465	8.0%
t	2359	7.6%
o	2087	6.7%
r	1995	6.4%
u	1995	6.4%
Other values (6)	1905	6.1%
	1678	5.4%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	26309	84.9%
Space Separator	4687	15.1%

Most frequent character per category*Lowercase Letter*

Value	Count	Frequency (%)
i	4174	15.9%
h	3992	15.2%
n	3659	13.9%
w	2465	9.4%
a	2359	9.0%
t	2087	7.9%
o	1995	7.6%
r	1995	7.6%
u	1905	7.2%
e	423	1.6%
Other values (5)	1255	4.8%

Space Separator

Value	Count	Frequency (%)
	4687	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	26309	84.9%
Common	4687	15.1%

Most frequent character per script*Latin*

Value	Count	Frequency (%)
i	4174	15.9%
h	3992	15.2%
n	3659	13.9%
w	2465	9.4%
a	2359	9.0%
t	2087	7.9%
o	1995	7.6%
r	1995	7.6%
u	1905	7.2%
e	423	1.6%
Other values (5)	1255	4.8%

Common

Value	Count	Frequency (%)
	4687	100.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	30996	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
i	4687	15.1%
h	4174	13.5%
n	3992	12.9%
w	3659	11.8%
a	2465	8.0%
t	2359	7.6%
o	2087	6.7%
r	1995	6.4%
u	1995	6.4%
Other values (6)	1905	6.1%
	1678	5.4%

host_response_rate

Categorical

HIGH

CORRELATION (This variable has a high correlation with 6 fields: host_id, host_response_time, host_acceptance_rate, neighbourhood, room_type, has_availability)

MISSING

Distinct	35
Distinct (%)	1.6%
Missing	561
Missing (%)	20.8%
Memory size	21.2 KiB

Length

Max length	4
Median length	4
Mean length	3.760787992
Min length	2

Characters and Unicode

Total characters	8018
Distinct characters	11
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	5	?
Unique (%)	0.2%	


Sample

1st row	100%
2nd row	100%
3rd row	100%
4th row	100%
5th row	100%

Common Values

Value	Count	Frequency (%)
100%	1646	61.1%
97%	65	2.4%
90%	45	1.7%
91%	34	1.3%
94%	32	1.2%
99%	30	1.1%
50%	29	1.1%
80%	24	0.9%
0%	24	0.9%
96%	22	0.8%
Other values (25)	181	6.7%
(Missing)	561	20.8%

Length



Value	Count	Frequency (%)
100	1646	77.2%
97	65	3.0%
90	45	2.1%
91	34	1.6%
94	32	1.5%
99	30	1.4%
50	29	1.4%
0	24	1.1%
80	24	1.1%
96	22	1.0%
Other values (25)	181	8.5%

Most occurring characters

Value	Count	Frequency (%)
0	3430	42.8%
%	2132	26.6%
1	1688	21.1%
9	325	4.1%
8	101	1.3%
7	91	1.1%
6	85	1.1%
5	71	0.9%
3	46	0.6%
4	38	0.5%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	5886	73.4%
Other Punctuation	2132	26.6%

Most frequent character per category*Decimal Number*

Value	Count	Frequency (%)
0	3430	58.3%
1	1688	28.7%
9	325	5.5%
8	101	1.7%
7	91	1.5%
6	85	1.4%
5	71	1.2%
3	46	0.8%
4	38	0.6%
2	11	0.2%

Other Punctuation

Value	Count	Frequency (%)
%	2132	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	8018	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
0	3430	42.8%
%	2132	26.6%
1	1688	21.1%
9	325	4.1%
8	101	1.3%
7	91	1.1%
6	85	1.1%
5	71	0.9%
3	46	0.6%
4	38	0.5%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	8018	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
0	3430	42.8%
%	2132	26.6%
1	1688	21.1%
9	325	4.1%
8	101	1.3%
7	91	1.1%
6	85	1.1%
5	71	0.9%
3	46	0.6%
4	38	0.5%

host_acceptance_rate

Categorical

HIGH

CARDINALITY

HIGH CORRELATION (This variable has a high correlation with 6 fields: host_id, host_response_time, host_response_rate, neighbourhood, room_type, minimum_nights)

MISSING

Distinct	61
Distinct (%)	2.6%
Missing	306
Missing (%)	11.4%
Memory size	21.2 KiB

Length

Max length	4
Median length	3
Mean length	3.344784248
Min length	2

Characters and Unicode

Total characters	7984
Distinct characters	11
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	8	?
Unique (%)	0.3%	


Sample

1st row	98%
2nd row	40%
3rd row	48%
4th row	100%
5th row	94%

Common Values

Value	Count	Frequency (%)
100%	893	33.2%
99%	244	9.1%
98%	149	5.5%
97%	122	4.5%
95%	82	3.0%
90%	80	3.0%
0%	70	2.6%
96%	66	2.5%
86%	53	2.0%
92%	47	1.7%
Other values (51)	581	21.6%
(Missing)	306	11.4%

Length



Value	Count	Frequency (%)
100	893	37.4%
99	244	10.2%
98	149	6.2%
97	122	5.1%
95	82	3.4%
90	80	3.4%
0	70	2.9%
96	66	2.8%
86	53	2.2%
92	47	2.0%
Other values (51)	581	24.3%

Most occurring characters

Value	Count	Frequency (%)
%	2387	29.9%
0	2033	25.5%
9	1211	15.2%
1	952	11.9%
8	422	5.3%
6	259	3.2%
7	254	3.2%
5	174	2.2%
3	119	1.5%
2	95	1.2%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	5597	70.1%
Other Punctuation	2387	29.9%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	2033	36.3%
9	1211	21.6%
1	952	17.0%
8	422	7.5%
6	259	4.6%
7	254	4.5%
5	174	3.1%
3	119	2.1%
2	95	1.7%
4	78	1.4%

Other Punctuation

Value	Count	Frequency (%)
%	2387	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	7984	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
%	2387	29.9%
0	2033	25.5%
9	1211	15.2%
1	952	11.9%
8	422	5.3%
6	259	3.2%
7	254	3.2%
5	174	2.2%
3	119	1.5%
2	95	1.2%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	7984	100.0%

Most frequent character per block

ASCII


Value	Count	Frequency (%)
%	2387	29.9%
0	2033	25.5%
9	1211	15.2%
1	952	11.9%
8	422	5.3%
6	259	3.2%
7	254	3.2%
5	174	2.2%
3	119	1.5%
2	95	1.2%

host_is_superhost

Boolean

Distinct	2
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	2.8 KiB

Value	Count	Frequency (%)
False	1488	55.3%
True	1205	44.7%



host_verifications

Categorical

HIGH

CARDINALITY

Distinct	185
Distinct (%)	6.9%
Missing	0
Missing (%)	0.0%
Memory size	21.2 KiB

Length

Max length	165
Median length	128
Mean length	69.27664315
Min length	7

Characters and Unicode

Total characters	186562
Distinct characters	30
Distinct categories	6 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	62	?
Unique (%)	2.3%	


Sample

1st row	['email', 'phone', 'facebook', 'reviews', 'kba']
2nd row	['email', 'phone', 'reviews', 'offline_government_id', 'kba', 'government_id']
3rd row	['email', 'phone', 'reviews', 'jumio', 'offline_government_id', 'government_id']
4th row	['email', 'phone', 'facebook', 'reviews', 'offline_government_id', 'kba', 'selfie', 'government_id', 'identity_manual', 'work_email']
5th row	['email', 'phone', 'reviews', 'kba']

Common Values

Value	Count	Frequency (%)
['email', 'phone', 'reviews', 'kba']	198	7.4%
['email', 'phone']	190	7.1%
['email', 'phone', 'reviews', 'jumio', 'offline_government_id', 'selfie', 'government_id', 'identity_manual']	142	5.3%
['email', 'phone', 'reviews', 'jumio', 'government_id']	140	5.2%
['email', 'phone', 'reviews', 'jumio', 'offline_government_id', 'government_id']	130	4.8%
['email', 'phone', 'reviews']	130	4.8%
['email', 'phone', 'offline_government_id', 'government_id']	130	4.8%
['email', 'phone', 'reviews', 'jumio', 'government_id', 'work_email']	111	4.1%
['email', 'phone', 'offline_government_id', 'selfie', 'government_id', 'identity_manual']	90	3.3%
['email', 'phone', 'reviews', 'jumio', 'offline_government_id', 'government_id', 'work_email']	68	2.5%
Other values (175)	1364	50.6%

Length



Value	Count	Frequency (%)
phone	2689	18.1%
email	2525	17.0%
reviews	1929	13.0%
government_id	1867	12.5%
offline_government_id	1421	9.5%
jumio	1183	8.0%
selfie	785	5.3%
identity_manual	665	4.5%
kba	593	4.0%
work_email	520	3.5%
Other values (9)	703	4.7%

Most occurring characters

Value	Count	Frequency (%)
'	29760	16.0%
e	20535	11.0%
i	13102	7.0%
n	12262	6.6%
,	12187	6.5%
	12187	6.5%
o	10366	5.6%
m	8280	4.4%
l	6278	3.4%
-	6007	3.2%
Other values (20)	55598	29.8%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	121035	64.9%
Other Punctuation	41947	22.5%
Space Separator	12187	6.5%
Connector Punctuation	6007	3.2%
Close Punctuation	2693	1.4%
Open Punctuation	2693	1.4%

Most frequent character per category*Lowercase Letter*

Value	Count	Frequency (%)
e	20535	17.0%
i	13102	10.8%
n	12262	10.1%
o	10366	8.6%
m	8280	6.8%
l	6278	5.2%
r	5737	4.7%
a	5570	4.6%
v	5217	4.3%
t	4634	3.8%
Other values (14)	29054	24.0%

Other Punctuation

Value	Count	Frequency (%)
'	29760	70.9%
,	12187	29.1%

Space Separator

Value	Count	Frequency (%)
	12187	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	6007	100.0%

Close Punctuation

Value	Count	Frequency (%)
]	2693	100.0%

Open Punctuation

Value	Count	Frequency (%)
[2693	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	121035	64.9%
Common	65527	35.1%

Most frequent character per script*Latin*

Value	Count	Frequency (%)
e	20535	17.0%
i	13102	10.8%
n	12262	10.1%
o	10366	8.6%
m	8280	6.8%
l	6278	5.2%
r	5737	4.7%
a	5570	4.6%
v	5217	4.3%
t	4634	3.8%
Other values (14)	29054	24.0%

Common

Value	Count	Frequency (%)
,	29760	45.4%
,	12187	18.6%
,	12187	18.6%
-	6007	9.2%
]	2693	4.1%
[2693	4.1%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	186562	100.0%

Most frequent character per block

ASCII


Value	Count	Frequency (%)
'	29760	16.0%
e	20535	11.0%
i	13102	7.0%
n	12262	6.6%
,	12187	6.5%
	12187	6.5%
o	10366	5.6%
m	8280	4.4%
l	6278	3.4%
-	6007	3.2%
Other values (20)	55598	29.8%

host_identity_verified

Boolean

Distinct	2
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	2.8 KiB

Value	Count	Frequency (%)
True	2174	80.7%
False	519	19.3%



neighbourhood

Categorical

HIGH**CORRELATION** (This variable has a high correlation with 2 fields: host_response_rate, host_acceptance_rate)

Distinct	21
Distinct (%)	0.8%
Missing	0
Missing (%)	0.0%
Memory size	21.2 KiB

Length

Max length	20
Median length	14
Mean length	11.64054957
Min length	5

Characters and Unicode

Total characters	31348
Distinct characters	36
Distinct categories	3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) ?
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) ?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block) ?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique


Unique	0	?
Unique (%)	0.0%	

Sample

1st row	Menlo Park
2nd row	Pacifica
3rd row	East Palo Alto
4th row	Burlingame
5th row	Burlingame

Common Values

Value	Count	Frequency (%)
Daly City	455	16.9%
Unincorporated Areas	316	11.7%
San Mateo	288	10.7%
Menlo Park	249	9.2%
Redwood City	228	8.5%
East Palo Alto	185	6.9%
South San Francisco	166	6.2%
Pacifica	137	5.1%
San Bruno	118	4.4%
Burlingame	102	3.8%
Other values (11)	449	16.7%

Length

Value	Count	Frequency (%)
city	738	14.0%
san	652	12.3%
daly	455	8.6%
unincorporated	316	6.0%
areas	316	6.0%
mateo	288	5.4%
menlo	249	4.7%
park	249	4.7%
redwood	228	4.3%
east	185	3.5%
Other values (21)	1614	30.5%

Most occurring characters

Value	Count	Frequency (%)
a	3492	11.1%
o	2897	9.2%
n	2597	8.3%
t	2090	6.7%
r	2073	6.6%
e	1883	6.0%
i	1788	5.7%
l	1747	5.6%
y	1590	5.1%
Other values (26)	1249	4.0%
	9942	31.7%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	23461	74.8%
Uppercase Letter	5290	16.9%
Space Separator	2597	8.3%

Most frequent character per category*Lowercase Letter*

Value	Count	Frequency (%)
a	3492	14.9%
o	2897	12.3%
n	2090	8.9%
t	2073	8.8%
r	1883	8.0%
e	1788	7.6%
i	1747	7.4%
l	1590	6.8%
y	1249	5.3%
c	922	3.9%
Other values (11)	3730	15.9%

Uppercase Letter

Value	Count	Frequency (%)
C	828	15.7%
S	818	15.5%
M	665	12.6%
P	577	10.9%
A	538	10.2%
D	455	8.6%
B	354	6.7%
U	316	6.0%
R	228	4.3%
F	221	4.2%
Other values (4)	290	5.5%

Space Separator

Value	Count	Frequency (%)
	2597	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	28751	91.7%
Common	2597	8.3%

Most frequent character per script*Latin*

Value	Count	Frequency (%)
a	3492	12.1%
o	2897	10.1%
n	2090	7.3%
t	2073	7.2%
r	1883	6.5%
e	1788	6.2%
i	1747	6.1%
l	1590	5.5%
y	1249	4.3%
c	922	3.2%
Other values (25)	9020	31.4%

Common

Value	Count	Frequency (%)
	2597	100.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	31348	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
a	3492	11.1%
o	2897	9.2%
n	2597	8.3%
t	2090	6.7%
r	2073	6.6%
e	1883	6.0%
i	1788	5.7%
l	1747	5.6%
y	1590	5.1%
Other values (26)	1249	4.0%
	9942	31.7%

room_type

Categorical

HIGH

CORRELATION (This variable has a high correlation with 4 fields: host_response_rate, host_acceptance_rate, accommodates, bedrooms).

Distinct	4
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	21.2 KiB

Length

Max length	15
Median length	15
Mean length	13.69624954
Min length	10

Characters and Unicode

Total characters	36884
Distinct characters	19
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	


Sample

1st row	Entire home/apt
2nd row	Entire home/apt
3rd row	Private room
4th row	Entire home/apt
5th row	Entire home/apt


Common Values

Value	Count	Frequency (%)
Entire home/apt	1571	58.3%
Private room	980	36.4%
Shared room	139	5.2%
Hotel room	3	0.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
entire	1571	29.2%
home/apt	1571	29.2%
room	1122	20.8%
private	980	18.2%
shared	139	2.6%
hotel	3	0.1%

Most occurring characters

Value	Count	Frequency (%)
e	4264	11.6%
t	4125	11.2%
o	3818	10.4%
r	3812	10.3%
m	2693	7.3%
	2693	7.3%
a	2690	7.3%
i	2551	6.9%
h	1710	4.6%
p	1571	4.3%
Other values (9)	6957	18.9%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	29927	81.1%
Space Separator	2693	7.3%
Uppercase Letter	2693	7.3%
Other Punctuation	1571	4.3%

Most frequent character per category*Lowercase Letter*

Value	Count	Frequency (%)
e	4264	14.2%
t	4125	13.8%
o	3818	12.8%
r	3812	12.7%
m	2693	9.0%
a	2690	9.0%
i	2551	8.5%
h	1710	5.7%
p	1571	5.2%
n	1571	5.2%
Other values (3)	1122	3.7%

Uppercase Letter

Value	Count	Frequency (%)
E	1571	58.3%
P	980	36.4%
S	139	5.2%
H	3	0.1%

Space Separator

Value	Count	Frequency (%)
	2693	100.0%

Other Punctuation

Value	Count	Frequency (%)
/	1571	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	32620	88.4%
Common	4264	11.6%

Most frequent character per script*Latin*

Value	Count	Frequency (%)
e	4264	13.1%
t	4125	12.6%
o	3818	11.7%
r	3812	11.7%
m	2693	8.3%
a	2690	8.2%
i	2551	7.8%
h	1710	5.2%
p	1571	4.8%
E	1571	4.8%
Other values (7)	3815	11.7%

Common

Value	Count	Frequency (%)
	2693	63.2%
/	1571	36.8%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	36884	100.0%

Most frequent character per block

ASCII


Value	Count	Frequency (%)
e	4264	11.6%
t	4125	11.2%
o	3818	10.4%
r	3812	10.3%
m	2693	7.3%
	2693	7.3%
a	2690	7.3%
i	2551	6.9%
h	1710	4.6%
p	1571	4.3%
Other values (9)	6957	18.9%

accommodatesReal number ($\mathbb{R}_{\geq 0}$)

HIGH

CORRELATION (This variable has a high correlation with 3 fields: room_type, bedrooms, beds)

Distinct	17
Distinct (%)	0.6%
Missing	0
Missing (%)	0.0%
Infinite	0
Infinite (%)	0.0%
Mean	3.869662087
Minimum	0
Maximum	16
Zeros	2
Zeros (%)	0.1%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	0
5-th percentile	1
Q1	2
median	2
Q3	5
95-th percentile	10
Maximum	16
Range	16
Interquartile range (IQR)	3

Descriptive statistics

Standard deviation	3.156236979
Coefficient of variation (CV)	0.8156363291
Kurtosis	3.52192029
Mean	3.869662087
Median Absolute Deviation (MAD)	1
Skewness	1.820609723

Sum	10421
Variance	9.961831869
Monotonicity	Not monotonic



Value	Count	Frequency (%)
2	936	34.8%
1	426	15.8%
4	363	13.5%
6	235	8.7%
3	192	7.1%
5	151	5.6%
8	121	4.5%
10	57	2.1%
7	56	2.1%
16	48	1.8%
Other values (7)	108	4.0%

Value	Count	Frequency (%)
0	2	0.1%
1	426	15.8%
2	936	34.8%
3	192	7.1%
4	363	13.5%
5	151	5.6%
6	235	8.7%
7	56	2.1%
8	121	4.5%
9	30	1.1%

Value	Count	Frequency (%)
16	48	1.8%
15	9	0.3%
14	14	0.5%
13	5	0.2%
12	38	1.4%
11	10	0.4%
10	57	2.1%
9	30	1.1%
8	121	4.5%
7	56	2.1%


bedroomsReal number ($\mathbb{R}_{\geq 0}$)

HIGH

CORRELATION (This variable has a high correlation with 3 fields: room type, accommodates, beds)

MISSING

Distinct	8
Distinct (%)	0.3%
Missing	164
Missing (%)	6.1%
Infinite	0
Infinite (%)	0.0%
Mean	1.70897588
Minimum	1
Maximum	8
Zeros	0
Zeros (%)	0.0%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	1
5-th percentile	1
Q1	1
median	1
Q3	2
95-th percentile	4
Maximum	8
Range	7
Interquartile range (IQR)	1

Descriptive statistics

Standard deviation	1.156607026
Coefficient of variation (CV)	0.6767837041
Kurtosis	3.618077353
Mean	1.70897588
Median Absolute Deviation (MAD)	0
Skewness	1.881852762

Sum	4322
Variance	1.337739813
Monotonicity	Not monotonic



Value	Count	Frequency (%)
1	1600	59.4%
2	433	16.1%
3	266	9.9%
4	134	5.0%
5	68	2.5%
6	18	0.7%
7	6	0.2%
8	4	0.1%
(Missing)	164	6.1%

Value	Count	Frequency (%)
1	1600	59.4%
2	433	16.1%
3	266	9.9%
4	134	5.0%
5	68	2.5%
6	18	0.7%
7	6	0.2%
8	4	0.1%

Value	Count	Frequency (%)
8	4	0.1%
7	6	0.2%
6	18	0.7%
5	68	2.5%
4	134	5.0%
3	266	9.9%
2	433	16.1%
1	1600	59.4%

bedsReal number ($\mathbb{R}_{\geq 0}$)


HIGH

CORRELATION (This variable has a high correlation with 2 fields: accommodates, bedrooms)

MISSING

ZEROS

Distinct	21
Distinct (%)	0.8%
Missing	34
Missing (%)	1.3%
Infinite	0
Infinite (%)	0.0%
Mean	2.21963144
Minimum	0
Maximum	27
Zeros	87
Zeros (%)	3.2%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	0
5-th percentile	1
Q1	1
median	1
Q3	3
95-th percentile	6
Maximum	27
Range	27
Interquartile range (IQR)	2

Descriptive statistics

Standard deviation	2.031332377
Coefficient of variation (CV)	0.9151665182
Kurtosis	20.02815135
Mean	2.21963144
Median Absolute Deviation (MAD)	1

Skewness	3.214001409
Sum	5902
Variance	4.126311226
Monotonicity	Not monotonic



Value	Count	Frequency (%)
1	1275	47.3%
2	506	18.8%
3	316	11.7%
4	203	7.5%
5	99	3.7%
0	87	3.2%
6	72	2.7%
8	34	1.3%
7	29	1.1%
9	11	0.4%
Other values (11)	27	1.0%
(Missing)	34	1.3%

Value	Count	Frequency (%)
0	87	3.2%
1	1275	47.3%
2	506	18.8%
3	316	11.7%
4	203	7.5%
5	99	3.7%
6	72	2.7%
7	29	1.1%
8	34	1.3%
9	11	0.4%

Value	Count	Frequency (%)
27	1	< 0.1%
23	1	< 0.1%
20	1	< 0.1%
17	1	< 0.1%
16	1	< 0.1%
15	2	0.1%
14	1	< 0.1%
13	1	< 0.1%
12	5	0.2%
11	4	0.1%

amenities

Categorical

HIGH

CARDINALITY

UNIFORM

Distinct

2631

Distinct (%)

97.7%

Missing

0

Missing (%)

0.0%

Memory size

21.2 KiB

Length

Max length	958
Median length	611
Mean length	431.3887857
Min length	2

Characters and Unicode

Total characters	1161730
Distinct characters	70
Distinct categories	8 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	2582
Unique (%)	95.9%


Sample

1st	["Private entrance", "Long term stays allowed", "Garden or backyard", "TJs Tea Tree Tingle conditioner", "Hot water", "Wifi", "Washer", "Kitchen", "Dryer", "Shampoo", "Essentials", "Hair dryer", "Luggage dropoff allowed", "Shower gel", "Portable fans", "Free street parking", "Dedicated workspace", "Heating", "Carbon monoxide alarm", "Iron", "Extra pillows and blankets", "Refrigerator", "Fire extinguisher", "Hangers", "First aid kit", "Smoke alarm", "Microwave", "Coffee maker", "Dishes and silverware", "Single level home", "Free parking on premises", "Patio or balcony", "Bed linens"]
2nd	["Refrigerator", "Hot water", "Dishes and silverware", "Patio or balcony", "Bed linens", "Oven", "Hair dryer", "Extra pillows and blankets", "Long term stays allowed", "Hangers", "Smoke alarm", "Luggage dropoff allowed", "Coffee maker", "Wifi", "Iron", "Free street parking", "Microwave", "Keypad", "Dryer", "TV", "Private entrance", "Cable TV", "Dedicated workspace", "Cooking basics", "Kitchen", "Heating", "Fire extinguisher", "Shampoo", "Essentials", "Carbon monoxide alarm", "Washer", "Stove"]
3rd	["Hot water", "Hangers", "Wifi", "Host greets you", "Smoke alarm", "EV charger", "First aid kit", "Luggage dropoff allowed", "Dishes and silverware", "Hair dryer", "Essentials", "Coffee maker", "Dedicated workspace", "Heating", "Iron", "Long term stays allowed", "Free street parking", "Carbon monoxide alarm", "Garden or backyard", "Cleaning before checkout", "Cable TV", "TV", "Shampoo"]
4th	["Iron", "Dishes and silverware", "Shampoo", "Laundromat nearby", "Fire extinguisher", "Patio or balcony", "Essentials", "Wine glasses", "Microwave", "Free street parking", "Smoke alarm", "First aid kit", "Carbon monoxide alarm", "Clothing storage", "Cleaning products", "Pour-over coffee", "Dedicated workspace", "Hair dryer", "Dining table", "Hot water", "Bed linens", "TV", "Heating", "Hangers", "Wifi", "Private entrance", "Coffee maker", "Room-darkening shades", "Refrigerator", "Hot water kettle", "Mini fridge", "Host greets you", "Extra pillows and blankets"]
5th	["Refrigerator", "Hot water", "Lockbox", "Dishes and silverware", "Patio or balcony", "Bed linens", "Oven", "Hair dryer", "Extra pillows and blankets", "Hangers", "Smoke alarm", "Luggage dropoff allowed", "Ethernet connection", "Coffee maker", "Wifi", "Iron", "Free street parking", "Shower gel", "Host greets you", "First aid kit", "Microwave", "Breakfast", "Dryer", "TV", "Private entrance", "Cable TV", "Garden or backyard", "Single level home", "Dedicated workspace", "Free parking on premises", "Kitchen", "Heating", "Fire extinguisher", "Shampoo", "Essentials", "Carbon monoxide alarm", "Washer", "Baking sheet"]

Common Values

Value	Count	Frequency (%)
["Refrigerator", "Hot water", "Dishes and silverware", "Patio or balcony", "Bed linens", "Oven", "Hair dryer", "Extra pillows and blank...	4	0.1%
["Iron", "Kitchen", "Smoke alarm", "TV", "First aid kit", "Fire extinguisher", "Carbon monoxide alarm", "Washer", "Heating", "Wifi", "...	4	0.1%
["Microwave", "Smoke alarm", "Dedicated workspace", "Refrigerator", "Dryer", "Luggage dropoff allowed", "Wifi", "Heating", "Fire e...	3	0.1%
["Smoke alarm", "Keypad", "Dedicated workspace", "Dryer", "Hot water", "TV", "Kitchen", "Wifi", "Heating", "Iron", "Fire extinguishe...	3	0.1%
["Oven", "Dryer", "Pool", "Hot water", "Stove", "Hair dryer", "Kitchen", "Microwave", "Long term stays allowed", "Indoor fireplace", "...	3	0.1%
["Iron", "Kitchen", "Air conditioning", "TV", "Smoke alarm", "Fire extinguisher", "First aid kit", "Carbon monoxide alarm", "Heating", "...	3	0.1%
["Smoke alarm", "Wifi", "First aid kit", "Heating", "Kitchen", "Dryer", "Hangers", "Hair dryer", "Iron", "TV", "Fire extinguisher", "Dedic...	3	0.1%
["Kitchen", "Air conditioning", "Smoke alarm", "First aid kit", "Fire extinguisher", "Carbon monoxide alarm", "Washer", "Hangers", "...	3	0.1%
["Refrigerator", "Free parking on premises", "Heating", "Hangers", "Hair dryer", "TV", "Dedicated workspace", "Stove", "Air conditio...	3	0.1%
["Oven", "Hot water", "Stove", "Hair dryer", "Kitchen", "Microwave", "Long term stays allowed", "Indoor fireplace", "Shampoo", "Iro...	3	0.1%
Other values (2621)	2661	98.8%

Length



Value	Count	Frequency (%)
alarm	4977	3.6%
dryer	4313	3.2%
parking	3670	2.7%
free	3572	2.6%
and	3181	2.3%
tv	2947	2.2%
on	2738	2.0%
wifi	2700	2.0%
essentials	2634	1.9%
smoke	2564	1.9%
Other values (311)	103101	75.6%

Most occurring characters

Value	Count	Frequency (%)
"	146937	12.6%
e	133706	11.5%
r	96218	8.3%
a	78188	6.7%
,	73425	6.3%
i	70798	6.1%
o	59823	5.1%
n	57660	5.0%
s	49380	4.3%
Other values (60)	43640	3.8%
	351955	30.3%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	722617	62.2%
Other Punctuation	218584	18.8%
Space Separator	133706	11.5%
Uppercase Letter	78746	6.8%
Close Punctuation	2697	0.2%
Open Punctuation	2697	0.2%
Decimal Number	2351	0.2%
Dash Punctuation	332	< 0.1%

Most frequent character per category*Lowercase Letter*

Value	Count	Frequency (%)
e	96218	13.3%
r	78188	10.8%
a	73425	10.2%
i	59823	8.3%
o	57660	8.0%
n	49380	6.8%
s	43640	6.0%
t	40307	5.6%
l	26413	3.7%
d	25620	3.5%
Other values (14)	171943	23.8%

Uppercase Letter

Value	Count	Frequency (%)
H	10044	12.8%
S	7600	9.7%
C	7181	9.1%
D	7058	9.0%
F	6940	8.8%
W	4776	6.1%
E	4323	5.5%
B	4096	5.2%
P	3627	4.6%
L	3229	4.1%
Other values (13)	19872	25.2%

Decimal Number

Value	Count	Frequency (%)
0	704	29.9%
1	551	23.4%
2	541	23.0%
9	437	18.6%
3	100	4.3%
5	12	0.5%
7	2	0.1%
6	2	0.1%
4	1	< 0.1%
8	1	< 0.1%

Other Punctuation

Value	Count	Frequency (%)
"	146937	67.2%
,	70798	32.4%
\	596	0.3%
/	201	0.1%
&	41	< 0.1%
:	10	< 0.1%
.	1	< 0.1%

Close Punctuation

Value	Count	Frequency (%)
]	2693	99.9%
)	4	0.1%

Open Punctuation

Value	Count	Frequency (%)
[2693	99.9%
(4	0.1%

Space Separator

Value	Count	Frequency (%)
	133706	100.0%

Dash Punctuation

Value	Count	Frequency (%)
-	332	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	801363	69.0%
Common	360367	31.0%

Most frequent character per script*Latin*

Value	Count	Frequency (%)
e	96218	12.0%
r	78188	9.8%
a	73425	9.2%
i	59823	7.5%
o	57660	7.2%
n	49380	6.2%
s	43640	5.4%
t	40307	5.0%
l	26413	3.3%
d	25620	3.2%
Other values (37)	250689	31.3%

Common

Value	Count	Frequency (%)
"	146937	40.8%
,	133706	37.1%
,	70798	19.6%
]	2693	0.7%
[2693	0.7%
0	704	0.2%
\	596	0.2%
1	551	0.2%
2	541	0.2%
9	437	0.1%
Other values (13)	711	0.2%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	1161730	100.0%

Most frequent character per block

ASCII


Value	Count	Frequency (%)
"	146937	12.6%
e	133706	11.5%
r	96218	8.3%
a	78188	6.7%
,	73425	6.3%
i	70798	6.1%
o	59823	5.1%
n	57660	5.0%
s	49380	4.3%
Other values (60)	43640	3.8%
	351955	30.3%

minimum_nightsReal number ($\mathbb{R}_{\geq 0}$)

HIGH

CORRELATION (This variable has a high correlation with 1 fields: host_acceptance_rate)

Distinct	37
Distinct (%)	1.4%
Missing	0
Missing (%)	0.0%
Infinite	0
Infinite (%)	0.0%
Mean	8.086520609
Minimum	1
Maximum	365
Zeros	0
Zeros (%)	0.0%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	1
5-th percentile	1
Q1	1
median	2
Q3	5
95-th percentile	30
Maximum	365
Range	364
Interquartile range (IQR)	4

Descriptive statistics

Standard deviation	18.12863522
Coefficient of variation (CV)	2.241833799
Kurtosis	127.8365836
Mean	8.086520609
Median Absolute Deviation (MAD)	1
Skewness	8.517712019

Sum	21777
Variance	328.6474148
Monotonicity	Not monotonic




Value	Count	Frequency (%)
1	900	33.4%
2	653	24.2%
3	319	11.8%
30	243	9.0%
5	105	3.9%
4	101	3.8%
7	90	3.3%
14	53	2.0%
31	43	1.6%
15	29	1.1%
Other values (27)	157	5.8%

Value	Count	Frequency (%)
1	900	33.4%
2	653	24.2%
3	319	11.8%
4	101	3.8%
5	105	3.9%
6	9	0.3%
7	90	3.3%
9	2	0.1%
10	19	0.7%
12	3	0.1%

Value	Count	Frequency (%)
365	2	0.1%
183	1	< 0.1%
180	3	0.1%
120	1	< 0.1%
110	1	< 0.1%
100	6	0.2%
90	24	0.9%
80	1	< 0.1%
60	8	0.3%
58	1	< 0.1%

maximum_nightsReal number ($\mathbb{R}_{\geq 0}$)

Distinct	88
Distinct (%)	3.3%
Missing	0
Missing (%)	0.0%
Infinite	0
Infinite (%)	0.0%
Mean	631.4396584
Minimum	1
Maximum	10000
Zeros	0
Zeros (%)	0.0%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB

**Quantile statistics**

Minimum	1
5-th percentile	10
Q1	31
median	1124
Q3	1125
95-th percentile	1125
Maximum	10000
Range	9999
Interquartile range (IQR)	1094

Descriptive statistics


Standard deviation	545.4670618
Coefficient of variation (CV)	0.8638466948
Kurtosis	30.26626838
Mean	631.4396584
Median Absolute Deviation (MAD)	1
Skewness	1.762793388
Sum	1700467

Variance

297534.3155

Monotonicity

Not monotonic



Value	Count	Frequency (%)
1125	1345	49.9%
365	173	6.4%
30	156	5.8%
90	115	4.3%
28	110	4.1%
29	100	3.7%
180	83	3.1%
60	61	2.3%
7	45	1.7%
14	41	1.5%
Other values (78)	464	17.2%

Value	Count	Frequency (%)
1	4	0.1%
2	10	0.4%
3	17	0.6%
4	10	0.4%
5	23	0.9%
6	7	0.3%
7	45	1.7%
8	4	0.1%
9	1	< 0.1%
10	31	1.2%

Value	Count	Frequency (%)
10000	1	< 0.1%
1125	1345	49.9%
1124	9	0.3%
1111	10	0.4%
1024	1	< 0.1%
1000	1	< 0.1%
999	7	0.3%
730	4	0.1%
700	1	< 0.1%
666	1	< 0.1%

has_availability

Boolean

 HIGH

CORRELATION (This variable has a high correlation with 1 fields: host_response_rate)

Distinct	2
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	2.8 KiB

Value	Count	Frequency (%)
True	2662	98.8%
False	31	1.2%




True
False

availability_365Real number ($\mathbb{R}_{\geq 0}$)

ZEROS

Distinct	333
Distinct (%)	12.4%
Missing	0
Missing (%)	0.0%
Infinite	0
Infinite (%)	0.0%
Mean	181.1151133
Minimum	0
Maximum	365
Zeros	366
Zeros (%)	13.6%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB

**Quantile statistics**

Minimum	0
5-th percentile	0
Q1	70
median	172
Q3	341
95-th percentile	365
Maximum	365
Range	365
Interquartile range (IQR)	271

Descriptive statistics


Standard deviation	135.6359605
Coefficient of variation (CV)	0.7488936626
Kurtosis	-1.484378512
Mean	181.1151133
Median Absolute Deviation (MAD)	133
Skewness	0.1447715771
Sum	487743

Variance

18397.11379

Monotonicity

Not monotonic



Value	Count	Frequency (%)
0	366	13.6%
365	290	10.8%
89	123	4.6%
179	91	3.4%
90	82	3.0%
364	74	2.7%
180	69	2.6%
363	49	1.8%
178	38	1.4%
359	37	1.4%
Other values (323)	1474	54.7%

Value	Count	Frequency (%)
0	366	13.6%
1	13	0.5%
2	13	0.5%
3	14	0.5%
4	6	0.2%
5	4	0.1%
6	1	< 0.1%
7	6	0.2%
8	2	0.1%
9	4	0.1%

Value	Count	Frequency (%)
365	290	10.8%
364	74	2.7%
363	49	1.8%
362	28	1.0%
361	14	0.5%
360	31	1.2%
359	37	1.4%
358	26	1.0%
357	12	0.4%
356	11	0.4%


number_of_reviewsReal number ($\mathbb{R}_{\geq 0}$)

HIGH

CORRELATION (This variable has a high correlation with 1 fields: reviews_per_month)

ZEROS

Distinct	307
Distinct (%)	11.4%
Missing	0
Missing (%)	0.0%
Infinite	0
Infinite (%)	0.0%
Mean	52.89119941
Minimum	0
Maximum	711
Zeros	400
Zeros (%)	14.9%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	0
5-th percentile	0
Q1	2
median	20
Q3	68
95-th percentile	227.8
Maximum	711
Range	711
Interquartile range (IQR)	66

Descriptive statistics

Standard deviation	79.31751773
Coefficient of variation (CV)	1.499635452
Kurtosis	9.279092791
Mean	52.89119941
Median Absolute Deviation (MAD)	20
Skewness	2.616489209

Sum	142436
Variance	6291.268619
Monotonicity	Not monotonic



Value	Count	Frequency (%)
0	400	14.9%
1	172	6.4%
2	116	4.3%
3	73	2.7%
4	67	2.5%
6	58	2.2%
5	47	1.7%
7	41	1.5%
10	41	1.5%
9	40	1.5%
Other values (297)	1638	60.8%

Value	Count	Frequency (%)
0	400	14.9%
1	172	6.4%
2	116	4.3%
3	73	2.7%
4	67	2.5%
5	47	1.7%
6	58	2.2%
7	41	1.5%
8	34	1.3%
9	40	1.5%


Value	Count	Frequency (%)
711	1	< 0.1%
624	1	< 0.1%
597	1	< 0.1%
585	1	< 0.1%
576	1	< 0.1%
541	1	< 0.1%
527	1	< 0.1%
488	1	< 0.1%
480	1	< 0.1%
461	1	< 0.1%

review_scores_ratingReal number ($\mathbb{R}_{\geq 0}$)

MISSING

Distinct	31
Distinct (%)	1.4%
Missing	414
Missing (%)	15.4%
Infinite	0
Infinite (%)	0.0%
Mean	95.74023695

Minimum	20
Maximum	100
Zeros	0
Zeros (%)	0.0%
Negative	0
Negative (%)	0.0%

Memory size 21.2 KiB**Quantile statistics**

Minimum	20
5-th percentile	86
Q1	94
median	97
Q3	100
95-th percentile	100
Maximum	100
Range	80
Interquartile range (IQR)	6

Descriptive statistics


Standard deviation	5.848700368
Coefficient of variation (CV)	0.06108926147
Kurtosis	35.50820327
Mean	95.74023695
Median Absolute Deviation (MAD)	3
Skewness	-4.329528794
Sum	218192

Variance

34.20729599

Monotonicity

Not monotonic



Value	Count	Frequency (%)
100	571	21.2%
98	265	9.8%
99	261	9.7%
97	235	8.7%
96	199	7.4%
95	146	5.4%
94	104	3.9%
93	104	3.9%
92	73	2.7%
90	69	2.6%
Other values (21)	252	9.4%
(Missing)	414	15.4%

Value	Count	Frequency (%)
20	2	0.1%
40	1	< 0.1%
60	11	0.4%
63	1	< 0.1%
65	1	< 0.1%
69	2	0.1%
70	2	0.1%
73	1	< 0.1%
75	2	0.1%
78	2	0.1%


Value	Count	Frequency (%)
100	571	21.2%
99	261	9.7%
98	265	9.8%
97	235	8.7%
96	199	7.4%
95	146	5.4%
94	104	3.9%
93	104	3.9%
92	73	2.7%
91	47	1.7%

instant_bookable

Boolean

Distinct	2
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	2.8 KiB

Value	Count	Frequency (%)
False	1631	60.6%
True	1062	39.4%




reviews_per_monthReal number ($\mathbb{R}_{\geq 0}$)

HIGH

CORRELATION (This variable has a high correlation with 1 fields: number_of_reviews).

MISSING

Distinct	597
Distinct (%)	26.0%
Missing	400
Missing (%)	14.9%
Infinite	0
Infinite (%)	0.0%
Mean	1.874348016
Minimum	0.01
Maximum	20.04
Zeros	0
Zeros (%)	0.0%
Negative	0
Negative (%)	0.0%
Memory size	21.2 KiB


**Quantile statistics**

Minimum	0.01
5-th percentile	0.07
Q1	0.39
median	1.18
Q3	2.71
95-th percentile	5.764
Maximum	20.04
Range	20.03
Interquartile range (IQR)	2.32

Descriptive statistics

Standard deviation	1.968969414
Coefficient of variation (CV)	1.0504823
Kurtosis	5.508210864
Mean	1.874348016
Median Absolute Deviation (MAD)	0.93
Skewness	1.84551262

Sum	4297.88
Variance	3.876840554
Monotonicity	Not monotonic



Value	Count	Frequency (%)
0.05	30	1.1%
0.07	26	1.0%
1	24	0.9%
0.11	24	0.9%
0.06	21	0.8%
0.03	19	0.7%
0.08	19	0.7%
0.14	19	0.7%
0.21	19	0.7%
0.04	18	0.7%
Other values (587)	2074	77.0%
(Missing)	400	14.9%


Value	Count	Frequency (%)
0.01	2	0.1%
0.02	5	0.2%
0.03	19	0.7%
0.04	18	0.7%
0.05	30	1.1%
0.06	21	0.8%
0.07	26	1.0%
0.08	19	0.7%
0.09	18	0.7%
0.1	12	0.4%


Value	Count	Frequency (%)
20.04	1	< 0.1%
11.86	1	< 0.1%
10.96	1	< 0.1%
10.93	1	< 0.1%
10.67	1	< 0.1%
10.63	1	< 0.1%
10.32	1	< 0.1%
10.27	1	< 0.1%
10	1	< 0.1%
9.94	1	< 0.1%


Interactions


```
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating  
reviews_per_month
```


```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month
id
host_id
accommodates
bedrooms
beds
minimum_nights
maximum_nights
availability_365
number_of_reviews
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































```
reviews_per_month  
id  
host_id  
accommodates  
bedrooms  
beds  
minimum_nights  
maximum_nights  
availability_365  
number_of_reviews  
review_scores_rating
```


































Correlations

















Missing values






Nullity matrix is a data-dense display which lets you quickly visually pick out patterns in data completion.



The correlation heatmap measures nullity correlation: how strongly the presence or absence of one variable affects the presence of another.



The dendrogram allows you to more fully correlate variable completion, revealing trends deeper than the pairwise ones visible in the correlation heatmap.

Sample

First rows

	id	host_id	host_name	host_since	host_response_time	host_response_rate	host_acceptance_rate	host_is_superhost	host_verification
0	12651	49735	Laurel	10/29/09	within an hour	100%	98%	t	['email', 'phone']
1	39342	127367	Annette	5/18/10	within a few hours	100%	40%	f	['email', 'phone']
2	40560	174725	Megan	7/20/10	NaN	NaN	48%	t	['email', 'phone']
3	44504	195645	Maggie	8/8/10	within an hour	100%	100%	t	['email', 'phone']
4	45287	200479	Diane And Mike	8/13/10	within an hour	100%	94%	t	['email', 'phone']
5	45444	174725	Megan	7/20/10	NaN	NaN	48%	t	['email', 'phone']
6	55301	261070	Shannon	10/13/10	NaN	NaN	100%	t	['email', 'phone']
7	63146	308176	Jennifer	12/2/10	NaN	NaN	NaN	f	['email', 'phone']
8	72211	101491	Jennifer	3/31/10	within an hour	100%	100%	t	['email', 'phone']
9	83584	127367	Annette	5/18/10	within a few hours	100%	40%	f	['email', 'phone']

Last rows

	id	host_id	host_name	host_since	host_response_time	host_response_rate	host_acceptance_rate	hos
2683	47268762	57058531	Yusu	2/1/16	within an hour	96%	98%	f
2684	47270034	209426739	Grace	8/14/18	within an hour	100%	100%	f
2685	47274251	226555948	Gi'Angelo	11/19/18	within an hour	100%	95%	t
2686	47274359	226555948	Gi'Angelo	11/19/18	within an hour	100%	95%	t
2687	47274445	226555948	Gi'Angelo	11/19/18	within an hour	100%	95%	t
2688	47274637	226555948	Gi'Angelo	11/19/18	within an hour	100%	95%	t
2689	47274772	226555948	Gi'Angelo	11/19/18	within an hour	100%	95%	t
2690	47291853	368763236	Rolf & Noah As Manager	9/22/20	within an hour	100%	93%	f
2691	47295017	41574587	Enrique And Vienna Of Q Management	8/15/15	within an hour	86%	98%	f
2692	47299925	188426286	Liz	5/7/18	NaN	NaN	NaN	f

Report generated by YData (https://ydata.ai/?utm_source=opensource&utm_medium=pandasprofiling&utm_campaign=report).