### loaderloader

WebpackJSJSjsonloaderJS

Webpack loader

- babel-loaderES6loader
- css-loaderCSSloader
- style-loaderCSSHTML<style>loader
- less-loaderlessloader
- file-loaderloader
- url-loaderloaderfile-loaderData URL
- image-webpack-loaderloader
- eslint-loaderESLintloader

loader

- 1. npmloader
- 2. modulerulesruletestuseloaderloader

```
module.exports = {
 // loader
 module: {
    rules: [
        test: /\.css$/,
        use: [
          { loader: 'style-loader' },
            loader: 'css-loader',
            options: {
              modules: true,
            },
          },
          { loader: 'sass-loader' },
        ],
      },
    ],
 },
```

# pluginpluginplugin

pluginWebpackWebpackHTMLCSS

plugin

- HtmlWebpackPluginHTML
- UglifyJsPluginJavaScript
- CleanWebpackPlugin
- MiniCssExtractPluginCSS
- DefinePlugin

- CopyWebpackPlugin
- ProvidePlugin

plugin

- 1. npmplugin
- 2. pluginspluginpluginnewoption

```
const HtmlWebpackPlugin = require('html-webpack-plugin');

module.exports = {
    // ...
    plugins: [
        new HtmlWebpackPlugin({
            template: './src/index.html'
        })
    ]
}
```

WebpackVuecssjs

Webpack HashedModuleIdsPluginMiniCssExtractPlugin

### **Source Map**

### **Source Map**

Source MapSource Map

Vue.Vue

Source Map

### **Source Map**

Source MapJSONSource Map

### **Source Map**

WebpackdevtoolSource Map

- **eval**evaleval
- **source-map**source-map
- **cheap-source-map**source-map
- **cheap-module-source-map**source-maploadersourcemap

## **Tree-shaking**

#### Tree-shakingES6ES6ES6

 $Tree-Shaking optimization used {\tt Exportstrue} babel babel-preset-envmodules false {\tt ES6CommonJS}$ 

#### **HMR**

**HMR** 

HMRwebsocketWebpack Dev ServerWebpack Dev Server

**HMR** 

- 1. webpack.HotModuleReplacementPlugin
- 2. webpack-dev-serverhot: true
- 3. entryhot module replacement runtime
- 4. module.hot.accept

**HMRHMRHMR** 

### loader

loader

```
module.exports = function(source) {
  return source.toLowerCase(); //
};
```

loaderloader-utilsloader-utilsAPIloader

loader-utilsAPI

- getOptions(loaderContext)Loader
- parseQuery(queryString)
- stringifyRequest(loaderContext, request)
- getRemainingRequest(loaderContext)
- getCurrentRequest(loaderContext)

loader

```
const { getOptions } = require('loader-utils');

module.exports = function(source) {
   const options = getOptions(this);
   const mode = options.mode || 'uppercase';
   if (mode === 'uppercase') {
      return source.toUpperCase();
   } else if (mode === 'lowercase') {
      return source.toLowerCase();
   } else {
      return source;
   }
};
```

optionsloader

```
module.exports = {
  // ...
  module: {
    rules: [
      {
        test: /\.txt$/,
        use: [
          {
             loader: 'my-loader',
            options: {
               mode: 'lowercase',
            },
          },
        ],
      },
    ],
  },
```

# plugin

pluginapplyapplycompilerWebpack

```
class MyPlugin {
   apply(compiler) {
     compiler.hooks.done.tap('MyPlugin', (stats) => {
      console.log('Bundle is now finished!\n');
      console.log(stats.toString());
    });
  });
}
module.exports = MyPlugin;
```

plugin

```
const MyPlugin = require('./my-plugin');

module.exports = {
    // ...
    plugins: [
        new MyPlugin(),
    ],
};
```

#### plugin

Webpack
 WebpackWebpackWebpackdone

2. Webpack WebpacknormalModuleFactory

3. WebpackAPI WebpackAPIwebpackAPlcopy-webpack-plugincopyWebpackPlugin

4. Webpack WebpackWebpackSourceMapdevtool

pluginplugin

### Webpack

- 1. WebpackWebpack
- 2. Webpackentry
- 3. WebpackloaderWebpack
- 4. WebpackHTML
- 5. Webpack
- 6. Webpack

## Webpack

#### Webpack

• before-run: Webpack

• run: Webpack

• before-compile: Webpack

• compile: Webpack

• this-compilation: CompilationCompilation

• compilation: Webpack

emit: Webpackafter-emit: Webpackdone: Webpack

### Webpack

We bpack Tapable Tapable We bpack We bpack Compiler Compilation Tapable

## Webpack5Webpack4

Webpack5Webpack4

- 1. Webpack5
- 2. Tree ShakingWebpack5Tree Shaking
- 3. Webpack5
- 4. WebAssemblyWebpack5WebAssembly
- 5. Module FederationWebpack5Webpack

UI

UI

ModuleFederationPlugin

ModuleFederationPlugin

```
const ModuleFederationPlugin =
require('webpack/lib/container/ModuleFederationPlugin');

module.exports = {
    // ...
    plugins: [
        new ModuleFederationPlugin({
            name: 'app2', //
            filename: 'remoteEntry.js',
            remotes: {
                app1: 'app1@http://localhost:3001/remoteEntry.js', //
            },
            shared: ['react', 'react-dom'], //
            }),
            ],
        });
```

## Webpack

- 1.
- 2.
- 3.
- 1. Webpackcache-loaderhard-source-webpack-plugin
- 2. DllPluginDllPlugin Webpack
- 3. SourceMap SourceMap
- 4. thread-loaderhappypack
- 5. Webpack node\_modules resolve.alias Webpack
- 6. Webpack5Vite

## Webpack

- 1. webpack-bundle-analyzer
- 2. UglifyJsPluginMiniCssExtractPluginJSCSS
- 3. Webpack
- 4. gzipcompression-webpack-plugingzipNginxgzip
- 5. splitChunks
- 6.
- 7. Tree ShakingVueReactTree ShakingES