


Define Keys (long press) RadtelRT-950 Pro

Getting to Know the Device

Structure Introduction



Side Buttons

PPT A: PTT.

PPT B: PTT 2.

PTT C: PTT 3.

Side Key 2 Long Seek (Search).

Front key pads.

1/ Standby Set.

2/ APRS Search.

3/ GPS Search.

4/ Spectrum.

5/ NOAA.

6/ Scan QT.

7/ Squelch.

8/ Freq Steps.

9/ TX Power.

0/ Radio.

#/ Key Lock.

Define Keys (long press 0) RadtelRT-950 Pro HF mode

1/ Press 0 key.

2/Press OK key.

3/ Select 1 Modulation FM-AM-LSB-USB-CW

4/ Select 2 FM Memories-CH.

The * Button change. (AM-LSB-USB-CW)

1/ Red arrow.

2/ Step.

3/ BW.

4/ LNA.

5/ BFO.

The # Seek button.

The orange button exits or back.

12/ Modulation-FM-AM-LSB-USB-CW.

2/ Memory-CH-CH 01-15.

3/ LNA-0db-35db-AGC.

4/ Frequency Steps-1K-5K-10K-100K-500K-1000K.

5/ Bandwidth-0.5K-2.2-OK-OK.

6/ BFO-0.

#/ Key Lock.

To used more Bands.

1/ Switch off radio.

2/ Press and hold the down arrow key and switch on radio.

3/ The radio switch on and display All Bands Test Mode.

4/ Press ABC buttons to highlight C on the screen.

5/ The radio display CB UK and CB EU.

6/ Press up or down arrow button to change channels.