## Jaua Assignment



## Java Assignment 2.5 - Change Maker

Ver 2.0 Last Updated: 9/27/2018 12:12 PM

- 1. With a partner you are to create a program to solve the following problem
- 2. Change for a 20
  - a. Assuming someone has a bill <= \$20, Figure out how many tens, fives, ones, quarters, dimes, nickels and pennies would be given back
  - b. Examples include
    - i. 15.73 -> 4 one(s), 1 quarter(s), two pennies
    - ii. 3.67 -> 1 ten, 1 five(s), 1 one(s), 1 quarter(s), 1 nickel and three pennies
    - iii. 8.91 -> 1 ten, 1 one(s), 1 nickel and four pennies
  - c. NOTE: Suppress any bills or coins not present
  - d. BONUS: Print appropriate words for bills and coins, example 2 ones or 1 one and 3 pennies but 1 penny
- 3. Be sure to comment your code



Project Name	Assign 2-5 Food Rec and Change Calc
Class1 Name	RestaurantChooser
Class2 Name	ChangeCalculator

Rubric	
Flowchart Restaurant Logic	15
Restaurant Program	20
<b>Change Program</b>	25
Comments	10
TOTAL	70

## How to help mr. Hanley get set to test your change for a twenty batch file.

In order to test your program efficiently, we will be adding commands to your main method and copying two text files into your project folder.

These text files, in1.txt and in2.txt have a price on each line that the computer will read in as an input.

Instead of printing the results to the screen, the program will create a text file and store the outputs in the text file.

mr Hanley will grade each of these in order to see if your logic works correctly.

Here are the steps to getting things set up.

1. Copy the following code into the beginning of your main.(If the computer asks you to add imports, do it)

```
//Added by Hanley
     String inFileName = "in1.txt";
     String outFiName = "out1.txt", team = "Justin and Ben T", per = "4";
     System.out.println("Redirecting input -> " + inFileName);
     System.out.println("Redirecting output -> " + outFiName);
     //Redirect the input
     try {
       System.setIn(new FileInputStream(new File(inFileName)));
     } catch (FileNotFoundException e) {
       System.out.println("File Problem " + e);
     //Redirecting console output to file (System.out.println)
     try {
       //Prepare the output file
       PrintStream fileStream = new PrintStream(new FileOutputStream(outFiName,
false));
       System.setOut(fileStream);
     } catch (IOException e) {
       System.out.println("File Problem " + e);
     //Read the data
     Scanner input = new Scanner(System.in);
```

```
//loops all data in file

System.out.println("_______");

System.out.println("Team " + team + " Period " + per);

System.out.println("Test File is :" + inFileName);

while (input.hasNext()) {
```

- 2. If the computer did not ask you for imports, right click and choose Fix Imports (the errors where things were underlined should go away!!)
- 3. Comment out where you created a scanner and any prompts to enter information

(Since I already created a Scanner in my code, there will be a conflict otherwise!!)

```
public static void main(String[] args) {
   //Added by Hanley
   String inFileName = "in2.txt";
   String outFiName = "out2.txt", team = "Justin and Ben T", per = "4";
   System.out.println("Redirecting input -> " + inFileName);
   System.out.println("Redirecting output -> " + outFiName);
   //Redirect the input
   try {
       System.setIn(new FileInputStream(new File(inFileName)));
   } catch (FileNotFoundException e) {
       System.out.println("File Problem " + e);
   //Redirecting console output to file (System.out.println)
   try {
       //Prepare the output file
       PrintStream fileStream = new PrintStream(new FileOutputStream(outFiName, false));
       System.setOut(fileStream);
   } catch (IOException e) {
       System.out.println("File Problem " + e);
   //Read the data
   Scanner input = new Scanner(System.in);
   //loops all data in file
   System.out.println("========");
   System.out.println("Team " + team + " Period " + per);
   System.out.println("Test File is :" + inFileName);
   while (input.hasNext()) {
    //Scanner - Nombre Un
   Scanner input = new Scanner(System.in); //Keybarhd Scanna
```

Need to comment this out

4. After commenting out,

```
I already have a Scanner, so
                                           comment yours out!!
while (input.hasNext()) {
   //Scanner - Nombre Un
   //Scanner input = new Scanner(System.in); //Keybarhd Scanna
   //Variables
   double initial = 0; //Input of User
   double finalNumber = 0; //Output of program
   double fiveDollar = 0;
   double tenDollar = 0;
   double tenDollarValue = 0;
   double fiveDollarValue = 0;
   double dollarCheck = 0;
   double dollarTotal = 0;
   double quarterCheck = 0;
   double quarterTotal = 0;
   double dimeTotal = 0;
   double dimeCheck = 0;
   double nickelCheck = 0;
   double nickelTotal = 0;
                                         Get rid of a prompt for them to enter
   double pennyCheck = 0;
                                          data, text file will enter data
   double pennyTotal = 0;
   //Prompting
   //System.out.println("Please type in your amount the item finalNumbers, to the cer
   initial = input.nextDouble();
   if (initial == 20) { //Putting in 20 for change for a 20 :/
       System.out.println("What are you using this program for?");
   //Math
```

5. Find the part in your program right after you calculate the change due and paste these three lines

```
System.out.println("___
System.out.println("Charge is " + charge);
System.out.println("Your change is " + change);
```


6. This will probably result in errors as your variable names won't be the same as mine; change the charge and change variables to match whatever name variables you used (this example its initial and finalNumber)

```
//Math
finalNumber = 20 - initial;
finalNumber = finalNumber * 100; //move the decimal over 2 places
finalNumber = (int) (finalNumber + .5); //add .5 and then chop off decimal
finalNumber = finalNumber / 100; //move the decimal place back
System.out.println("
System.out.println("Charge is " + given);
System.out.println("Your change is " + change);
if (finalNumber / 10 >= 1) { //If they are getting more than 10 back
     tanDollarValue - 10.
```

7. Right Click and Format your code and you will find you are missing a closing curly brace at the bottom of your program. Add in the }

```
📆 ChangeForA20.java 🗴 🚮 ChangeCalculator.java 🗴 📄 BlackJackFrame.java 🗴 🗟 BlackJackFrame.java 🗴 🚳 BlackJackApp.java 🗴
                     System.out.println("Your change is " + finalNumber);
                         System.out.println("Dollar Bills:" + dollarTotal);
184
185
186
187
                     if (quarterTotal > 0) {
                          System.out.println("Quarters:" + quarterTotal);
188
189
190
                     }
191
                     if (dimeTotal > 0) {
192
                          System.out.println("Dimes:" + dimeTotal);
193
194
195
                     }
196
197
                     if (nickelTotal > 0) {
                          System.out.println("Nickels:" + nickelTotal);
198
199
200
                     }
201
                     if (pennyTotal > 0) {
202
                          System.out.println("Pennies:" + pennyTotal);
203
204
                     }
205
206
207
209
```

8. Copy 2 files from mr Hanley's web site into your project folder(in1.txt and in2.txt)



9. Edit the top of the program to reflect your names and period you have java

```
//Added by Hanley
String inFileName = "in1.txt";
String outFiName = "out1.txt", team = "Bud and Kaleb", per = "b";
System.out.println("Redirecting input -> " + inFileName);
System.out.println("Redirecting output -> " + outFiName);
//Redirect the input
try {
   System.setIn(new FileInputStream(new File(inFileName)));
} catch (FileNotFoundException e) {
   System.out.println("File Problem " + e);
//Redirecting console output to file (System.out.println)
    //Prepare the output file
   PrintStream fileStream = new PrintStream(new FileOutputStream(outFiName, false)
   System.setOut(fileStream);
} catch (IOException e) {
   System.out.println("File Problem " + e);
//Read the data
Scanner input = new Scanner(System.in);
//loops all data in file
System.out.println("=======");
System.out.println("Team " + team + " Period " + per);
System.out.println("Test File is :" + inFileName);
while (input.hasNext()) {
   //Scanner - Nombre Un
```

- 10. If you completed this successfully, you should be able to right click and run your program and get an out1.txt in your folder of your project. If there are a lot of things printing out, comment them out so the output file is relatively lean! This will greatly help mr Hanley to run these two batch file tests and get your project graded
- 11. Please copy the entire project folder to your group directory on the S Drive.