

## dokumentacijaOracle3

Design Name	designDokumentacija
Version Date	27.12.2018 01:18:07
Version Comment	
Model Name	Relational_1

### SubViews

SubView	Description	Notes	Object
<a href="#">Relational_1</a>			<a href="#">BP11.OPISVIDEO</a> <a href="#">BP11.FAJL</a> <a href="#">BP11.OPISFAJL</a> <a href="#">BP11.SLIKE</a> <a href="#">BP11.VIDEO</a> <a href="#">BP11.KORISNICI</a> <a href="#">BP11.OPISSLIKE</a> <a href="#">BP11.PREDMET</a>

Table Name	BP11.FAJL
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y		LT				
2	ID_KORISNIK		F	Y		LT				
3	NAZIV			Y		LT				
4	FAJL					LT				

#### Columns Comments

No	Column Name	Description	Notes
3	NAZIV	Naziv fajla	
4	FAJL	Fajl kao blob	

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
FAJL_PK	PK				ID	ASC

## Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FKFAJL542852	KORISNICI	Y	Y		ID_KORISNIK	ID	

## Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FKOPISFAJL552852	OPISFAJL	Y	Y		ID_FAJL	ID	

Table Name	BP11.KORISNICI
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	8
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y		LT				
2	ADMIN					LT				
3	IME					LT				
4	PASSWORD					LT				
5	PREZIME					LT				
6	USERNAME					LT				
7	ENABLED					LT				
8	ROLE					LT				

#### Columns Comments

No	Column Name	Description	Notes
2	ADMIN	Informacija da li je admin	
3	IME	Ime korisnika	
4	PASSWORD	Password korisnika	

No	Column Name	Description	Notes
5	PREZIME	prezime	
6	USERNAME	Korisničko ime korisnika	
8	ROLE	rola korisnika	

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
KORISNICI_PK	PK				ID	ASC

#### Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FK7E23834F4N97JAI9B59J6D0LY	VIDEO		Y		ID_KORISNIK	ID	
FKFAJL542852	FAJL	Y	Y		ID_KORISNIK	ID	
FKGADCPOFTWVKYQVN1D0XMHRIF	SLIKE		Y		ID_KORISNIK	ID	

Table Name	BP11.OPISFAJL
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y	NUMERIC (10)	LT				
2	ID_FAJL		F	Y		LT				
3	OPIS				VARCHAR (30 BYTE)	LT				
4	DATUM				Date (7)	LT				

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
OPISFAJL_PK	PK				ID	ASC
OPISFAJL_ID_FAJL_UN	UK				ID_FAJL	ASC

#### Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FKOPISFAJL552852	FAJL	Y	Y		ID_FAJL	ID	

Table Name	BP11.OPISSLIKE
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y	NUMERIC (10)	LT				
2	ID_SLIKE			Y	NUMERIC (10)	LT				
3	OPIS			Y	VARCHAR (255 BYTE)	LT				
4	DATUM				Date (7)	LT				

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
OPISSLIKE_PK	PK				ID	ASC
OPISSLIKE_ID_SLIKE_UN	UK				ID_SLIKE	ASC

Table Name	BP11.OPISVIDEO
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y	NUMERIC (10)	LT				
2	ID_VIDEO			Y	NUMERIC (10)	LT				
3	OPIS			Y	VARCHAR (255 BYTE)	LT				
4	DATUM				Date (7)	LT				

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
OPISVIDEO_PK	PK				ID	ASC
OPISVIDEO_ID_VIDEO_UN	UK				ID_VIDEO	ASC



Table Name	BP11.PREDMET
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y	NUMERIC (10)	LT				
2	CIKLUS				NUMERIC (10)	LT				
3	NAZIV				VARCHAR (255 CHAR)	LT				
4	SEMESTAR				NUMERIC (10)	LT				

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PREDMET_PK	PK				ID	ASC

#### Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FK9KFFPC0KGUGYRDP0FAPJBC5XI	SLIKE		Y		ID_PREDMET	ID	
FKKVG7XBC8X4SM00LALU9C3YJG	VIDEO		Y		ID_PREDMET	ID	

Table Name	BP11.SLIKE
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y	NUMERIC (10)	LT				
2	NAZIV				VARCHAR (255 CHAR)	LT				
3	SLIKA				BLOB (4000)	LT				
4	ID_KORISNIK		F			LT				
5	ID_PREDMET		F		NUMERIC (10)	LT				

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
SLIKE_PK	PK				ID	ASC

#### Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FK9KFFPC0KGUGYRDP0FAPJBC5XI	PREDMET		Y		ID_PREDMET	ID	
FKGADCP0FTWVKYJQVN1D0XMHRIF	KORISNICI		Y		ID_KORISNIK	ID	

Table Name	BP11.VIDEO
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

#### Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ID	P		Y	NUMERIC (10)	LT				
2	NAZIV				VARCHAR (255 CHAR)	LT				
3	VIDEO				BLOB (4000)	LT				
4	ID_KORISNIK		F			LT				
5	ID_PREDMET		F		NUMERIC (10)	LT				

#### Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
VIDEO_PK	PK				ID	ASC

#### Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
FK7E23834F4N97JAI9B59J6D0LY	KORISNICI		Y		ID_KORISNIK	ID	
FKKVG7XBC8X4SM00LALU9C3YJG	PREDMET		Y		ID_PREDMET	ID	

