

BS EN ISO 4210-9:2014



BSI Standards Publication

# Cycles — Safety requirements for bicycles

Part 9: Saddles and seat-post test methods  
(ISO 4210-9:2014)

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of EN ISO 4210-9:2014. Together with BS EN ISO 4210-1:2014, BS EN ISO 4210-2:2014, BS EN ISO 4210-3:2014, BS EN ISO 4210-4:2014, BS EN ISO 4210-5:2014, BS EN ISO 4210-6:2014, BS EN ISO 4210-7:2014, BS EN ISO 4210-8:2014 it supersedes BS EN 14764:2005, BS EN 14766:2005 and BS EN 14781:2005, which are withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GME/25, Cycles.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014.  
Published by BSI Standards Limited 2014

ISBN 978 0 580 78285 5

ICS 43.150

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2014.

**Amendments/corrigenda issued since publication**

Date	Text affected
------	---------------

English Version

**Cycles - Safety requirements for bicycles - Part 9: Saddles and  
seat-post test methods (ISO 4210-9:2014)**

Cycles - Exigences de sécurité des bicyclettes - Partie 9:  
Méthodes d'essai de la selle et du poste d'assise (ISO  
4210-9:2014)

Fahrräder - Sicherheitstechnische Anforderungen an  
Fahrräder - Teil 9: Prüfverfahren für Sättel und Sattelstütze  
(ISO 4210-9:2014)

This European Standard was approved by CEN on 21 June 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

This document (EN ISO 4210-9:2014) has been prepared by Technical Committee ISO/TC 149 "Cycles" in collaboration with Technical Committee CEN/TC 333 "Cycles" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2015, and conflicting national standards shall be withdrawn at the latest by July 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14764:2005, EN 14766:2005, EN 14781:2005.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 4210-9:2014 has been approved by CEN as EN ISO 4210-9:2014 without any modification.

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Test methods</b> .....	<b>1</b>
4.1 General.....	1
4.2 Saddle/seat-post — Security test.....	1
4.3 Saddle — Static strength test.....	2
4.4 Saddle and seat-post clamp — Fatigue test.....	4
4.5 Seat-post — Fatigue test and static strength test.....	5

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 149, *Cycles*, Subcommittee SC 1, *Cycles and major sub-assemblies*.

This first edition of ISO 4210-9, together with ISO 4210-1, ISO 4210-2, ISO 4210-3, ISO 4210-4, ISO 4210-5, ISO 4210-6, ISO 4210-7, and ISO 4210-8, cancels and replaces ISO 4210:1996, which has been technically revised.

ISO 4210 consists of the following parts, under the general title *Cycles — Safety requirements for bicycles*:

- *Part 1: Terms and definitions*
- *Part 2: Requirements for city and trekking, young adult, mountain and racing bicycles*
- *Part 3: Common test methods*
- *Part 4: Braking test methods*
- *Part 5: Steering test methods*
- *Part 6: Frame and fork test methods*
- *Part 7: Wheels and rims test methods*
- *Part 8: Pedals and drive system test methods*
- *Part 9: Saddles and seat-post test methods*

## Introduction

This International Standard has been developed in response to demand throughout the world, and the aim has been to ensure that bicycles manufactured in compliance with this International Standard will be as safe as is practically possible. The tests have been designed to ensure the strength and durability of individual parts as well as of the bicycle as a whole, demanding high quality throughout, and consideration of safety aspects from the design stage onwards.

The scope has been limited to safety considerations and has specifically avoided standardization of components.

If the bicycle is to be used on public roads, national regulations apply.





# Cycles — Safety requirements for bicycles —

## Part 9:

## Saddles and seat-post test methods

### 1 Scope

This part of ISO 4210 specifies saddle and seat-post test methods for ISO 4210-2.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4210-1, *Cycles — Safety requirements for bicycles — Part 1: Terms and definitions*

ISO 4210-2:2014, *Cycles — Safety requirements for bicycles — Part 2: Requirements for city and trekking, young adult, mountain and racing bicycles*

ISO 4210-3:2014, *Cycles — Safety requirements for bicycles — Part 3: Common test methods*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4210-1 apply.

### 4 Test methods

#### 4.1 General

If a suspension seat-post is involved, the test may be conducted with the suspension system either free to operate or locked. If it is locked, the pillar shall be at its maximum length.


#### 4.2 Saddle/seat-post — Security test

With the seat-post correctly assembled to the bicycle frame at minimum insertion depth of the seat-post (as specified in ISO 4210-2:2014, 4.16.2), and the clamps tightened to the torque recommended by the bicycle manufacturer, apply a force of  $F_1$  vertically downwards at a point 25 mm from either the front or rear of the saddle, whichever produces the greater torque on the saddle clamp. The saddle shall be positioned in the seat-post clamp assembly as defined by the saddle manufacturer's rail markings or instructions. Maintain this force for 1 min. Remove this force and apply a lateral force of  $F_2$  horizontally at a point 25 mm from either the front or rear of the saddle and maintain this force for 1 min, whichever produces the greater torque on the clamp (see [Figure 1](#)). The forces are given in [Table 1](#). The fixture shall be such that it does not damage the surface of the saddle.

Table 1 — Forces on saddle

Forces in newtons				
Bicycle type	City and trekking bicycles	Young adult bicycles	Mountain bicycles	Racing bicycles
Vertical force, $F_1$	650	650	650	650
Horizontal force, $F_2$	250	250	250	250

Dimensions in millimetres




- Key**
- 1 minimum insertion-depth mark
  - 2 bicycle frame

Figure 1 — Saddle/seat-post — Security test

4.3 Saddle — Static strength test


Position the saddle in its maximum rearward direction as defined by the saddle manufacturer’s rail markings or instructions, into a suitable fixture representative of a seat-post clamp assembly. Tighten the clamps to the torque recommended by the bicycle manufacturer, and apply forces of 400 N in turn under the rear and nose of the saddle cover, as shown in [Figure 2](#), ensuring that the force is not applied to any part of the chassis of the saddle. The load application point is on the longitudinal plane of the saddle at 25 mm from the back (front) of the saddle. If the saddle design is such that it cannot accept a centreline

load application, the load shall be symmetrically applied at two points of the saddle. Loading on the rear of the saddle shall be symmetrical about its longitudinal axis, as shown in [Figure 3](#).



**Figure 2 — Saddle — Static strength test**

Dimensions in millimetres



**Key**

1 loading point

**Figure 3 — Saddle — Load application point of static strength test**


## 4.4 Saddle and seat-post clamp — Fatigue test

### 4.4.1 General

Seat-posts can influence test failures of saddles. For this reason, a saddle shall be tested in combination with a seat-post as recommended by the saddle manufacturer.

### 4.4.2 Test method

Insert the seat-post to its minimum insertion depth (as specified in ISO 4210-2:2014, 4.16.2) in a rigid mount representative of that on the bicycle and with its axis at  $73^\circ$  to the horizontal. The saddle shall be positioned in the seat-post clamp assembly in a maximum rearward direction as defined by the saddle manufacturer's rail markings or instructions. Adjust the saddle to have its upper surface in a horizontal plane and tighten the clamp to the torque recommended by the bicycle manufacturer. Apply a repeated, vertically-downward force of 1 000 N for 200 000 cycles, in the position shown in [Figure 4](#), by means of a pad 300 mm long  $\times$  80 mm diameter to prevent localized damage of the saddle cover. The maximum test frequency shall be maintained as specified in ISO 4210-3:2014, 4.5.



#### Key

- 1 rigid mount
- 2 minimum insertion-depth mark
- 3 pad (length = 300 mm, diameter = 80 mm)

**Figure 4 — Saddle and seat-post clamp fatigue test**

## 4.5 Seat-post — Fatigue test and static strength test

### 4.5.1 General

In the following test, if a suspension seat-post is involved, the test shall be conducted with the suspension system adjusted to give maximum resistance.

### 4.5.2 Test method for stage 1 (fatigue test)

A seat-post shall be inserted to the minimum insertion depth (as specified in ISO 4210-2:2014, 4.16.2) in a suitable fixture with a representative seat collar and clamped to the manufacturer's recommended torque. The seat-post shall be fixed at an angle of  $73^\circ$  from horizontal, as shown in [Figure 5](#).


Secure an extension-bar to the saddle attachment point by the appropriate attachment fitting such that the bar extends rearwards and downwards at an angle of  $10^\circ$  below the horizontal to permit the application of a vertical test force at a distance of 70 mm from the centre of the saddle clamp where the centreline of the clamp intersects the axis of the bar, as shown in [Figure 5](#).

Apply a repeated, vertically downward, dynamic force of  $F_3$  to the point described above and shown in [Figure 5](#) for 100 000 cycles. The forces are given in [Table 2](#). The maximum test frequency shall be maintained as specified in ISO 4210-3:2014, 4.5.

**Table 2 — Forces on seat-post**

Forces in newtons				
Bicycle type	City and trekking bicycles	Young adult bicycles	Mountain bicycles	Racing bicycles
Force, $F_3$	1 000	1 000	1 200	1 200

Dimensions in millimetres



#### Key

1 minimum insertion-depth mark

**Figure 5 — Seat-post — Fatigue test**


4.5.3 Test method for stage 2 (static strength test)

A seat-post shall be inserted to the minimum insertion-depth (as specified in ISO 4210-2:2014, 4.16.2) in a suitable fixture with a representative seat collar and clamped to the manufacturer’s recommended torque. The seat-post shall be fixed at an angle of 73° from the horizontal, as shown in [Figure 6](#).

A force of  $F_4$  shall be exerted vertically on the saddle clamp for a duration of 1 min. The displacement at the loading point shall be constantly monitored during testing. The forces are given in [Table 3](#).

Table 3 — Forces on seat-post

Forces in newtons				
Bicycle type	City and trekking bicycles	Young adult bicycles	Mountain bicycles	Racing bicycles
Force, $F_4$	2 000	1 500	2 000	2 000



**Key**  
1 minimum insertion-depth mark

Figure 6 — Seat-post — Static strength test









# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK



...making excellence a habit.™