

How did local health infrastructure and socio-political factors within different states and counties in the United States affect the disparities in COVID-19 outcomes, and what lessons can be learned for more targeted public health preparedness and response strategies in future pandemics?*

Adrian Ly

Sakhil Goel

Hannah Yu

February 12, 2024

First sentence. Second sentence. Third sentence. Fourth sentence.

Table of contents

1	Introduction	2
2	Data	2
2.1	Source	2
2.2	Methodology	2
2.3	Data Measurement	3
2.4	Data cleaning	3
2.5	Data Visualization	3
3	Results	3
4	Discussion	7
4.1	Influence of political polarization on adherence to health guidelines.	7

*Code and data are available at: <https://github.com/hannahyu07/US-Covid-Analysis.git>

4.2	Impact of government transparency and consistent communication on public trust.	8
4.3	Role of social vulnerabilities and healthcare access disparities in pandemic impact	9
4.4	Strategies for improving real-time data collection and sharing for public health decisions.	10
4.5	Weaknesses and next steps	10
5	Conclusion	11
	References	12

1 Introduction

This reproduction was performed after a replication on the Social Science Reproduction platform: [link here](#)

2 Data

2.1 Source

The datasets utilized in this paper were mainly obtained from the **original paper** (Nuzzo and Ledesma 2023). Additionally, to address the original paper’s lack of US COVID statistics and political party support data, we incorporated information from Jack and Oster (2023) and Elflein (2023).

Jack and Oster (2023) discusses the long-term impacts of COVID-related school closures. From this source, we utilized the dataset on voting shares during the 2020 election by county. Elflein (2023) summarizes COVID-19 death rates in the United States as of March 2023, organized by state. Analyzing results from both datasets allows us to explore the relationship between political affiliation and COVID-19 outcomes. Our reproduction aims to fill these gaps and includes tables and graphs not presented in the original paper to support our findings.

2.2 Methodology

R (R Core Team 2022) was the language and environment used for the bulk of this analysis, alongside `tidyverse` (Wickham et al. 2019), `sf` (Pebesma 2018), `readxl` (Wickham and Bryan 2023), `knitr` (Xie 2014), `janitor` (Firke 2023), `lubridate` (Grolemund and Wickham 2011), `dplyr` (Wickham et al. 2023), `data.table` (Barrett et al. 2024), `RColorBrewer` (Neuwirth 2022), `ggpubr` (Kassambara 2023), `ggplot2` (Wickham 2016), `here` (Müller 2020), `kableExtra`

(Zhu 2024), `webshot` (Chang 2023a), `webshot2` (Chang 2023b), and `scales` (Wickham, Pedersen, and Seidel 2023).

2.3 Data Measurement

2.4 Data cleaning

2.5 Data Visualization




Figure 1: Global Health Security Index Scores by Country

3 Results

Our results are summarized in the following figures. Figure 2 illustrates the trend of life expectancy at birth across different racial groups over time. Table 2 provides a more detailed breakdown of the life expectancy before and during COVID for...

Unfortunately, due to the unavailability of data over time for Asian, American Indian, and Alaska Native communities, they have been excluded from the time series graph.

An intriguing observation is the consistently higher life expectancy among Hispanic individuals compared to other groups, even amidst the challenges posed by COVID-19. On the other hand,

Black individuals have consistently exhibited lower life expectancy, which further declined notably in 2021, reaching just over 70.8 years old. The life expectancy trends of white people and all other races and origins remain close together throughout the 14 years, with minimum variance. Specifically, the life expectancy for White individuals decreased from 78.8 to 76.4 years old from pre-pandemic levels in 2019 to 2021, while for Hispanic individuals, it dropped by 4.2 years, and for Black individuals, it declined by 4 years during the same period.




Figure 2: Estimates of Life Expectancy at Birth, by Race 2006-2021

Table 1: Top 10 States with Highest Death Rates from COVID-19 (per 100,000 people)

Rank	State	Deaths
1	Arizona	455
2	Oklahoma	454
3	Mississippi	449
4	West Virginia	444
5	New Mexico	432
6	Arkansas	431
7	Alabama	429
8	Tennessee	428
9	Michigan	423
10	Kentucky	406




Figure 3: Change in Life Expectancy at Birth from the Previous Year




Figure 4: Total Number of Votes in Top 10 States with Highest Proportion of Republican Votes

Table 2: Life Expectancy by Race (2019-2021)

Year	All Races and Origins	Hispanic	AIAN	Asian	Black	White
2019	78.8	81.9	71.8	85.6	74.8	78.8
2020	77.0	77.9	67.1	83.6	71.5	77.4
2021	76.1	77.7	65.2	83.5	70.8	76.4

Figure 3 serves as a valuable addition to our previous analysis with the inclusion of Asians, American Indians, and Alaska Natives during the critical period from 2019 to 2021. With these additional ethnic categories, we can discern that American Indians and Alaska Natives experienced significant impacts from the pandemic, with a decrease of 4.7 years in the first year and 1.9 years in the second year, totaling 6.6 years.

With a chart that depicts the change in life expectancy each year by ethnicity, we can better gain a more comprehensive understanding of the impact of COVID by ethnicity. While the declines in life expectancy are smaller in magnitude from 2020 to 2021, they are notably minimal for Asians and Hispanics, with reductions of -0.1 and -0.2 years respectively. (Insert some sources tmrw)

Numerous sources have indicated a correlation between a state’s political affiliation and its handling of COVID issues (sources to be inserted tomorrow). To testify to the claim, we collected the voting data for each of the 50 states for the 2020 presidential election. We then selected the ten states with the highest proportions of Republican votes. These voting patterns are visualized in Figure Figure 4, where red symbols represent Republican votes and blue symbols represent Democratic votes. Among the top ten states, Tennessee recorded the highest total number of votes, while Wyoming boasted the highest proportion of Republican votes.

Given the variation in population sizes among states, direct comparisons of COVID-19 case numbers are inherently flawed. As an alternative, we employed death rates per 100,000 people as a metric for evaluating each state’s COVID preparedness and situation. We then produced Table 1 that rank the top ten states with the highest death rates from COVID-19 per 100,000 people to examine the potential correlation between party preferences and COVID-related deaths. Notably, We found that six of the ten top Republican states made a reappearance in the top death rates table; these states are Oklahoma, West Virginia, Arkansas, Alabama, Tennessee, and Kentucky. (Insert quotes about the republican party and COVID tmrw)

Following from our previous analysis regarding individuals’ political affiliations, we have developed Figure Figure 5, which encompasses all 50 states of the US along with their political leanings based on which party garnered the majority votes. This information is juxtaposed against their respective COVID-19 death rates.

While we cannot make any definitive assertions about stark differences, we do observe that the Republican-leaning states are slightly more clustered around higher death rates ranging from

350 to 450 deaths, while the Democratic-leaning states appear to be more evenly distributed, and notably one Democratic-leaning state has the lowest death rate. An intriguing observation is that although many Republican-leaning states demonstrate higher COVID death rates, it is noteworthy that Arizona, typically considered a Democratic-leaning state, records the highest death rate among all states.




Figure 5: COVID-19 Death Rates vs. Republican Votes

4 Discussion

This begs the question as to why we are seeing these results. There isn't exactly a single answer to this question, however, we can certainly point out some considerable factors to this result.

4.1 Influence of political polarization on adherence to health guidelines.

Political polarization has significantly impacted the adherence to health guidelines during the COVID-19 pandemic. The divergence in political ideologies has translated into differing attitudes towards health directives, including mask mandates, social distancing, and vaccination uptake.

Various studies and our results have shown that areas with higher support for one political party exhibited distinct behaviors and compliance levels with health recommendations, which directly correlated with COVID-19 case rates and mortality. A news article from *ABC News* (Diab and Kumar 2023) shows that the top states with the highest COVID-19 deaths are Arizona, and Washington with 581 deaths and 526 deaths respectively per 100,000 people. According to 2020 presidential voting data published by CNN, we have both states having the electoral vote of Democrat with Washington winning by 58% (*2020 Election Results by State, Washington* 2020) and Arizona winning by 49.4% (*2020 Election Results by State, Arizona* 2020). Another news article by *ContagionLive* (Parkinson 2023) also claims both Arizona and Washington have the highest COVID-19 mortality. This polarization has not only influenced individual behavior but also shaped state and local health policies, further entrenching the disparities in health outcomes.

The adherence to health guidelines is evident in the varied health outcomes observed across the United States. Regions with lower compliance to health directives, often influenced by political leanings, have experienced higher rates of COVID-19 transmission, hospitalizations, and deaths. The disparities in vaccine uptake, driven by political affiliations, have further exacerbated these outcomes, leaving certain communities more vulnerable to the virus and its variants. To mitigate the influence of political polarization on public health, it is imperative to depoliticize health guidelines and focus on evidence-based approaches to disease prevention and control. Building trust in health institutions and promoting bipartisan support for public health measures are essential steps toward achieving higher compliance and better health outcomes. Engaging trusted community leaders and utilizing targeted communication strategies can also help bridge the divide and encourage adherence to health guidelines.

4.2 Impact of government transparency and consistent communication on public trust.

The politicization of health guidelines and mixed messages from political and health leaders during the COVID-19 pandemic have significantly undermined the effectiveness of public health messaging, leading to confusion, skepticism, and eroded trust among the public. Initially, inconsistencies in recommendations, such as on mask usage, challenged the principle of clear, consistent, and science-based communication essential for an effective public health response. Moreover, the transparency of government actions and decision-making processes is crucial in building and maintaining public trust, especially during health crises. The level of public trust was greatly affected by the openness and accuracy with which governments, at all levels, communicated about the evolving situation, the reasoning behind guidelines, and the measures taken to combat the virus, emphasizing the importance of transparent reporting of data related to case counts, hospitalizations, vaccine distribution, and side effects. Furthermore, consistent communication from public health officials and government leaders is key to ensuring adherence to health guidelines, where inconsistencies, such as changes in mask-wearing guidelines without clear explanations, have led to public confusion. The direct

correlation between government transparency, consistent communication, and public behavior is self-evident, with populations receiving clear and transparent information being more likely to adhere to guidelines, participate in testing and tracing efforts, and accept vaccination. Drawing lessons from the pandemic, strategies for improving government transparency and communication in future health emergencies should include establishing centralized information hubs, ensuring regular and predictable communication from health authorities, engaging community leaders in information dissemination, and harnessing digital platforms and social media to amplify public health messages, thus reinforcing public trust and compliance.

4.3 Role of social vulnerabilities and healthcare access disparities in pandemic impact

The COVID-19 pandemic starkly highlighted how social vulnerabilities and disparities in healthcare access exacerbated the impact of global health crises, contributing to significant variations in disease outcomes and underscoring the need for targeted public health strategies that address these disparities' root causes. Social vulnerabilities, such as socioeconomic status, race, ethnicity, and housing conditions, critically determined COVID-19 outcomes' severity, with populations in crowded housing, limited access to sanitation, and lower socioeconomic brackets experiencing higher transmission rates due to social distancing and hygiene maintenance challenges. An independent study done by the **Government of Canada** states that it "identified that the risk of COVID-19 related deaths in Black, Asian and minority ethnic groups was nearly 1.5 times higher than White individuals" (Emily Thompson 2021). Another news article done by the MSN (Dr. Sushama R. Chaphalkar 2024) states that 'racial minority participants reported more negative impacts on health status, activity, and absence from work as compared to the White population.' The pandemic's economic toll further limited these groups' healthcare access, amplifying vulnerabilities. Disparities in healthcare access played a significant role in influencing COVID-19 morbidity and mortality, with communities facing healthcare facility shortages, provider scarcities, and barriers due to insurance or financial constraints at heightened risk. These disparities were evident in the uneven vaccine distribution and access, highlighting the advantages of regions with strong healthcare infrastructure. Marginalized populations, including racial and ethnic minorities, faced compounded risks from social vulnerabilities and healthcare disparities, evidenced by higher infection, hospitalization, and death rates due to factors like essential service employment and prevalent pre-existing conditions. A news article from CNN (Powell 2020) talks about how many essential workers, who cannot work from home, are from black and Latinx communities. These include healthcare professionals, grocery cashiers, delivery workers, and public transport employees. Despite their crucial roles, they often lack adequate pay, protection, and respect. Addressing these disparities in future pandemics requires public health strategies that prioritize equity and inclusivity, including community-based healthcare investments, enhanced vulnerable community outreach, and equitable healthcare resource access policies. By incorporating social determinants of health into public health preparedness plans, responses can effectively protect at-risk

populations, making future public health responses more resilient, inclusive, and effective in safeguarding all population segments.

4.4 Strategies for improving real-time data collection and sharing for public health decisions.

To address the fragmentation in data collection and sharing witnessed during the pandemic, it's crucial to establish integrated data platforms that enable seamless health data exchange among various health agencies and stakeholders, utilizing cloud computing and APIs for real-time accessibility and usability. Equally important is enhancing data standardization and interoperability through universal standards like FHIR (Fast Healthcare Interoperability Resources) to facilitate efficient data sharing (*What Is FHIR?* 2023). Investing in digital surveillance systems, which employ AI and machine learning to sift through diverse data sources for early outbreak detection, is essential for rapid response to health threats. Furthermore, fostering public-private partnerships can harness the agility of the private sector and the public health expertise of governmental agencies to enhance data analytics capabilities. Ensuring the privacy and security of health data through robust governance frameworks and advanced encryption is paramount to maintaining public trust. Engaging communities in these initiatives ensures their relevance and fosters trust while building global data-sharing networks encourages international collaboration, crucial for a concerted response to pandemics. Collectively, these strategies are fundamental to bolstering public health decision-making and preparedness, making our health systems more resilient against the challenges posed by emerging infectious diseases.

4.5 Weaknesses and next steps

In our research, we identified several weaknesses that underscored the gap between the U.S.'s high pandemic preparedness ranking and its actual response to the COVID-19 crisis. Notably, there was a significant underutilization of preparedness capacities, as the resources and infrastructures in place were not fully mobilized or applied effectively during the pandemic. This disconnect highlights a critical area for improvement in aligning preparedness with real-time response capabilities. Furthermore, the response inadequately addressed intrinsic social vulnerabilities, exacerbating disparities in healthcare access and outcomes among different racial and socioeconomic groups, and underscoring the need for more inclusive and equitable public health strategies. The heavy politicization of the pandemic response, coupled with inconsistent messaging from health authorities, significantly eroded public trust and compliance, emphasizing the importance of depoliticizing public health measures and enhancing communication strategies. Additionally, shortcomings in data and surveillance systems, including delays in testing, inadequate genetic sequencing, and a lack of comprehensive surveillance, hindered informed decision-making and targeted interventions, pointing to a crucial need for investment in data infrastructure and capabilities. The analysis also suggests that the U.S. could benefit

from more robust international benchmarking and learning from the diverse responses of other countries to health emergencies, which would involve understanding different strategies and their effectiveness beyond mere outcome comparisons.

To address these challenges and strengthen the nation’s resilience to future health emergencies, several next steps are recommended. Strengthening the linkages between preparedness and response is imperative, ensuring that capacities are not only available but also readily deployable and adaptable to the dynamics of a health crisis. This includes fostering agile and responsive systems capable of rapid mobilization. Addressing the social determinants of health is essential, with strategies aimed at mitigating the impact of social vulnerabilities through equitable healthcare access, support for marginalized communities, and targeted protective measures for vulnerable populations. Enhancing communication and public trust is vital, necessitating clear, consistent, and transparent communication from health authorities, alongside efforts to depoliticize health measures. Improving data and surveillance systems is critical to providing real-time insights, expanding genetic sequencing capabilities, and establishing standardized data protocols. Lastly, actively engaging in global health networks to exchange experiences, learn from global successes and failures, and collaborate on best practices is crucial for a more effective and equitable response that maximizes the full potential of preparedness capacities.

5 Conclusion

Despite the United States’ top ranking in the Global Health Security Index as the most prepared nation for pandemics, its actual response to the COVID-19 pandemic fell short of expectations, leading to disproportionately high death rates. This discrepancy is attributed to several critical factors highlighted in the paper. The U.S. did not fully capitalize on its pandemic preparedness resources, with early testing blunders and a lack of a unified national testing approach hindering its response. Additionally, inherent vulnerabilities such as the significant portion of the population in congregated settings like nursing homes and prisons increased susceptibility to virus spread and severe health outcomes. The politicization of the pandemic response further compounded these issues, resulting in varied adherence to public health guidelines across states and political lines, thereby undermining the response’s effectiveness. Moreover, inconsistent public health communications and the challenge of accessing standardized, quality data impeded the implementation of localized, effective interventions. The pandemic also highlighted and intensified existing socio-economic disparities, disproportionately impacting marginalized communities who faced higher risks and adverse outcomes, a situation that the response efforts failed to sufficiently mitigate.

References

- 2020 Election Results by State, Arizona. 2020. CNN. <https://www.cnn.com/election/2020/results/state/arizona>.
- 2020 Election Results by State, Washington. 2020. CNN. <https://www.cnn.com/election/2020/results/state/washington>.
- Barrett, Tyson, Matt Dowle, Arun Srinivasan, Jan Gorecki, Michael Chirico, and Toby Hocking. 2024. *Data.table: Extension of 'Data.frame'*. <https://CRAN.R-project.org/package=data.table>.
- Chang, Winston. 2023a. *Webshot: Take Screenshots of Web Pages*. <https://CRAN.R-project.org/package=webshot>.
- . 2023b. *Webshot2: Take Screenshots of Web Pages*. <https://CRAN.R-project.org/package=webshot2>.
- Diab, Dr. Alaa, and Dr. Keerthana Kumar. 2023. *COVID-19 Death Rates Varied Dramatically Across US, Major Analysis Finds*. ABC News. <https://abcnews.go.com/Health/covid-19-death-rates-varied-dramatically-us-major/story?id=98055024>.
- Dr. Sushama R. Chaphalkar, PhD. 2024. *COVID-19 Recovery Disparities Uncovered Among Racial and Ethnic Groups*. MSN. <https://www.msn.com/en-gb/health/other/covid-19-recovery-disparities-uncovered-among-racial-and-ethnic-groups/ar-BB1hLTLw>.
- Elflein, John. 2023. “U.s. COVID-19 Death Rate by State.” *Statista*. <https://www.statista.com/statistics/1109011/coronavirus-covid19-death-rates-us-by-state/>.
- Emily Thompson, Nicole Atchessi, Rojiemiahd Edjoc. 2021. *COVID-19 Race Data Collection in Canada*. The Public Health Agency of Canada. <https://www.canada.ca/en/public-health/services/reports-publications/canada-communicable-disease-report-ccdr/monthly-issue/2021-47/issue-7-8-july-august-2021/covid-19-race-data-collection-canada.html>.
- Firke, Sam. 2023. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Grolemund, Garrett, and Hadley Wickham. 2011. “Dates and Times Made Easy with lubridate.” *Journal of Statistical Software* 40 (3): 1–25. <https://www.jstatsoft.org/v40/i03/>.
- Jack, Rebecca, and Emily Oster. 2023. “COVID-19, School Closures, and Outcomes.” *Journal of Economic Perspectives* 37 (4): 51–70. <https://doi.org/https://doi.org/10.1257/jep.37.4.51>.
- Kassambara, Alboukadel. 2023. *Ggpubr: 'Ggplot2' Based Publication Ready Plots*. <https://CRAN.R-project.org/package=ggpubr>.
- Müller, Kirill. 2020. *Here: A Simpler Way to Find Your Files*. <https://CRAN.R-project.org/package=here>.
- Neuwirth, Erich. 2022. *RColorBrewer: ColorBrewer Palettes*. <https://CRAN.R-project.org/package=RColorBrewer>.
- Nuzzo, Jennifer B., and Jorge R. Ledesma. 2023. *Why Did the Best Prepared Country in the World Fare so Poorly During COVID?* <https://www.aeaweb.org/articles?id=10.1257/jep.37.4.3>.
- Parkinson, John. 2023. *Which States Saw Greatest COVID-19 Mortality?* ContagionLive.

- <https://www.contagionlive.com/view/which-states-saw-greatest-covid-19-mortality->.
- Pebesma, Edzer. 2018. “Simple Features for R: Standardized Support for Spatial Vector Data.” *The R Journal* 10 (1): 439–46. <https://doi.org/10.32614/RJ-2018-009>.
- Powell, Catherine. 2020. *Color of Covid: The Racial Justice Paradox of Our New Stay-at-Home Economy*. CNN. <https://www.cnn.com/2020/04/10/opinions/covid-19-people-of-color-labor-market-disparities-powell/index.html>.
- R Core Team. 2022. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- What Is FHIR? 2023. The Office of National Coordinator for Health Information Technology. <https://www.healthit.gov/sites/default/files/2019-08/ONCFHIRFSWhatIsFHIR.pdf>.
- Wickham, Hadley. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. <https://ggplot2.tidyverse.org>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D’Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Wickham, Hadley, and Jennifer Bryan. 2023. *Readxl: Read Excel Files*. <https://CRAN.R-project.org/package=readxl>.
- Wickham, Hadley, Romain François, Lionel Henry, Kirill Müller, and Davis Vaughan. 2023. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.
- Wickham, Hadley, Thomas Lin Pedersen, and Dana Seidel. 2023. *Scales: Scale Functions for Visualization*. <https://CRAN.R-project.org/package=scales>.
- Xie, Yihui. 2014. “Knitr: A Comprehensive Tool for Reproducible Research in R.” In *Implementing Reproducible Computational Research*, edited by Victoria Stodden, Friedrich Leisch, and Roger D. Peng. Chapman; Hall/CRC.
- Zhu, Hao. 2024. *kableExtra: Construct Complex Table with ‘Kable’ and Pipe Syntax*. <https://CRAN.R-project.org/package=kableExtra>.