

Questions & Answers				
TM & CRADLE BIG 2.0 PROGRAMME: DESIGN AND DEVELOPMENT OF PREDICTIVE AND PREVENTIVE PLATFORM TO ENHANCE FIBRE INFRASTRUCTURE RESILIENCE				

No	Part	Item/Topic	Tenderer's Question	TM's Response
1	Part I/Part III	Company Profile	Please confirm whether an enterprise or sole proprietorship registered with SSM is eligible to participate as the proposer, or whether the proposal must be submitted by a company incorporated under the Companies Act 2016.	You have been shortlisted and invited following the Registration of Interest (ReOI) submitted to TM between 4-19 June 2026. You may participate since the eligibility criteria is met and have been shortlisted under the ReOI process. However, TM reserves the right to verify the legal status, registration documents, and eligibility of the proposer during the evaluation process.
2	Part I/Part III	Financial Strength	My company was registered in 2025 and therefore does not have audited financial statements for the financial years 2022 to 2025. Please confirm whether TM would accept alternative evidence of financial standing, such as the latest management accounts, business bank statements, income tax records, current contracts or purchase orders, and an undertaking from the proprietor, partners, directors or shareholders, as applicable. If not, please advise the minimum financial documentation required from a newly established entity.	Yes, TM accepts alternative evidences such as (but not limited to) Bank Facility Letter, Letter of Funding & Investor Support or Term Sheet.
3			To support our bid/no-bid assessment, please clarify whether there is any existing solution, incumbent implementation partner, technology partner, consultant or prior proof-of-concept associated with this initiative. Where previous work has been undertaken, please confirm whether all proposers will receive equal access to the relevant information, requirements, interfaces and evaluation criteria.	Query 1: please clarify whether there is any existing solution, incumbent implementation partner, technology partner, consultant or prior proof-of-concept associated with this initiative Response 1: In TM, there is no specific solution implemented to address the problem statement. Query 2: Please confirm whether all proposers will receive equal access to the relevant information, requirements, interfaces and evaluation criteria. Response 2: TM holds a few sources of data. The shortlisted proposers for the POC will be given access to the following data: 1) List of fault category and its location and 2) fibre topology in designated area for POC and Pilot. The same requirements stipulated in the RFP document where the proposal would be evaluated based on the proposed solution addressing the problem statement in the RFP.
4	Part V / FALCON Architecture	Data readiness & governance; IoT data source	Does TM currently have any existing sensor-based monitoring infrastructure deployed on the fibre network (e.g., Distributed Acoustic Sensing/DAS, DTS, OTDR-based systems)? Is this RFP scope limited to integrating with such existing infrastructure, or does it require new sensor/hardware deployment?	The project set its own solution without leveraging on any existing tools in TM environment. The proposer is expected to ideate solutions to the extend of deploy optimal and feasible hardware the stated problem statement.
5	Part VI - Detailed BOQ, Component 5	Hardware & IoT (Controller, Camera Module, Sensors, Enclosure)	For the Hardware & IoT BOQ line, please clarify whether 'Sensors' refers to discrete field sensor nodes (vibration/motion/camera at point locations) or fibre-based distributed sensing (e.g., DAS/DTS using the cable itself). This materially changes the type of hardware partner required.	TM does not imposed any restrictions on the hardware types. The proposers shall explore the most feasible solutions to acquire or to partner with.
6	Part V, Item 1 - Quality of Solution Design	Detection and Preventive Action	What does the required detection-and-deterrent capability specifically mean in practice is it limited to alerting/notification and workflow dispatch, or does it require an active physical deterrent mechanism (e.g., automated response, on-site device, drone dispatch)?	The proposed solution shall meet the objective of the detection and deterrent of three main contributing factors with the target of avoiding/eliminating the occurrence of fibre disruption. through this project, TM's expects an appropriate mechanisms through the ideations stage.
7	Part V, Item 1.5	Integration approach	What existing TM systems (e.g., NOC, OSS/BSS, GIS/asset management) must the proposed solution integrate with, and what integration protocols or API standards are mandated?	The scope of the RFP covers only for Year 1 where it begins from the POC stage: ideation to building MVP and subsequently validating the MVP in Pilot stage. The MVP shall work in a standalone environment independently without leveraging/integrating with TM existing systems. The solution shall enable API integration ("REST is the preferred protocol for standard API integrations; however, TM remain open to evaluating event-driven or high-performance protocols (e.g., gRPC, WebSockets, or Kafka) if they better serve our scalability and real-time data needs. The integration works will come in Y2 upon the success of POC and Pilot stages.
8	Part VI - Detailed BOQ, Component 4	Data Subscription	Is the Proposer expected to source and bear the cost of all external data (e.g., weather, geospatial, footfall, construction permit data), or does TM provide any of this data as part of the engagement? Please clarify which of the 'TM Internal Data' sources shown in the FALCON architecture will be made available to the Proposer, and from what stage (proposal preparation vs. post-award).	Query 1: The sourcing of the external data Response 1: Yes, the proposer shall studies the adequate data sources required for the problem statement and source the selected data sources directly as part of the proposers solution. Query 2: TM internal data Response 2: TM holds a few sources of data. The shortlisted proposers for the POC will be given access to the following data: 1) List of fault category and its location and 2) fibre topology in designated area (post-award) for POC and Pilot. The same requirements stipulated in the RFP document where the proposal would be evaluated based on the proposed solution addressing the problem statement in the RFP.
9	Part V, Items 3 & 4	Innovative Merit / Predictive Analytics Capability	For Proposers without production/pilot deployment history, is there a minimum evidentiary bar, or can conceptual/simulated results and methodology be submitted in place of production KPI evidence for these sections?	The proposer is allowed to submit any workable prototypes that could demonstrate the adequate skills in the selected domains. The methodology used or testing from the prototype or POC with visible and measurable results are also accepted as evidences.
10	Part V, Item (c) Strategic Fit - Scalability	National-scale deployment readiness / private cloud	What is the expected trigger and timeline for migration/portability to TM's private cloud referenced under the Scalability requirement, and is this in scope of the 8-month POC & Pilot duration or a future phase?	As per the statement in the RFP document page X. The scope of the RFP is within 8 months beginning with POC until Pilot. The post-implementation review will be conducted at the end of Pilot stage to determine the project scalability in Y2.
11	Part VI - Detailed BOQ, Component 6	Connectivity (Bandwidth Subscription, Installation)	What OT/IoT connectivity standards (e.g., NB-IoT, LoRaWAN, cellular, satellite) are approved or already available for use in areas where TM's fibre routes run, for any new sensor deployment under this project?	TM does not imposed any restrictions on the connectivity standards. The proposers shall explore the most feasible solutions to acquire or to partner with.
12	RFP Process Overview	Clarification stage (27-30 July 2026)	Will the Clarification & BOQ Challenge session (27-30 July) allow further technical scope questions beyond BOQ/pricing, or is it strictly limited to commercial/BOQ items?	The Clarification & BOQ Challenge Session is limited to BOQ-related matters and will not cover further technical scope clarifications. The purpose of the BOQ Challenge Session is to ensure that: (i) All sub-items, services, components, and parts (where applicable) required to deliver the complete scope of work have been adequately accounted for in the BOQ; (ii) All necessary hardware, software, licences, and tools (where applicable) are included in the proposer's submission.
13	Part IV - Terms & Conditions of Agreement	IP ownership	Does TM take full ownership of the platform, models, and any associated IP developed under this engagement, or does the Proposer retain IP and license it to TM?	TM's strategic intent is: Co-develop a solution where both TM and startup may have future scale up and growth. In the case of the foreground IP, the potential IP model may be jointly owned or split by components, use case, territory, or field of use. TM is open for future arrangement on the IP position.
14	Part I / Startup Team & Viability (Part V)	Subcontracting	Is the Proposer permitted to subcontract specialised scope (e.g., IoT hardware/sensor deployment) to a third-party partner, or must all listed roles in the Startup Team & Viability table be held in-house by the Proposer?	TM does not restrict the partnership model within the proposer. However, any arrangement from the proposers with any partners shall be made visible to TM.
15	Part V - Statement of Compliance	Scoring weightage	Please share the scoring weightage across Technical, Startup Team & Viability, and Strategic Fit sections, to guide effort allocation in the proposal.	The evaluation and scoring approach will remain at TM's sole discretion. Accordingly, the detailed evaluation criteria, scoring guide, and allocation of marks will not be disclosed to proposers.
16	Part III, Appendix G	Non-Disclosure Agreement	Must the NDA (Appendix G) be signed and returned before the Proposer can access any sample/reference data for solution design, or only at the point of proposal submission?	The NDA (Appendix G) is required to be signed and returned together with the proposal submission. No sample or reference data will be shared during the RFP stage. Any sample/reference data required for solution implementation will only be shared with the successful proposer(s) following POC award, subject to the applicable confidentiality requirements
17	Part V, Item 2 - Visualisation and Workflow	Near-real-time threshold	The Technical Specifications state detection and alerting must meet a 'near-real-time threshold' to qualify as predictive and preventive. Please quantify this threshold (e.g., seconds/minutes) and confirm whether there is an associated uptime/availability SLA target.	The solution shall demonstrate an end-to-end processing and workflow initiation time of not more than 15 minutes for POC and not more than 10 minutes for Pilot, measured from the successful receipt of the triggering event by the platform until the automatic initiation of the corresponding preventive workflow and generation of notifications under normal operating conditions.

18	Part V, Item 1.4 / BOQ Component 3	AI approach; AI Model Training	Does TM have existing historical fault records labeled by root cause (theft, construction damage, rodent/wildlife) available for model training and validation? If so, will this labeled dataset be shared with Proposers, and at what stage? If no such labeled dataset exists, is building the data-labeling pipeline itself considered part of the Year 1 scope?	Query 1: Does TM have existing historical fault records labeled by root cause (theft, construction damage, rodent/wildlife) available for model training and validation? Response 1: Yes Query 2: If so, will this labeled dataset be shared with Proposers, and at what stage? Response 2: Yes and will be shared to the shortlisted proposed for the POC stage. Query 3: If no such labeled dataset exists, is building the data-labeling pipeline itself considered part of the Year 1 scope? Response 3: Proposers are welcomed to propose ideas that could possibly improvise on the existing data-labelling pipeline through the solution.
19	Part V, Item 1.6	Scalability approach; existing cloud platform services	Is the Proposer required to build on a specific existing TM cloud platform/provider, or is cloud provider selection open to the Proposer, subject to the stated Kubernetes-native, no-proprietary-lock-in requirement?	Proposers may utilize any preferred cloud or infrastructure during the development phase (Y1 POC and Y1 Pilot), provided they ensure full compatibility for seamless migration and onboarding onto the TM Cloud platform during the scaling stage.
20	Part VI - Detailed BOQ, Component 3	AI/Analytics Platform - Geospatial	Does TM have an existing GIS/fibre-asset system that should serve as the authoritative source of location data for fault localisation and heatmapping, or is the Proposer expected to build/license its own geospatial base layer?	The solution shall work in a standalone environment independently without leveraging/integrating with TM existing systems. TM holds a few sources of data. The shortlisted proposers for the POC will be given access to the following data: 1) List of fault category and its location. and 2) fibre topology in designated area (post-award) for POC and Pilot. The same requirements stipulated in the RFP document where the proposal would be evaluated based on the proposed solution addressing the problem statement in the RFP. Proposer is expected to build an optimal platform to deliver a useful information system for the solution.
21	Part V - Statement of Work, Cybersecurity	Secure SDLC; access- controlled source repo	Is the solution expected to be developed and hosted in a TM-controlled source repository during the engagement for audit purposes, or does the Proposer develop in its own environment and hand over code/access only at defined delivery milestones?	The solution shall work in a standalone environment independently without leveraging/integrating with TM existing systems for Y1 POC and Y1 Pilot. The accessibility of the solution shall be made available to TM's team through the entire project.
22	Part V - Statement of Work, Integration	TM system integration	Will TM provide a sandbox/staging environment and sample (or synthetic) data for API and integration development against NOC/OSS/GIS systems, or is integration design work to be done without a test environment until deployment?	Will TM provide... Query 1: A sandbox/staging environment Response 1: No Query 2: sample data Response 2: TM holds a few sources of data. The shortlisted proposers for the POC will be given access to the following data: 1) List of fault category and its location and 2) fibre topology in designated area (post-award) for POC and Pilot to be shared via offline method or scp hence no integration development against NOC/OSS/GIS systems Query 3: is integration design work to be done without a test environment until deployment? Response 3: The integration design of the proposed solution with TM systems is beyond the scope of RFP. The qualified MVP (built and validated) to be determined in the scaling stage in Y2.