




VETERINARY

API

HANNA D. ROMERO SOLANO

VETERINARY API



GOAL

Make an API in django for veterinary services.

DATA BASE VETERINARY API

SEARCH PETS

GET: /Pet

Search pet

QUERY STRING

api_Key	String	Default: <<api_key>>	required
query	String	Pass a text query to search. This value should be URL encoded. MinLength: 1	optional
name	String	Specify the name of the dog	optional
breed	String	Specify the breed of the dog	optional
age	String	Specify the age of the dog	optional

owner_id	String	Specify the owner id	required
height	String	Specify the pet height	optional
weight	String	Specify the pet weight	optional
pet_type	String	Specify the pet weight	required
page	Integer	Specify which page to query. Minimum: 1. Maximum 100. Default: 1.	optional

RESPONSES APPLICATION/JSON

200

Object

results:	array [object]	optional
page	Integer	optional
id	Integer	optional
name	String	optional
breed	String	optional
age	Integer	optional
owner_id	String	required

phone	Integer	optional
address	String	optional
body_color	String	optional
height	Integer	optional
weight	Integer	optional
pet_type	String	required

401

Object

status_message	String	optional
status_code	Integer	optional

404

Object

status_message	String	optional
status_code	Integer	optional

EXAMPLE

Getting pet data

```
{
  "success": "Consulta correcta de los datos de la mascota",
  "data": [
    {
      "id_pet": 1,
      "name": "Mocha",
      "breed": "Yorkie",
      "age": 1,
      "owner_id": 1,
      "body_color": "cafe",
      "height": 3.2,
      "weight": 42.0,
      "pet_type": "perro"
    }
  ]
}
```

SERVICES FOR PETS-----

POST: /servicios

shows the services that can be offered to a pet

A valid session o guest session ID is required.

PATH PARAMETERS

Object

service_id	Integer	optional
pet_id	Integer	optional

HEADERS

Object

Content-Type	String	default:application/ json;charset = utf8	required
--------------	--------	---	----------

QUERY STRING

Object

api_key	String	default:<<api_key>>	required
quest_session_id	String		optional
session_id	String		optional

REQUEST BODY (APPLICATION /JSON)

Object

value	Number: This is the value of the rating you want to submit. The value is expected to be between 1 and 10. (integer)	required
banio	Specify the shampoo	optional
corte	Specify the hair cut	optional
arreglo	Specify the hair style	optional

RESPONSES (APPLICATION/JSON)

201

Object

status_code	Integer	optional
status_message	String	optional

401

Object

status_code	Integer	optional
status_message	String	optional

404

Object

status_code	Integer	optional
status_message	String	optional

EXAMPLE

Getting services data

```
{
  "success": "Consulta correcta de los servicios",
  "data": [
    {
      "id_servicio": 1,
      "banio": "flores",
      "corte": "corte de raza",
      "arreglo": "sin arreglo"
    }
  ]
}
```

DELETE PET -----

DELETE: pet/delete

Delete an pets service .

A valid session o guest session ID is required.

PATH PARAMETERS

Object

service_id	Integer	required
pet_id	Integer	required

HEADERS

Object

Content-Type	String	default:application/ json;charset = utf8	required
--------------	--------	---	----------

QUERY STRING

Object

api_key	String	default:<<api_key>>	required
quest_session_id	String		optional
session_id	String		optional

RESPONSES (APPLICATION/JSON)

201

Object

status_code	Integer	optional
status_message	String	optional

401

Object

status_code	Integer	optional
status_message	String	optional

404

Object

status_code	Integer	optional
status_message	String	optional

ADD PET

PUT: pet/ add

Add a new pet.

This method will let you add a new pet into the data base.

HEADERS

Object

Content-Type	String	default:application/ json;charset = utf8	required
--------------	--------	---	----------

REQUEST BODY

Object

items:	array [object]	required
id	Integer	required
name	String	required
breed	String	required
age	Integer	required
owner_id	String	required
phone	Integer	required

address	String	required
body_color	String	required
height	Integer	required
weight	Integer	required
pet_type	String	required

RESPONSES (APPLICATION/JSON)

200

Object

status_code	Integer	required
status_message	String	required
success	Integer	required

401

Object

status_code	Integer	required
status_message	String	required

success	boolean	required
error_message	String	required

4 0 4

Object

status_code	Integer	required
status_message	String	required
success	boolean	required

API
STATUS CODE

Code:	HTTP Status	Message
1	200	Success
2	401	Authentication failed: You do not have permissions to access the service.
3	404	Invalid id: The pre-requisite id is invalid or not found.
4	401	Invalid API key: You must be granted a valid key.
5	401	Suspended API key: Access to your account has been suspended, contact The Car Database.
6	401	This resource is private.
7	401	Email not verified: Your email address has not been verified.
8	201	The item/record was updated successfully.