
a

Alphabeat · Bowl and hook family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.55, B)`	lower bowl
`arc(1, X)`	hooked stem

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	105
	handle	64	-12
2	smooth curve	143	-12
	handle	222	-12
	handle	286	105
3	smooth curve	286	250
	handle	286	395
	handle	338	512
4	smooth curve	403	512
	handle	468	512
	handle	520	395
5	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

b

Alphabeat · Bowl and stem family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.15, T)`	ascender stem
`line(0.3, M)`	ascender stem
`arc(0.65, X)`	bowl
`arc(1, B)`	bowl

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	78	750
3	corner	156	250
	handle	156	395
	handle	197	512
4	smooth curve	247	512
	handle	297	512
	handle	338	395
5	smooth curve	338	250
	handle	338	105
	handle	379	-12
6	smooth curve	429	-12
	handle	479	-12
	handle	520	105
7	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

c

Alphabeat · Round family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.5, X)`	bowl
`arc(1, q)`	aperture


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
	handle	0	395
	handle	58	512
2	smooth curve	130	512
	handle	202	512
	handle	260	395
3	smooth curve	260	250
	handle	260	181
	handle	318	125
4	smooth curve	390	125
	handle	462	125
	handle	520	181
5	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Bowl and stem family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.35, X)`	bowl
`arc(0.7, B)`	bowl
`line(0.85, T)`	ascender stem
`line(1, M)`	ascender stem

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	41	512
2	smooth curve	91	512
	handle	141	512
	handle	182	395
3	smooth curve	182	250
	handle	182	105
	handle	223	-12
4	smooth curve	273	-12
	handle	323	-12
	handle	364	105
5	curve	364	250
6	corner	442	750
7	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

e

Alphabeat · Round family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.45, X)`	eye
`line(0.6, M)`	crossbar
`arc(1, q)`	aperture


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
	handle	0	395
	handle	52	512
2	smooth curve	117	512
	handle	182	512
	handle	234	395
3	curve	234	250
4	corner	312	250
	handle	312	181
	handle	359	125
5	smooth curve	416	125
	handle	473	125
	handle	520	181
6	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Stem family

1000 UPM · width 312 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.5, T)`	hooked ascender
`line(1, M)`	crossbar


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
	handle	0	533
	handle	35	762
2	smooth curve	78	762
	handle	121	762
	handle	156	533
3	curve	156	250
4	corner	312	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Bowl and hook family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.3, X)`	bowl
`arc(0.6, B)`	bowl
`arc(1, D)`	hooked descender

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	35	512
2	smooth curve	78	512
	handle	121	512
	handle	156	395
3	smooth curve	156	250
	handle	156	105
	handle	191	-12
4	smooth curve	234	-12
	handle	277	-12
	handle	312	105
5	smooth curve	312	250
	handle	312	-33
	handle	359	-262
6	smooth curve	416	-262
	handle	473	-262
	handle	520	-33
7	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

h

Alphabeat · Arch family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.15, T)`	ascender stem
`line(0.3, M)`	ascender stem
`arc(1, X)`	arch


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
2	corner	78	750
3	corner	156	250
	handle	156	395
	handle	237	512
4	smooth curve	338	512
	handle	439	512
	handle	520	395
5	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Stem family

1000 UPM · width 312 · stroke 64, round caps · grid 50 units



Recipe

`line(0.25, X)`	stem
`line(0.5, M)`	stem
`line(0.65, M)`	space
`line(0.75, I)`	tittle
`line(0.85, M)`	tittle
`line(1, M)`	space


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
2	corner	78	500
3	corner	156	250
4	corner	203	250
5	corner	234	625
6	corner	265	250
7	corner	312	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Stem family

1000 UPM · width 312 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.55, D)`	hooked descender
`line(0.65, M)`	space
`line(0.75, I)`	tittle
`line(0.85, M)`	tittle
`line(1, M)`	space

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	-33
	handle	39	-262
2	smooth curve	86	-262
	handle	133	-262
	handle	172	-33
3	curve	172	250
4	corner	203	250
5	corner	234	625
6	corner	265	250
7	corner	312	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

k

Alphabeat · Diagonal family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.15, T)`	ascender stem
`line(0.3, M)`	ascender stem
`line(0.5, X)`	arm
`line(0.65, M)`	arm
`line(0.85, B)`	leg
`line(1, M)`	leg


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
2	corner	78	750
3	corner	156	250
4	corner	260	500
5	corner	338	250
6	corner	442	0
7	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Stem family

1000 UPM · width 312 · stroke 64, round caps · grid 50 units



Recipe

`line(0.5, T)`	ascender stem
`line(1, M)`	ascender stem


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
2	corner	156	750
3	corner	312	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Arch family

1000 UPM · width 728 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.5, X)`	arch
`arc(1, X)`	arch

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	81	512
2	smooth curve	182	512
	handle	283	512
	handle	364	395
3	smooth curve	364	250
	handle	364	395
	handle	445	512
4	smooth curve	546	512
	handle	647	512
	handle	728	395
5	curve	728	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

n

Alphabeat · Arch (control letter) family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(1, X)` arch

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	116	512
2	smooth curve	260	512
	handle	404	512
	handle	520	395
3	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

o

Alphabeat · Round (control letter) family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.5, X)`	bowl
`arc(1, B)`	bowl

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	58	512
2	smooth curve	130	512
	handle	202	512
	handle	260	395
3	smooth curve	260	250
	handle	260	105
	handle	318	-12
4	smooth curve	390	-12
	handle	462	-12
	handle	520	105
5	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

p

Alphabeat · Bowl and stem family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.15, D)`	descender stem
`line(0.3, M)`	descender stem
`arc(0.65, X)`	bowl
`arc(1, B)`	bowl


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
2	corner	78	-250
3	corner	156	250
	handle	156	395
	handle	197	512
4	smooth curve	247	512
	handle	297	512
	handle	338	395
5	smooth curve	338	250
	handle	338	105
	handle	379	-12
6	smooth curve	429	-12
	handle	479	-12
	handle	520	105
7	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Bowl and stem family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.35, X)`	bowl
`arc(0.7, B)`	bowl
`line(0.85, D)`	descender stem
`line(1, M)`	descender stem

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	41	512
2	smooth curve	91	512
	handle	141	512
	handle	182	395
3	smooth curve	182	250
	handle	182	105
	handle	223	-12
4	smooth curve	273	-12
	handle	323	-12
	handle	364	105
5	curve	364	250
6	corner	442	-250
7	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

r

Alphabeat · Arch family

1000 UPM · width 312 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.6, X)`	arch
`line(1, M)`	space

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	42	512
2	smooth curve	94	512
	handle	145	512
	handle	187	395
3	curve	187	250
4	corner	312	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

S

Alphabeat · Round family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`sq(0.5, X)`	spine
`sq(1, B)`	spine


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
	handle	0	473
	handle	20	512
2	smooth curve	130	512
	handle	240	512
	handle	260	473
3	smooth curve	260	250
	handle	260	27
	handle	280	-12
4	smooth curve	390	-12
	handle	500	-12
	handle	520	27
5	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Stem family

1000 UPM · width 312 · stroke 64, round caps · grid 50 units



Recipe

`line(0.25, I)`	short ascender
`line(0.5, M)`	short ascender
`line(0.7, M)`	crossbar
`arc(1, q)`	hooked foot

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	78	625
3	corner	156	250
4	corner	218	250
	handle	218	181
	handle	239	125
5	smooth curve	265	125
	handle	291	125
	handle	312	181
6	curve	312	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

u

Alphabeat · Arch family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`arc(1, B)` cup

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	105
	handle	116	-12
2	smooth curve	260	-12
	handle	404	-12
	handle	520	105
3	curve	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

V

Alphabeat · Diagonal family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.5, B)`	diagonal
`line(1, M)`	diagonal


Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
2	corner	260	0
3	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Alphabeat · Diagonal family

1000 UPM · width 728 · stroke 64, round caps · grid 50 units



Recipe

`line(0.25, B)`	diagonal
`line(0.5, X)`	diagonal
`line(0.75, B)`	diagonal
`line(1, M)`	diagonal

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	182	0
3	corner	364	500
4	corner	546	0
5	corner	728	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

X

Alphabeat · Diagonal family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.25, X)`	diagonal
`line(0.75, B)`	diagonal
`line(1, M)`	diagonal

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	130	500
3	corner	390	0
4	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

y

Alphabeat · Diagonal family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.3, B)`	diagonal
`line(0.45, M)`	diagonal
`line(0.8, D)`	descender diagonal
`line(1, M)`	descender diagonal

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	156	0
3	corner	234	250
4	corner	416	-250
5	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

Z

Alphabeat · Diagonal family

1000 UPM · width 520 · stroke 64, round caps · grid 50 units



Recipe

`line(0.25, M)`	crossbar
`line(0.4, X)`	diagonal
`line(0.6, B)`	diagonal
`line(0.75, M)`	diagonal
`line(1, M)`	crossbar

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	130	250
3	corner	208	500
4	corner	312	0
5	corner	390	250
6	corner	520	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

0

Alphabeat · Number · round (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.5, X)`	bowl
`arc(1, B)`	bowl

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	53	512
2	smooth curve	118	512
	handle	183	512
	handle	235	395
3	smooth curve	235	250
	handle	235	105
	handle	287	-12
4	smooth curve	352	-12
	handle	417	-12
	handle	470	105
5	curve	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

1

Alphabeat · Number · stem (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`line(0.15, M)`	space
`line(0.55, X)`	flag
`line(0.65, M)`	stem
`line(1, M)`	space

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	70	250
3	corner	258	500
4	corner	306	250
5	corner	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

2

Alphabeat · Number · arch (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.45, X)`	arch
`line(0.65, B)`	diagonal
`line(0.75, M)`	diagonal
`line(1, M)`	bar

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	47	512
2	smooth curve	106	512
	handle	165	512
	handle	212	395
3	curve	212	250
4	corner	306	0
5	corner	352	250
6	corner	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

3

Alphabeat · Number · descending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.4, X)`	upper bowl
`arc(1, D)`	hooked descender

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	395
	handle	42	512
2	smooth curve	94	512
	handle	146	512
	handle	188	395
3	smooth curve	188	250
	handle	188	-33
	handle	251	-262
4	smooth curve	329	-262
	handle	407	-262
	handle	470	-33
5	curve	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

4

Alphabeat · Number · descending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`line(0.3, X)`	diagonal
`line(0.45, M)`	diagonal
`line(0.6, M)`	bar
`line(0.8, D)`	descender stem
`line(1, M)`	descender stem

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	141	500
3	corner	212	250
4	corner	282	250
5	corner	376	-250
6	corner	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

5

Alphabeat · Number · descending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`line(0.2, M)`	bar
`line(0.3, X)`	stem
`line(0.4, M)`	stem
`arc(1, D)`	hooked descender

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	94	250
3	corner	141	500
4	corner	188	250
	handle	188	-33
	handle	251	-262
5	smooth curve	329	-262
	handle	407	-262
	handle	470	-33
6	curve	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

6

Alphabeat · Number · ascending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.4, T)`	hooked ascender
`arc(0.7, X)`	bowl
`arc(1, B)`	bowl

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	533
	handle	42	762
2	smooth curve	94	762
	handle	146	762
	handle	188	533
3	smooth curve	188	250
	handle	188	395
	handle	219	512
4	smooth curve	258	512
	handle	297	512
	handle	329	395
5	smooth curve	329	250
	handle	329	105
	handle	361	-12
6	smooth curve	400	-12
	handle	439	-12
	handle	470	105
7	curve	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

7

Alphabeat · Number · descending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`line(0.3, M)`	bar
`line(0.45, X)`	diagonal
`line(0.8, D)`	descender diagonal
`line(1, M)`	descender diagonal

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
2	corner	141	250
3	corner	212	500
4	corner	376	-250
5	corner	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

8

Alphabeat · Number · ascending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.3, T)`	upper bowl
`arc(0.65, X)`	bowl
`arc(1, B)`	bowl

Nodes in drawing order (open path, left to right)


#	type	x	y
1	corner	0	250
	handle	0	533
	handle	31	762
2	smooth curve	70	762
	handle	109	762
	handle	141	533
3	smooth curve	141	250
	handle	141	395
	handle	178	512
4	smooth curve	224	512
	handle	269	512
	handle	306	395
5	smooth curve	306	250
	handle	306	105
	handle	343	-12
6	smooth curve	388	-12
	handle	433	-12
	handle	470	105
7	curve	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.

9

Alphabeat · Number · descending (oldstyle, tabular)

1000 UPM · width 470 · stroke 64, round caps · grid 50 units



Recipe

`arc(0.3, X)`	bowl
`arc(0.6, B)`	bowl
`arc(1, D)`	hooked descender

Nodes in drawing order (open path, left to right)

#	type	x	y
1	corner	0	250
	handle	0	395
	handle	31	512
2	smooth curve	70	512
	handle	109	512
	handle	141	395
3	smooth curve	141	250
	handle	141	105
	handle	173	-12
4	smooth curve	212	-12
	handle	251	-12
	handle	282	105
5	smooth curve	282	250
	handle	282	-33
	handle	324	-262
6	smooth curve	376	-262
	handle	428	-262
	handle	470	-33
7	curve	470	250

Squares = corner nodes · circles = smooth nodes · small circles = handles. Round peaks overshoot their line by 12 units.