

Industry	Joint efficient GMM ($m_{it-1}^* + \tilde{\mathcal{W}}_{it-2}$)						GNR			OLS		
	$\hat{\beta}$ (m)	$\hat{\alpha}_K$		$\hat{\alpha}_L$			m	k	l	m	k	l
331	0.321	0.060 [0.00,0.20] [0.00,0.24]	/	0.540 [0.36,0.72]	[0.40,0.68]	/	0.399	0.096	0.467	0.559	0.064	0.431
322	0.347	0.160 [0.10,0.20] [0.06,0.22]	/	0.360 [0.30,0.42]	[0.34,0.40]	/	0.422	0.176	0.330	0.567	0.048	0.412
369	0.244	0.360 [0.06,0.44] [0.00,0.52]	/	0.340 [0.00,0.64]	[0.06,0.54]	/	0.282	0.246	0.561	0.497	0.125	0.521
313	0.289	0.100 empty [0.00,0.28]	/	0.180 [0.10,0.22]	empty	/	0.309	0.327	0.283	0.750	0.117	0.270
321	0.387	0.300 [0.22,0.36] [0.20,0.36]	/	0.320 [0.20,0.46]	[0.22,0.44]	/	0.432	0.241	0.316	0.662	0.097	0.280

Joint efficient GMM: instruments m_{it-1}^* and $\tilde{\mathcal{W}}_{it-2}$ used together, β fixed at its stage-1 value. $\hat{\alpha}_K, \hat{\alpha}_L$: point estimate (grid minimum, sharp region), followed by both 95% test-inversion regions as Sharp / Conservative – Sharp (χ_3^2 , credit given for profiling γ_0, γ_1) and Conservative (χ_5^2 , no credit for profiling). Industry 313’s sharp region is empty (min $J = 9.74 > 7.81$; shown as ‘empty’); its conservative region is still reported – see Figure 6.x for the full 2D region under both tests. GNR and OLS: uncorrected estimates, unchanged.