		$\tilde{\mathcal{W}}_{it-2}$		m^*_{it-1}		Joint efficient GMM	
Industry	$\hat{\beta}$	$\hat{\alpha}_K$	$\hat{\alpha}_L$	$\hat{\alpha}_K$	$\hat{\alpha}_L$	$\hat{\alpha}_K$	$\hat{\alpha}_L$
321	0.385	0.300	0.349	0.311	0.290	0.297	0.328
sharp	[0.357, 0.416]	[0.210, 0.375]	[0.230, 0.485]	[0.210, 0.470]	[0.145, 0.420]	[0.230, 0.355]	[0.240, 0.425]
cons.	[0.338, 0.440]	[0.185, 0.390]	[0.200, 0.525]	[0.175, ·)	[−0.690, 1.060]	[0.180, 0.375]	[0.205, 0.460]
322	0.335	0.182	0.392	0.167	0.394	0.161	0.373
sharp	[0.288, 0.391]	[0.085, 0.265]	[0.320, 0.470]	[0.090, 0.240]	[0.325, 0.465]	[0.075, 0.235]	[0.315, 0.430]
cons.	[0.258, 0.435]	[0.055, 0.285]	[0.305, 0.490]	[0.070, ·)	[0.025, 1.070]	[0.045, 0.260]	[0.295, 0.450]
324	0.412	0.119	0.427	0.710	0.470	0.123	0.433
sharp	[0.365, 0.465]	[−0.215, 0.270]	[0.190, 0.570]	[0.010, ·)	[0.130, 0.975]	[−0.265, 0.290]	[0.140, 0.570]
cons.	[0.335, 0.506]	[−0.350, 0.305]	[0.095, 0.605]	(·, ·)	[−0.150, 1.995]	[−0.350, 0.320]	[0.065, 0.600]
342	0.333	0.292	0.408	0.266	0.401	0.265	0.402
sharp	[0.294, 0.377]	[0.215, 0.360]	[0.305, 0.530]	[−0.400, ·)	[−0.570, 1.555]	[0.210, 0.310]	[0.335, 0.480]
cons.	[0.269, 0.412]	[0.190, 0.375]	[0.280, 0.570]	[−0.515, ·)	[−0.880, 1.730]	[0.180, 0.335]	[0.305, 0.525]
369	0.244	0.333	0.549	0.327	0.639	0.354	0.326
sharp	[0.207, 0.288]	[0.210, 0.485]	[0.210, 0.740]	[0.165, ·)	[−0.135, 1.575]	[−0.025, 0.450]	[0.045, 0.535]
cons.	[0.184, 0.324]	[−0.145, 0.545]	[−0.235, 0.785]	(·, ·)	[−0.430, ·)	[−0.200, 0.530]	[−0.270, 0.630]

$\hat{\beta}$ is the corporations' first-stage estimate (log materials share net of sales taxes); below it, its 95% test-inversion regions from the corporations' share moment: sharp (χ^2_1) and conservative (χ^2_5). Point estimates of (α_K, α_L): the minimum of the test-inversion statistic, with the covariance of the moments re-estimated at each candidate, the statistic whose regions are shown. $\tilde{\mathcal{W}}_{it-2}$ and m^*_{it-1}: one instrument each (exactly identified, statistic zero at the estimate); below them, the projections of the 95% test-inversion regions for (α_K, α_L) (0.005 grid over $[0, 1]^2$, extended beyond it where a region reaches its edge): sharp (χ^2_2, credit for profiling γ_0, γ_1) and conservative (χ^2_4). Joint efficient GMM: both instruments together; sharp (χ^2_3) and conservative (χ^2_5) regions. ($\cdot$ or $\cdot$): the region is not bounded on that side within $[-1, 3]^2$.