

# **MultiSafepay manual**

Plug-in Magento v2.0.X

MultiSafepay Payment plug-in for Magento http://www.MultiSafepay.com Copyright (C) 2012 MultiSafepay.com



## **Table Of Contents**

1 Installing the MultiSafepay plug-in	3
1.1 Installation requirements	3
1.2 Upgrading an existing installation	3
1.3 A new installation via FTP	4
1.4 A new installation via Magento Connect	4
1.5 Fast Checkout	4
1.6 Notification URL	5
2 Adding a website to your MultiSafepay account	6
2.1 Adding a website	6
3 Configuring the plug-in	7
3.1 Basic configuration	7
3.2 Seperate Gateways	12
3.3 Pay After Delivery	15
3.4 Fast Checkout	18
4 Troubleshooting	20
4.1 Payment methods aren't shown.	20
4.2 Error 404 while configuring the plug-in	20
4.3 The Fast Checkout button isn't shown.	20
4.4 The iDEAL banklist isn't shown.	20
4.6 Error 301 in the Offline Actions overview	21
4.7 Service Temporarily Unavailable	21
5 Verifying	22
6 Augetions?	24



## 1 Installing the MultiSafepay plug-in

#### 1.1 Installation requirements

It's best having Magento installed before proceeding with the installation of the MultiSafepay plug-in.

Magento download link: <a href="http://www.magentocommerce.com">http://www.magentocommerce.com</a>

#### 1.2 Upgrading an existing installation

You'll first have to remove the plug-in manually via FTP when using version 2.0.1 or lower of our plug-in. We also recommend creating a backup before proceeding with the removal of the folders and files.

#### Checking the plug-in version.

The plug-in version currently in use can be found in the configuration files:

/app/code/community/Mage/Msp/etc/config.xml or /app/code/community/MultiSafepay/Msp/etc/config.xml

#### Removing plug-in version 1.4.0 - 1.4.4

Delete the following folders and files to remove the plug-in:

/app/etc/modules/Mage\_Msp.xml
/app/code/community/Mage/Msp
/app/code/community/Mage/Adminhtml/Model/Msp
/app/design/adminhtml/base/default/layout/fee.xml
/app/design/adminhtml/base/default/template/msp
/app/design/adminhtml/default/default/layout/fee.xml
/app/design/adminhtml/default/default/template/msp
/app/design/frontend/base/default/layout/msp.xml
/app/design/frontend/base/default/template/msp
/app/design/frontend/default/default/layout/msp.xml
/app/design/frontend/default/default/template/msp
/app/design/frontend/default/default/template/msp
/app/locale/nl\_NL/Mage\_Msp.csv



#### Removing plug-in version 2.0.0 - 2.0.1

Delete the following folders and files to remove the plug-in:

/app/code/community/MultiSafepay/Msp/Block/PaymentFee
/app/code/community/MultiSafepay/Msp/Model/PaymentFee
/app/code/community/MultiSafepay/Msp/Model/Observer
/app/design/adminhtml/default/default/layout/msp\_fee.xml
/app/design/adminhtml/default/default/template/msp/fee.html
/app/design/frontend/base/default/layout/msp.xml
/app/design/frontend/base/default/template/msp/paymentFee

#### 1.3 A new installation via FTP

- Unzip the content of the plug-in .zip archive to a local folder.
- Place the three folders (app, media and lib) in the root directory via FTP.

#### 1.4 A new installation via Magento Connect

- Unzip the content of the plug-in .zip archive to a local folder.
- Log into the back-end of your Magento webshop.
- Go to System → Magento Connect → Magento Connect Manager.
- Choose 'Direct package' file upload.
- Click 'Browse file' and select the file 'MultiSafepay-2.0.X.tgz' from the local folder and click on 'upload'.
- Next; click on 'Commit changes' below.

#### 1.5 Fast Checkout

We strongly advice removing, or at least restricting, the checkout process in your webshop if you intend on offering Fast Checkout as the only available payment method in your webshop.

This should prevent possible confusion amongst your customers when registering on your website.

The power of Fast Checkout lies in that customers only have to register via MultiSafepay, and that all information is sent back to the shop once the payment has been made.

During future visits to your website, a customer can simply log into the Fast Checkout account.



#### 1.6 Notification URL

This will be the notification URL you'll enter into your MultiSafepay account. Replace "example.com" with the Base URL belonging to your webshop.

http://www.example.com/index.php/msp/standard/notification/

Note: Leave out "index.php/" if you have some form of rewrite(s) enabled on your server.



## 2 Adding a website to your MultiSafepay account

#### 2.1 Adding a website

We suggest adding the website to your MultiSafepay account once the plug-in installation has been completed.

Chapter 5.1 and 5.2 explain how to add a website to your MultiSafepay account, both manually as well as via the "Site Wizard" tool.

The MultiSafepay back-office manual can be found via the link below:

https://www.multisafepay.com/downloads/handleidingen/Manual\_backoffice\_merchant.pdf



## 3 Configuring the plug-in


#### 3.1 Basic configuration

Using the basic configuration will have MultiSafepay shown as a single option within your webshop. A payment method can then be specified in the MultiSafepay payment environment as the customer progresses to the next step.

The basic configuration settings can be accessed via:

System → Configuration → Payment Methods → MultiSafepay 2.0.X







ray selection e invoice after payment i invoice to customer the order update e-mail to mer the cart  rder status ent complete status : initialized : uncleared : reserved : void	No No No No No A Cart remains active when the customer retu webshop or cancels an order.  Pending Processing Pending Pending Pending Canceled Canceled	STORE VIEW    STORE VIEW
e invoice after payment I invoice to customer the order update e-mail to mer the cart  order status ent complete status : initialized : uncleared : reserved : void : declined	No No No No A Cart remains active when the customer returned by the cu	▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ums to the  ▼ [STORE VIEW]
Invoice to customer the order update e-mail to mer the cart  order status ent complete status : initialized : uncleared : reserved : void : declined	No No  No Cart remains active when the customer retu webshop or cancels an order.  Pending Processing Pending Pending Pending Pending Canceled	▼ [STORE VIEW]  ▼ [STORE VIEW]  ums to the  ▼ [STORE VIEW]
the order update e-mail to mer the cart the cart the cart true and complete status and complete status are uncleared and complete status are compl	No  No  Cart remains active when the customer retu webshop or cancels an order.  Pending  Processing  Pending  Pending  Pending  Pending  Canceled	▼ [STORE VIEW]  ▼ [STORE VIEW]  ums to the  ▼ [STORE VIEW]
ner the cart  order status ent complete status initialized uncleared reserved void declined	No  ▲ Cart remains active when the customer retu webshop or cancels an order.  Pending  Processing  Pending  Pending  Pending  Pending  Canceled	▼ [STORE VIEW]  wms to the  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]
rder status ent complete status : initialized : uncleared : reserved : void	Cart remains active when the customer returned webshop or cancels an order.  Pending  Processing  Pending  Pending  Pending  Canceled	vms to the  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]
order status ent complete status : initialized : uncleared : reserved : void	Cart remains active when the customer returned webshop or cancels an order.  Pending  Processing  Pending  Pending  Pending  Canceled	vms to the  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]
ent complete status : initialized : uncleared : reserved : void	Processing Pending Pending Pending Canceled	▼ [STORE VIEW]  ▼ [STORE VIEW]  ▼ [STORE VIEW]
: initialized : uncleared : reserved : void : declined	Pending Pending Pending Canceled	▼ [STORE VIEW] ▼ [STORE VIEW] ▼ [STORE VIEW]
c uncleared c reserved c void c declined	Pending Pending Canceled	▼ [STORE VIEW] ▼ [STORE VIEW]
: reserved : void : declined	Pending  Canceled	▼ [STORE VIEW]
: void : declined	Canceled	
: declined		▼ [STORE VIEW]
	Canceled	
		▼ [STORE VIEW]
: reversed	Canceled	▼ [STORE VIEW]
: refunded	Canceled	▼ [STORE VIEW]
expired	Canceled	▼ [STORE VIEW]
ve payments from applicable ies	All Allowed Countries	▼ [STORE VIEW]
	Afghanistan Aland Islands Albania Algeria American Samoa Andorra Angola Anguilla Antarctica	[STORE VIEW]
rder	Anagaa ana barbada	[STORE VIEW]
	No	▼ [STORE VIEW]
	rder	ve payments from specific fies  Afghanistan Aland Islands Albania Algeria American Samoa Andorra Angola Anguilla Antarctica Antigua and Barbuda



Enabled	Enable, or disable, this payment method.
Allowed currency	Select the currencies allowed for this payment method.
Allow convert currency to Euro	Convert any store currency, other than the ones supported, to Euro.
Title	Provide a descrption for this payment method which is to be show non the checkout page.
Account type	Select Live or Test, depending the Multisafepay Account ID entered.
Account ID	Your MultiSafepay Account ID.
Site ID	Your MultiSafepay Site ID.
Site Code	Your MultiSafepay Site Code
API Key	The API Key is automatically generated when adding a website to your MultiSafepay account.  The API Key is only required if you intend on refunding via the
	Magento backe d
Credit Memo	Enable, or disable, MultiSafepay transaction refunds via Magento.
Auto. redirect	Enable, or disable, automatic redirection.
	Customers are presented with the Magento's successpage rather than MultiSafepay's transaction is completed page.
One Step Checkout	Enable if you're using the official OneStepCheckout module, otherwise disable.
New order e- mail	Specify at which stage, during the order-/paymentprocess the Order Confirmation e-mail is to be sent.
Instructions	Here you may optionally provide your customers with additional payment instructions
Gateway selection	
Create invoices after payment	Enable or disable to create invoices after payments.
E-mail invoices to customers	Enable to automatically e-mail invoices to customers.
Send the order update e-mail to customer	Enable to automatically e-mail Magento order status changes.
Keep the cart	Saves the content of a Magento shoppingcart when cancelling a transaction.
Status new (unpaid) orders	Default (Pending)
Status paid orders	Default (Processing)
Status: initialized	Default (Pending)
Status: uncleared	Default (Pending)
Status: reserved	Default (Pending)




Status: void	Default (Cancelled)
Status: declined	Default (Cancelled)
Status: declined	Default (Cancelled)
Status: refunded	Default (Cancelled)
Status: expired	Default (Cancelled)
Payment from applicable countries	Allows you to set the visibility of this payment to 'All Allowed Countries' or 'Specific Countries'.
Payment from Specific countries	Becomes active if the option 'Specific Countries' has been enabled above, and allows you to select certain Countries for which this payment method should be visible.
Sort order	Assign a specific sort order on the checkout page
Debug	Enable, or disable, the plug-in's debug mode (Developers only)



#### 3.2 Seperate Gateways

Using the Seperate Gateways configuration will have each payment method shown as a seperate (payment) option on the checkout page, and is most commonly used. The Seperate Gateways configuration can be accessed via: System → Configuration → MultiSafepay - Gateways 2.0.X





Account type	Select Live or Test, depending on the MultiSafepay Account ID entered.	
Account ID	Your MultiSafepay Account ID.	
Site ID	Your MultiSafepay Site ID.	
Site Code	Your MultiSafepay Site Code.	
API Key	The API Key is automatically generated when adding a website to your MultiSafepay account.	
	The API Key is only required if you intend on refunding via the Magento backend.	
Credit Memo	Enable, or disable, refunds via Magento.	
Allow Convert currency to EUR	Convert any store currency, other than the ones supported, to Euro.	
Auto. redirect	Enable, or disable, automatic redirection.	
	Customers are presented with the Magento's successpage rather than MultiSafepay's transaction is completed page.	
One Step Checkout	Enable if you're using the official OneStepCheckout module, otherwise disable.	
Create invoices after payment	Enable or disable to create invoices after payments.	
E-mail invoices to customers	Enable to automatically e-mail invoices to customers.	
New order e-mail	Specify at which stage the Order Confirmation e-mail is to be sent.	
Send the order update e-mail to customer	Enable to automatically e-mail Magento order status changes.	
Keep the cart	Saves the content of a Magento shoppingcart when cancelling a transaction.	
Show the gateway images	Enable, or disable, payment method logo's	
Show the gateway image if it exists in front of the title	Enable, or disable, payment method logo's in front of the payment method title.	
Status new (unpaid) orders	Default (Pending)	
Status paid orders	Default (Processing)	
Status: initialized	Default (Pending)	
Status: uncleared	Default (Pending)	
Status: reserved	Default (Pending)	
Status: void	Default (Cancelled)	



Status: expired	Default (Cancelled)
Status: refunded	Default (Cancelled)
Status: reversed	Default (Cancelled)
Status: declined	Default (Cancelled)


Using the Seperate Gateways configuration means you will have to enable each payment method separately via the tabs below.



#### 3.3 Pay After Delivery

MultiSafepay's Pay After Delivery can be located via:

System → Configuration → MultiSafepay Gateways 2.0.X -> 'Pay After Delivery'.





Enabled	Enable, or disable, this payment method.
Account type	Select Live or Test, depending on the MultiSafepay Account ID entered.
Account ID	Your MultiSafepay Account ID.
Site ID	Your MultiSafepay Site ID.
Site Code	Your MultiSafepay Site Code.
Account ID (for Test account)	Your MultiSafepay Test Account ID (optional).
Site ID (for Test account)	Your MultiSafepay Test Site ID (optional)
Site Code (for Test account)	Your MultiSafepay Test Site Code (optional)
Title	Provide a description for this payment method, which is to be shown on the checkout page.
Days active before request expires	Specify the number of days before an active unpaid Pay After Delivery session expires.
Enable fee (inc. Tax)	Enable, or disable, surcharge for this payment method.
Payment fee amount	Fee amount incl. tax
Show incl tax during checkout	Show (enabled), or hide (disabled) the surcharge incl. tax in the checkout process.
Tax class for payment fee	Select a tax class for the payment fee.
Payment fee description visible in order totals	<sup>1</sup> ,Enter a payment fee description.
Minimum Order Total	Minimum order amount for Pay After Delivery.
Maximum Order Total	Maximum order amount for Pay After Delivery.
Enable the invoice e- mail for this payment	Enable, or disable, the sending of invoices for this payment method.
Allowed Currency	Select the currencies allowed for this payment method.
Receive payments from applicable countries	Allows you to set the visibility of this payment to 'All Allowed Countries' or 'Specific Countries'.




Receive payments from specific countries	Becomes active if the option 'Specific Countries' has been enabled above, and allows you to select certain Countries for which this payment method should be visible.
Sort order	Assign a specific sort order on the checkout page
Enable IP validation	Show this payment method only for the ip-addresses below.
Only visible for the following IP address	Enter one or multiple IP-addresses, seperate by a semicolon.
Only visible for the following IP address (for Test Account)	Enter one or multiple IP-addresses, seperate by a semicolon.
Enable Test Account for these IP(s) when enabled Live Account	Enter one or multiple IP-addresses, seperate by a semicolon.
Send shipped status after complete order	Set the concerning transaction to 'Shipped' once the order is completed using the payment method 'Pay After Delivery'.
Instructions	Here you may optionally provide your customers with additional (payment) instructions



#### 3.4 Fast Checkout

The Fast Checkout configuration can be found via:

System → Configuration → MultiSafepay Fast Checkout 2.0.X





Enabled	Enable, or disable, this payment method.
Account type	Select Live or Test, depending on the MultiSafepay Account ID entered.
Account ID	Your MultiSafepay Account ID.
Site ID	Your MultiSafepay Site ID (visible within your MultiSafepay back-office)
Site Code	Your MultiSafepay Site Code (visible within your MultiSafepay back-office)
API Key	The API Key is automatically generated when adding a website to your MultiSafepay account.
	The API Key is only required if you intend on refunding via the Magento backend.
Credit Memo	Enable, or disable, refunds via Magento.
Auto. redirect	Enable, or disable, automatic redirection.
	Customers are presented with the Magento's successpage rather than MultiSafepay's transaction is completed page.
Send new account e-mail	Send Fast Checkout account registration e-mails.
Automatic login	Automatically log customers in after returning from Fast Checkout
Redirect customers to their account page	Enable, or disable, automatic redirection to their Magento customer account.
Create invoices after payment	Enable to create invoices after payments.
E-mail invoices to customers	Enable to automatically e-mail invoices to customers.
New order mail	Specify at which stage the Order Confirmation e-mail is to be sent.
Status new (unpaid) orders	Default (Pending)
Status paid orders	Default (Processing)
Status: initialized	Default (Pending)
Status: uncleared	Default (Pending)
Status: reserved	Default (Pending)
Status: void	Default (Cancelled)
Status: declined	Default (Cancelled)
Status: reversed	Default (Cancelled)
Status: refunded	Default (Cancelled)
Status: expired	Default (Cancelled)
Debug	Enable, or disable, the plug-in's debug mode (Developers only)



### 4 Troubleshooting

#### 4.1 Payment methods aren't shown.

We recommend checking all Seperate Gateway currency settings if you're performing an upgrade of our Magento plug-in, rather than a clean installation.

#### 4.2 Error 404 while configuring the plug-in.

The following steps should resolve error 404:

- 1. Navigate to System → Configuration → Payment methods
- 2. Click on 'Save Configuration' regardless of whether or not changes have been made to the settings.
- 3. Log out of the Magento backend.
- 4. Log back into the Magento backend


#### 4.3 The Fast Checkout button isn't shown.

If the Fast Checkout button is not visible in the shoppingcart, despite having been configured, then we suggest emptying the Magento caches.

Navigate to System → Cache Management to do so.

#### 4.4 The iDEAL banklist isn't shown.

In the event that banks aren't shown in the checkout process when choosing for iDEAL, then the feature is most likely not enabled under 'MultiSafepay Gateways'.





#### 4.6 Error 301 in the Offline Actions overview

If orderstatus aren't updated (correctly) within Magento, then this usually refers to a problem receiving feedback from MultiSafepay.

In the event that (HTTP) 301 presents itself as a result in the overview; then it's very likely 'Rewrite URL' has been enabled in Magento or on the server.

In that case removing 'index.php' from the URL should solve this issue.

For your convenience you may copy the Notification URL as shown below by;

http://www.example.com/index.php/msp/standard/notification/

to:

http://www.example.com/msp/standard/notification/

#### 4.7 Service Temporarily Unavailable

Sometimes a pre-existing or underlying issue with a Magento site can cause the plug-in installation to fail mid-way.

When this happens, your Magento site may appear to be in maintenance mode causing the message: "503 – Service is unavailable" to show up in the frontend.

To resolve this; Login via FTP and remove or rename the "maintenance.flag" file in the root directory.



## 5 Verifying


We recommend verifying the functionality once the plug-in has been installed and configured, which can be achieved quite easily.

The most commonly occurring issue would be the absence of feedback sent from MultiSafepay to your webshop intended to update the status of an order.

The above usually points out to an incorrect Notification URL.


This can be verified by having a customer place an order, or by placing a test order yourself, on your website.

It is also highly recommended to perform a test order when using the Fast Checkout package. Afterwards proceed by logging into your MultiSafepay back-office.





Once logged in, navigate to the submenu 'Payments' on the left and click on 'Offline actions'



**'success'** and **'ok'** in the column 'Status' and 'Results' indicates the feedback through the Notification URL is functioning correctly, although there are exceptions.



## 6 Questions?

Having trouble with the installation of our plug-in? The link below provides you with an overview listing our Business Partners:

https://www.multisafepay.com/en/Business-partners/

Many questions, answers and tips regarding the installation of our plug-ins can be found in our knowledgebase:

https://support.multisafepay.com/index.php?/Knowledgebase/List

Any remaining questions you may have can be submitted by ticket via the link below:

http://support.multisafepay.com

Our Support team can be reached by phone via +31(0)20 8500 500

(Mon till Thu from 08h00 till 17h30. And Fri from 08h00 till 17h00)