

## INDICES

## INDEX

# flag code I-7  
 ## flag code I-7  
 #defines preprocess III-16  
 #includes preprocess III-16  
 \* flag code I-7  
 - flag terminator I-5  
 - read standard input I-6  
 -- flag terminator I-5  
 -help flag I-5  
 ? flag code I-7  
 ~ attention sequence III-18

## A - C

and constructs (programmable flags) II-17  
 ANSI standard (enforcing) III-17  
 arguments (evaluation) I-4  
 attention sequence  
   description III-18  
   explanation III-18  
 autos (holes in) III-11  
 backslash (use in proto files) II-11  
 c.pro (default proto file name) II-14  
 code generator pass of compiler III-14  
 command line conventions I-3  
 compilation process (modification) II-8  
 compiler (basic view) II-1  
 compiler driver  
   default behavior III-2  
   introduction III-2  
   output file suffixes III-3  
   saving intermediate files II-12  
 compiler  
   introduction II-5  
   parsing pass III-11

## D - F

drop-off points in prototype file II-15  
 entry points (in prototype file) II-15  
 error listings (specifying content) II-18  
 exit points in prototype file II-15  
 expansion of preprocessor macros III-16  
 extensions to files output by compiler III-3  
 files  
   merging listings III-9  
   pagination of output III-18  
   specifying on command line I-6

## Index

- flag values (representation) I-7
- flags
  - definitions of codes I-7
  - interaction with other arguments I-8
  - interpretation I-4
  - usage I-7
- follow-up lines II-13

### G - L

- grouping line
  - example II-13
  - in proto file II-12
- headers (setting) III-18
- IBM System/36 assembler (code generation) III-14
- intermediate files (saving) II-12
- ISO Pascal standard (enforcing) III-21
- jump steps within prototype file II-15
- line length (in proto files) II-11
- link C programs
  - using ANSI library III-6
  - using extended ANSI library III-7
- listings
  - generating II-18
  - merging/correlating III-9
  - source line referents II-19
  - use of pr III-18

### M - O

- manual pages (format) I-6
- map files (description) III-16
- MAXINT default III-21
- memory models (choosing) III-11
- merge file (definition) III-9
- metanotions
  - conventions I-7
  - explanation I-2
- multi-line steps in prototype file II-10, II-15
- online help I-5
- or constructs (programmable flags) II-17
- organization of this manual (description) I-1

### P - R

- page heading (default) III-18
- page title (standard) III-18
- parsing pass (explanation) III-11
- partial step (in prototype file) II-10
- Pascal to C translator (description) III-21
- preprocessor macro (expansion) III-16
- programmable flags II-12, II-16, II-17
  - creating II-12
  - creating II-17

## Index

list of what's in your package      III-4  
special characters      II-16  
prototype file      II-5  
example code      II-8  
follow-up lines      II-13  
grouping line      II-12  
introduction      II-8  
passing arguments      II-11  
syntax      II-10  
register variables (assigning)      III-12  
return values (explanation)      I-8

## S - Z

signed values (syntax)      I-7  
source line referents (listings)      II-19  
special characters for programmable flags      II-16  
storage boundaries (enforcing)      III-11  
structures (holes in)      III-11  
suffixes  
    appended to output of compiler passes      III-3  
    compiler output      III-3  
temporary files (saving)      II-12  
transfer assembler source  
    from S/36      III-8  
    to S/36      III-23  
type checking (strength of)      III-12