

## INDEX

## INDEX

\_svc (use in SSP system call) III.a-8

## A - C

align buffer address used by wsread III.a-17  
and

integer into integer IV-5

long into long IV-13

ANSI library III.a-5

assembler (introduction) II-2

binary files III.a-2

call function on program exit III.a-32

capture interrupts III.a-33

capture signals III.a-42

change old file to new file III.a-40

close a file III.a-24

close a workstation III.a-18

code generator diagnostics II-4

create a unique file name III.a-47

## D - F

data representation in assembler III.a-12

define the stack size for a C program III.a-16

disk device III.a-3

disk (usage of) III.a-3

divide

integer by integer IV-6

long by long IV-14

unsigned by unsigned IV-21

unsigned long by unsigned long IV-23

drivers III.a-3

execute a command III.a-44

external identifiers (translation to assembler) III.a-10

filenames III.a-3

function calls III.a-10

function text III.a-10

## G - I

get  
     environment variable III.a-27  
     system time III.a-46  
 inconsistencies (documentation of) I-6  
 initialized data III.a-10  
 integer left shift IV-7  
 integer right shift IV-11

## J - 0

literal data III.a-10  
 long left shift IV-15  
 long right shift IV-19  
 make a supervisor call to SSP III.a-43  
 manual pages (conventions) I-3  
 metanotions (explanation) I-2  
 multiply  
     integer by integer IV-9  
     long by long IV-17  
 null device III.a-3  
 open a file III.a-34  
 open a workstation III.a-19  
 or  
     integer into integer IV-10  
     long into long IV-18  
 overlay linker (introduction) II-3

## P - S

printer device III.a-3  
 printer (usage of) III.a-4  
 program name III.a-36  
 query or set tty file to a new state III.a-37  
 read  
     characters from a file III.a-38  
     from a workstation III.a-20  
 remainder  
     integer by integer IV-8  
     long by long IV-16  
     unsigned by unsigned IV-22  
     unsigned long by unsigned long IV-24  
 remove a file III.a-39  
 return values (explanation) I-5  
 send signal to a process III.a-28  
 set file read/write pointer III.a-29  
 set system break III.a-41  
 setup for main call III.a-30  
 SSP function calls (support for) III.a-9  
 SSP header file III.a-14  
 SSP system interface functions III.a-1  
 stack frames (maintenance of) III.a-11  
 system  
     input device III.a-3  
     list device III.a-3

log device III.a-3

T - Z

terminate program execution III.a-26, III.a-45

text files III.a-2

translate a buffer of characters III.a-22

translation table

    from ASCII to EBCDIC III.a-23

    from EBCDIC to ASCII III.a-25

uninitialized declarations III.a-10

unsigned long right shift IV-25

write characters to a file III.a-48

write to a workstation III.a-21

xor

    integer into integer IV-12

    long into long IV-20