

# ShuhanMiner Business Requirements Document

## 1. Describing problems

ShuhanMiner is a comprehensive application designed to monitor, manage, and maintain cryptocurrency mining machines. It provides real-time tracking of key performance metrics, including hash rate, temperature, model, status, alerts, and electricity prices. Additionally, it supports remote management operations such as device restarts and firmware updates. ShuhanMiner aims to streamline mining operations management, enhance efficiency, and ensure the longevity of mining equipment. Whether managing small setups or large-scale mining farms, ShuhanMiner offers the necessary tools to maintain optimal performance and maximize profitability.

## 2. Rules of Business

*I have highlighted the nouns in blue and the verbs in brown.*

1. Real-time monitoring of mining machine status, including Ip address, hash rate, temperature, model, status, alerts, and electricity prices, with immediate notifications to users in case of anomalies.
2. Users must be able to select multiple mining machines simultaneously for batch restart operations.
3. The batch restart function should be efficient and stable, ensuring minimal downtime.
4. The system should provide restart success/failure feedback to help mining engineers analyze fault recovery.
5. The system must display real-time electricity prices, assisting engineers in deciding whether to continue mining operations.

6. When the electricity price **exceeds** the **preset cost threshold**, the system should automatically **trigger** an **alert** to **notify** the user.
7. The system should continuously **monitor** **mining machine temperature data** to ensure operations **remain** within **safe limits**.
8. If a mining machine's temperature exceeds the **safety threshold**, the system should trigger a **high-temperature alert** to notify the user.
9. Mining machines that enter **high-temperature protection mode** should be clearly **marked** on the **interface** for easy **identification**.
10. The **system** must **support** different types of **monitoring reports (financial or performance)** to meet **diverse** user needs.
11. The **MonitoringSystem** must support firmware **upgrades** based on the **firmwareVersion** to ensure system stability and performance

### 3. Nouns and Verbs

#### Nouns

1. Real-time monitoring
2. Ip address
3. hash rate
4. temperature
5. model
6. status
7. alerts
8. electricity prices
9. notification
10. user
11. anomaly
12. restart operation

13. downtime
14. restart success/failure feedback
15. mining engineer
16. fault recovery
17. mining operation
18. cost threshold
19. alert
20. temperature data
21. safety threshold
22. high-temperature alert
23. high-temperature protection mode
24. interface
25. identification
26. overheated machines
27. fault diagnosis
28. resolution
29. safe limits
30. system
31. monitoring reports
32. MonitoringSystem
33. firmwareVersion
34. financial
35. performance

### **Verbs**

1. select
2. restart
3. analyze

4. display
5. exceeds
6. preset
7. trigger
8. notify
9. monitor
10. remain
11. marked
12. filter
13. sort
14. search
15. accelerate
16. support
17. diverse
18. upgrade

## **4. Classes and Attributes**

MiningMachine

- ipAddress
- temperature
- model
- status
- hashRate
- alerts
- highTemperatureMode

MonitoringSystem

- miningMachines

- faultDiagnosis
- overheatedMachines
- firmwareVersion

#### Alert

- alertType
- alertLevel
- timestamp
- triggeredBy
- notifiedUsers

#### RestartOperation

- selectedMachines
- restartTime
- restartDuration
- successfulRestart
- faultRestarts

#### User

- userId
- role
- notifications

#### ElectricityPricing

- currentPrice
- costThreshold
- priceHistory

#### Notification

- notificationId


- content
- timestamp
- user

MonitoringReport

- different type
- financialReport
- performanceReport

## 5. Classes and Attributes

[https://lucid.app/lucidchart/c2aea4c8-6297-4041-a0c9-86d3542032d7/edit?viewport\\_loc=-1724%2C-881%2C4911%2C2993%2C0\\_0&invitationId=inv\\_2ccd1b6b-e5bf-4e7c-9735-a7919fcdd857](https://lucid.app/lucidchart/c2aea4c8-6297-4041-a0c9-86d3542032d7/edit?viewport_loc=-1724%2C-881%2C4911%2C2993%2C0_0&invitationId=inv_2ccd1b6b-e5bf-4e7c-9735-a7919fcdd857)



## **6. Dimensions**

1. Scale (Mining Farm Size) – Individual Miners, Small-Scale Mining Operators, Large-Scale Mining Administrators
2. Technical Expertise –Investors, Intermediate Users (Small-Scale Operators), Advanced Users (Engineers/Administrators)
3. Role Responsibilities – Focus on Hardware Management, Cooling Optimization, Financial Investment, etc.

## **7. Create User Personas**

(Reference AI-generated content, specify the details under AI Usage #3 as the source.)

### **User Persona 1: Alex**

Age: 30

Occupation: Mining Operation Engineer

Scale: Manages a large-scale mining farm with thousands of machines.

Technical Level: Advanced user with expertise in mining machine operations.

Role & Responsibilities: Hardware management, ensuring machines run efficiently and profitably.

### **Background Story**

Alex has been working in cryptocurrency mining for several years, gaining expertise in machine maintenance, performance optimization, and cost control. He needs real-time monitoring and batch management tools to efficiently operate thousands of machines and respond quickly to failures.

### **Scenario & Reason to Use ShuhanMiner**

1. Real-time monitoring of hashrate, temperature, and electricity prices to optimize efficiency.
2. Automated alerts for failures, overheating, or power issues to prevent costly downtimes.
3. Batch operations for restarting multiple machines, updating firmware, and optimizing hardware performance.

4. The ability to upgrade firmware based on the firmware version to maintain system stability and efficiency.

### **User Persona 2: Emily**

Age: 28

Occupation: Mining Investor

Scale: Invests in multiple mining farms, monitoring the operation of hundreds of mining machines.

Technical Expertise: Non-technical user, primarily focused on financial returns and mining machine operational data.

Role Responsibilities: Analyzing electricity price trends, equipment health, and overall hashrate to maximize investment returns.

### **Background Story**

Emily is an investor who evaluates mining profitability rather than handling daily machine operations. She prioritizes electricity cost analysis, machine health monitoring, and ensuring optimal hashrate to maximize her returns. She needs an intuitive dashboard with financial insights rather than complex technical tools.

### **Scenario & Reason to Use ShuhanMiner**

1. Monitor electricity price fluctuations and adjust mining strategies based on different time-based pricing.
2. Track machine health to avoid revenue losses due to breakdowns or overheating.
3. View overall hashrate & uptime to ensure machines are operating efficiently.
4. Access financial or performance monitoring reports to evaluate investment profitability and efficiency.

### **User Persona 3: Ryan**

Age: 35

Occupation : Cloud Mining Platform Operator

Scale : Manages a cloud mining platform with thousands of rented mining rigs.

Technical Expertise : Intermediate, balancing technical operations and customer management.

### **Role & Responsibilities :**



Ensuring mining infrastructure operates 24/7.

Managing customer subscriptions and mining contracts.

### **Background Story**

Ryan operates a cloud mining service, renting out mining power to customers worldwide. He needs automated performance tracking, customer reporting, and real-time monitoring to ensure his customers get the best mining efficiency. Downtime directly affects his business reputation, so he relies on ShuhanMiner for proactive issue detection.

### **Scenario & Reason to Use ShuhanMiner**

1. Monitor machine performance to ensure customers get consistent mining power.
2. Generate automated financial reports for customer billing and earnings analysis.
3. Detect machine failures early to prevent reputation loss and contract disputes.
4. Perform firmware upgrades across rented mining machines to maintain consistent performance.

## **8. Target audience**

(Reference AI-generated content, specify the details under AI Usage #2 as the source.)

### **Large-Scale Mining Farm Administrator**

1. Scale: Manages a large mining farm with thousands of mining machines.
2. Technical Expertise: Advanced user, proficient in mining machine operations and maintenance.
3. Role Responsibilities: Hardware management, ensuring efficient mining machine operations.

### **Key Needs:**

1. Manage hundreds to thousands of mining machines and optimize operations.
2. Require real-time monitoring of hashrate, electricity costs, and temperature.
3. Utilize batch management and electricity price alerts to reduce costs.

### **Small-Scale Mining Operator**

1. Scale: Operates a small mining farm with dozens to hundreds of mining machines.

2. Technical Expertise: Intermediate user with some technical expertise.
3. Role Responsibilities: Cooling optimization, ensuring stable mining farm operations.

Key Needs:

1. Environmental Monitoring: Track temperature, humidity, and fan status.
2. Energy Optimization: Intelligently adjust hashrate and dynamically modify operating modes.
3. Remote Maintenance: Monitor mining machine status anytime with anomaly alerts.

Mining Investor

1. Scale: Individual or institutional investor, not directly managing mining machines.
2. Technical Expertise: Non-technical user, focused on financial data.
3. Role Responsibilities: Financial investment, profitability analysis.

Key Needs:

1. Profitability Analysis: Historical data, revenue forecasting, ROI calculation.
2. Cost Control: Electricity price trends, hosting fees, mining difficulty changes.

## **9. Challenge Questions**

(Reference AI-generated content, specify the details under AI Usage #1 as the source.)

1. How can ShuhanMiner efficiently process and display real-time data for thousands of mining machines without delays?
2. How can the system intelligently manage high-temperature alerts and prevent hardware damage?
3. How can the system ensure stable and reliable batch restart operations for largescale mining farms?

Potential Solutions for ShuhanMiner

1. To achieve real-time data processing and display for thousands of mining machines, ShuhanMiner can utilize broadcast technology to obtain the IP addresses of the machines, ensuring efficient handling and display of real-time data while minimizing delays. Specifically, ShuhanMiner can send UDP broadcast messages within the local network, and all mining machines listening on a

predefined port can respond with their respective IP addresses upon receiving the broadcast.

2. To prevent hardware damage caused by overheating, ShuhanMiner can deploy a real-time monitoring and alert system that continuously tracks environmental parameters such as temperature and humidity using sensors.
3. In large-scale mining farms, the stability of batch restart operations is crucial. ShuhanMiner can implement automated and distributed restart management, utilizing scheduling algorithms and distributed systems to coordinate the restart process of each device, preventing excessive power and network load caused by simultaneous restarts.

## **10. User Stories**

### **User Persona 1: Alex - Mining Farm Administrator**

1. Batch Restart for Overheated Machines:

Alex needs to quickly restart multiple mining machines when they enter high-temperature protection mode to minimize downtime.

2. Firmware Upgrades for Stability:

He requires batch firmware updates to keep thousands of machines running optimally and securely.

3. Performance Reports for Efficiency:

Alex depends on performance reports to analyze hashrate, detect faulty machines, and improve farm operations.

### **User Persona 2: Emily - Mining Investor**

1. Electricity Price Tracking for Profit Maximization:

Emily monitors electricity price trends and alerts to decide the most cost-effective mining times.

2. Machine Health Monitoring for Investment Security:

She tracks overheating risks and prevent unexpected shutdowns.

3. Financial Reports for ROI Analysis:

Emily uses financial reports to calculate revenue, electricity costs, and overall mining profitability.

#### 4. Mining Pool Management for Asset Liquidity:

Emily updates and modifies mining pool settings to optimize profitability, facilitate machine sales, and adapt to market conditions.

### **User Persona 3: Ryan - Cloud Mining Platform Operator**

#### 1. Automated Firmware Updates for Client Machines:

Ryan needs bulk firmware updates to ensure all rented machines stay optimized for customers.

#### 2. Financial Reports for Customer Billing:

He requires automated reports to provide clear revenue summaries to cloud mining clients.

#### 3. Performance Reports for Service Quality:

Ryan tracks machine performance reports to maintain uptime guarantees and deliver consistent mining power.

## **11. Interface Mockups**

<https://www.figma.com/design/LzSmddUo5EEPUXzetZANBV/ShuhanMiner?node-id=0-1&m=dev&t=JuRjF2fUYOPkUmnD-1>

Monitoring's interface

Mining Machine Dashboard

Add Performance Report

Electricity Pricing Overview

IP Address	Hash Rate	Temperature	Status	Operation
<input type="checkbox"/>				<div>update</div> <div>Delete</div>

Restart Selected

Shows real-time data with a batch restart button.

Alex needs to quickly restart multiple mining machines when they enter high-temperature protection mode to minimize downtime.

Report's interface

### Performance Report

Uptime: 99.8%

Efficiency: 95%

Generate Report

Provides system efficiency insights and allows report generation.

Alex depends on performance reports to analyze hashrate, detect faulty machines, and improve farm operations.

Ryan tracks machine performance reports to maintain uptime guarantees and deliver consistent mining power

### Financial Reports

Revenue: \$12,500

Electricity Cost: \$4,200

Profitability: 66%


Generate Report

Displays revenue, electricity costs, and profitability, with a report generation feature.

Emily uses financial reports to calculate revenue, electricity costs, and overall mining profitability.

Ryan requires automated reports to provide clear revenue summaries to cloud mining clients.

## Firmware Update's interface




The interface for Firmware Updates is a vertical stack of elements. At the top is the title 'Firmware Updates'. Below it are three light gray rectangular boxes: the first contains 'Current Version: v1.0.3', the second contains 'Available Update: v1.1.0', and the third contains the label 'Model'. At the bottom is a purple rectangular button labeled 'Submit'.

Displays the current version and allows batch updates

Alex requires batch firmware updates to keep thousands of machines running optimally and securely.

Ryan needs bulk firmware updates to ensure all rented machines stay optimized for customers.



The Machine Monitoring Alert interface is a vertical stack of elements. At the top is the title 'Machine Monitoring Alert'. Below it are three rectangular boxes: the first is light gray and contains 'Overheated Machines: 5', the second is light gray and contains 'Offline Machines: 2', and the third is light purple and contains 'Last Restart: 3 days ago'.

Tracks overheating risks and machine failures.

Emily tracks overheating risks and prevent unexpected shutdowns.

Add/Update

Add/Update New Machine

IP address

Seat

Model

Working Mode

Local Hashrate

Status

Dashboard Status

Temperature

Fan Speed

Customer

Mining Pool

Submit

Emily updates and modifies mining pool settings to optimize profitability, facilitate machine sales, and adapt to market conditions.



Electricity Price Tracking

## Electricity Pricing Overview

Current Electricity Price: \$0.1/kWh  
Threshold: \$4.12/kWh

Adjust Threshold:

electricity price forecasting

Electricity Price Forecasting  
Current Electricity Price Display  
Electricity Price Threshold Adjustment  
Cost Alert Notification

Emily monitors electricity price trends and alerts to decide the most cost-effective mining times.

## 12. AI usage

#1

I used AI to give me the Potential Solutions of Challenge Questions

**Model:** ChatGPT 4o

**Attachment:** Challenge Questions

**Prompts:**

1. How can ShuhanMiner efficiently process and display real-time data for thousands of mining machines without delays?

ShuhanMiner can implement asynchronous data streaming and distributed processing to handle large-scale real-time monitoring efficiently.

WebSockets & MQTT Protocol: Enables real-time data updates without constant polling.

Edge Computing & Local Processing: Offloads some computations to the mining machines before sending only essential data to the central system.

Database Optimization (Time-Series DB like InfluxDB): Stores and retrieves high-frequency mining metrics efficiently.

Load Balancing & Microservices Architecture: Distributes processing across multiple servers to avoid bottlenecks and maintain responsiveness.

2. How can the system intelligently manage high-temperature alerts and prevent hardware damage?

ShuhanMiner employs predictive analytics and automated cooling strategies to manage high-temperature risks.

AI-Based Predictive Temperature Analysis: Uses historical data and machine learning models to predict overheating risks before they occur.

Automated Cooling & Load Balancing: The system can adjust fan speeds, redistribute mining workloads, or temporarily pause high-risk machines.

Real-Time Alerts & Smart Actions: When temperatures exceed thresholds, the system sends instant notifications and can trigger automated shutdowns or cooling system activation.

Configurable Safety Policies: Allows users to define temperature limits and pre-set actions to prevent hardware damage.

3. How can the system ensure stable and reliable batch restart operations for large-scale mining farms?

ShuhanMiner ensures efficient and fault-tolerant batch restarts by implementing the following strategies:

Parallelized Restart Execution: Machines restart in controlled batches to prevent power surges or network congestion.

Dependency & Health Checks: Ensures that critical infrastructure (like network and power supply) is stable before executing batch restarts.

Rollback Mechanism & Redundancy: If a batch restart fails, the system can roll back changes or retry using alternate nodes.

Smart Scheduling & Prioritization: Machines with the most urgent needs (e.g., overheating risks) are restarted first, ensuring the least disruption to operations.

These solutions enhance efficiency, reduce downtime, and prevent operational failures in large-scale mining farms.

**How it was used:** I have refined the " Potential Solutions " section by incorporating the ideas and keywords provided in the Prompts.

**How you verified that the results were correct:**

I asked my friends in the industry about the first question, and they used broadcast messages to implement it. So I did not use

#2

I used AI summarize to Target audience

**Model:** ChatGPT 4o

**Attachment:** User Stories

**Prompts:**

Large-Scale Mining Farm Administrator

Scale: Manages a large mining farm with thousands of mining machines.

Technical Expertise: Advanced user, proficient in mining machine operations and maintenance.

Role Responsibilities: Hardware management, ensuring efficient mining machine operations.

#### Small-Scale Mining Operator

Scale: Operates a small mining farm with dozens to hundreds of mining machines.

Technical Expertise: Intermediate user with some technical expertise.

Role Responsibilities: Cooling optimization, ensuring stable mining farm operations.

#### Mining Investor

Scale: Individual or institutional investor, not directly managing mining machines.

Technical Expertise: Non-technical user, focused on financial data.

Role Responsibilities: Financial investment, profitability analysis.

**How it was used:** I have refined the " Target audience " section by incorporating the ideas and keywords provided in the Prompts.

**How you verified that the results were correct:** I compared my User Stories and found that they were basically the same.

### #3

I used AI Expanded User Personas by Dimensions

**Model:** ChatGPT 4o

**Attachment:** User Personas && Dimensions

#### **Prompts:**

Like Occupation : Cloud Mining Platform Operator

Scale : Manages a cloud mining platform with thousands of rented mining rigs.

Technical Expertise : Intermediate, balancing technical operations and customer management.

**How it was used:** I have refined the " User Personas " section by incorporating the ideas and keywords provided in the Prompts.

**How you verified that the results were correct:** I compared my Dimensions and found that they were basically the same.

