

Any concerns with this FIELD: COALESCE(table1.type, table2.type)

Yes, a few concerns:

It will likely break at runtime SQL expressions in Genie are meant to be self-contained column definitions, not cross-table joins. Referencing `table1` and `table2` in a single expression assumes a join context that Genie may not set up correctly when it constructs its queries. This will likely produce errors or unexpected results.

The right fix is in the data layer This is a data consolidation problem — you're patching a gap between two tables inside Genie, which is exactly the kind of thing that should be resolved upstream. The cleaner approaches:

Best — create a view that resolves this before it reaches Genie:

sql

```
CREATE VIEW clean_view AS
SELECT COALESCE(t1.type, t2.type) AS type
FROM table1 t1
LEFT JOIN table2 t2 ON t1.id = t2.id
```

Then add `clean_view` to your Genie space instead of the raw tables.

If the tables are already joined in your space, document it clearly in the field description so Genie understands the dependency.

The broader pattern This is the third or fourth case where the real fix is upstream data cleanup — fuzzy name matching, inconsistent casing, and now a cross-table coalesce. It's worth pausing to ask whether the tables being added to your Genie space are ready, or whether a proper modeling/prep layer (views, metric views) would make all of these expressions simpler and more reliable.



Would you like to talk through what that prep layer could look like?