

Today

- Learning Outcomes
 - Identify the properties that we would like the process abstraction to provide.
- How we'll get there
 - What exactly is a process? What is process isolation?
 - What are the system calls that manipulate processes?
 - How does the operating system create the process abstraction?
 - Protected control transfer
 - Virtual Memory
- Reading:
 - Chapter 8: intro and 8.1

All code is in the course code repository.

Trivial Programs

```
mseltzer@lulu:~$ cat hello.c
#include <stdio.h>
```

```
int main(int argc, char *argv[]) {
    printf("Hello, world!\n");
}
```

```
mseltzer@lulu:~$ ./hello
```

```
Hello, world!
```

```
mseltzer@lulu:~$
```

```
mseltzer@lulu:~$ cat goodbye.c
#include <stdio.h>
```

```
int main(int argc, char *argv[]) {
    printf("Goodbye, world!\n");
}
```

```
mseltzer@lulu:~$ ./goodbye
```

```
Goodbye, world!
```

```
mseltzer@lulu:~$
```

Strange Phenomena

Reading symbols from **hello...**

(gdb) b main

Breakpoint 1 at **0x400430**: file
hello.c, line 3.

(gdb) run

Starting program:
/home/m/mseltzer/313/cs313-
coderepo/mar30/hello

Missing separate debuginfos, use:
zypper install glibc-debuginfo-2.26-
lp151.18.7.x86_64

Breakpoint 1, main (argc=1,
argv=**0x7ffffffe248**) at hello.c:3

3 int main(int argc, char *argv[]) {

(gdb)

Reading symbols from **goodbye...**

(gdb) b main

Breakpoint 1 at **0x400430**: file
goodbye.c, line 3.

(gdb) run

Starting program:
/home/m/mseltzer/313/cs313-
coderepo/mar30/goodbye

Missing separate debuginfos, use:
zypper install glibc-debuginfo-2.26-
lp151.18.7.x86_64

Breakpoint 1, main (argc=1,
argv=**0x7ffffffe248**) at goodbye.c:3

3 int main(int argc, char *argv[]) {

Why don't these programs affect each other?

Why don't these programs affect each other?

- Programs run in different **processes**.
- Each process has its own **address space**.
- Address spaces provide **process isolation**.
- Process Isolation:
 - Anything one process does should not affect what another process does, unless the processes agree (e.g., set up a communication channel).
 - Each process behaves as if it controls the entire machine's resources.

Where we are going:

- What exactly is an operating system?
- How does control transfer back and forth between user processes and the operating system?
- How exactly does the OS provide process isolation?
- What is the role of virtual memory in providing process isolation.