

Claim Total Review Policy

Final RAG knowledge content: customer aggregation and detailed claim review

Purpose

Identify customers whose cumulative claim amount meets or exceeds a configurable review threshold named **total_values**. For every qualifying CustomerID, provide the customer total and all related claim transactions.

Authoritative Policy Rule

Selection condition: $\text{SUM}(\text{ClaimAmount}) \geq \text{total_values}$

Boundary rule: A customer whose total claim amount is exactly equal to **total_values** is included.

Policy Definitions

Policy element	Definition
Aggregation key	Group claim transactions by CustomerID.
Customer total	Calculate $\text{SUM}(\text{ClaimAmount})$ for each CustomerID.
Qualifying condition	Include the customer when TotalClaimAmount is greater than or equal to total_values .
Detailed results	Return all claim transactions associated with each qualifying CustomerID.
Output order	Present the customer summary first, followed by the detailed claim transactions.

RAG Question and Answer Examples

Q1. Which customers should be included in the claim total review?

Answer: Include all customers whose total claim amount, calculated as $\text{SUM}(\text{ClaimAmount})$ and grouped by CustomerID, is greater than or equal to **total_values**.

Q2. How is a customer's total claim amount calculated?

Answer: The total claim amount is calculated by summing all claim transactions associated with the same CustomerID.

Q3. What is the aggregation key used in this policy?

Answer: Claim amounts are aggregated by CustomerID.

Q4. If a customer's total claim amount is exactly equal to **total_values**, should the customer be included?

Answer: Yes. A customer whose total equals **total_values** is included because the policy uses $\text{SUM}(\text{ClaimAmount}) \geq \text{total_values}$.

Q5. If **total_values** is \$50,000 and a customer's total claim amount is \$50,000, should the customer be reviewed?

Answer: Yes. The customer qualifies because the total claim amount is equal to the threshold.

Q6. If total_values is \$50,000 and a customer's total claim amount is \$49,999, should the customer be reviewed?

Answer: No. The customer does not qualify because the total claim amount is below the threshold.

Q7. If total_values is \$50,000 and a customer's total claim amount is \$75,000, should the customer be reviewed?

Answer: Yes. The customer qualifies because the total claim amount exceeds the threshold.

Q8. What information should be returned after qualifying customers are identified?

Answer: Return the CustomerID, TotalClaimAmount, and all claim transactions associated with each qualifying CustomerID.

Q9. What transaction details should be included in the review output?

Answer: The review output should include ClaimID, CustomerID, PolicyID, ClaimDate, ClaimAmount, and ClaimStatus.

Q10. Should only high-value individual claim transactions be returned?

Answer: No. After a customer qualifies, all claim transactions for that customer should be returned, regardless of each individual claim amount.

Q11. What is the purpose of the claim total review process?

Answer: The purpose is to identify customers whose cumulative claim activity meets or exceeds the specified threshold and provide complete transaction details for further review.

Q12. Can a customer qualify through multiple smaller claims?

Answer: Yes. A customer qualifies when the combined total of all claims reaches or exceeds total_values, even if no individual claim reaches the threshold.

Example Scenarios

Scenario	CustomerID	Claim amounts	Total	Result
Scenario 1: Equal to the threshold	C001	\$15,000 + \$20,000 + \$15,000	\$50,000	Included
Scenario 2: Below the threshold	C002	\$10,000 + \$15,000 + \$20,000	\$45,000	Not included
Scenario 3: Above the threshold	C003	\$30,000 + \$25,000 + \$10,000	\$65,000	Included

Scenario 1: Equal to the threshold: The total equals total_values. Return all claims for C001.

Scenario 2: Below the threshold: The total is below total_values.

Scenario 3: Above the threshold: The total exceeds total_values. Return all claims for C003.

Expected Detail Output Example

CustomerID: C003
TotalClaimAmount: 65000.00

Claim Transactions:

ClaimID	CustomerID	PolicyID	ClaimDate	ClaimAmount	ClaimStatus
1001	C003	P100	2026-01-10	30000.00	Approved
1025	C003	P101	2026-03-15	25000.00	Pending
1108	C003	P102	2026-06-20	10000.00	Approved

Decision Logic

```
IF SUM(ClaimAmount) >= total_values
THEN
    Include CustomerID in the review list
    Return CustomerID and TotalClaimAmount
    Return all claim transactions for that CustomerID
ELSE
    Exclude CustomerID from the review list
```

Reference SQL Server Query

This reference uses a temporary table so the qualifying customer list can be reused for both the summary and detail result sets.

```
DECLARE @total_values decimal(18,2) = 50000.00;

SELECT CustomerID, SUM(ClaimAmount) AS TotalClaimAmount
INTO #QualifiedCustomers
FROM dbo.Claims
GROUP BY CustomerID
HAVING SUM(ClaimAmount) >= @total_values;

SELECT CustomerID, TotalClaimAmount
FROM #QualifiedCustomers
ORDER BY TotalClaimAmount DESC;

SELECT c.ClaimID, c.CustomerID, c.PolicyID,
       c.ClaimDate, c.ClaimAmount, c.ClaimStatus
FROM dbo.Claims AS c
```

```
JOIN #QualifiedCustomers AS q
  ON q.CustomerID = c.CustomerID
ORDER BY c.CustomerID, c.ClaimDate, c.ClaimID;

DROP TABLE #QualifiedCustomers;
```

Scope note: This policy controls customer selection and transaction retrieval for total claim review. It does not determine claim eligibility, claim approval authority, fraud status, or payment authorization.