



AN INTRODUCTION TO :

# Algorithmic Affordances

BY KOEN VAN TURNHOUT





# WHO AM I

Koen van Turnhout

Professor of Human Experience and Media Design

Utrecht University of Applied Sciences

Background in:  
Human Computer Interaction

Chair of Design Science Research Group & CHI  
Netherlands



**Today:**

- 1 Introduction to the notion of Affordances**
- 2 Affordances & Feedforward an interaction critique**
- 3 Towards a pattern library for Algorithmic Affordances**

# LINGUISTIC CONFUSION ABOUT AFFORDANCES



Academic discourse about affordance is partly fuelled by an ambiguity of the use of the word affordance in everyday language.

## Guns *afford* killing people

- The term affordance is used to refer to the *utility* of certain technologies.

## The trigger *affords* pulling

- The term affordance is used to refer to the *action possibilities* of artefacts.





# GIBSON'S NOTION OF ECOLOGICAL PSYCHOLOGY



**James J. Gibson**

## Ecological Psychology


- Placed action at the basis of perception.
- Animal perception is shaped by the environment.
- Organisms evolved to perceive the world in terms of action possibilities: “perceiving affordances is perceiving ecological meaning”
- *Affordances* are (thus) perceivable action possibilities.

## Critique

- Coupling between action and perception is not so simplistic.
- Focus on perception, neglects cultural meaning, human learning.



# DONALD NORMAN: “DESIGNED AFFORDANCES”



# DONALD NORMAN: “DESIGNED AFFORDANCES”

## Design of everyday things

- Designers can make use of *affordances* when designing everyday things.
- For example, doorknobs afford pushing or pulling, depending on their design.
- Lack of usability is responsibility of the designer.

## Critique

- Theory dilution: connection to ecological psychology got lost.
- Hard to separate affordances from cultural meaning, convention and so on.
- Are action possibilities really that relevant?





**See Movie On.**  
[https://www.interaction-  
design.org/literature/topics/affordances](https://www.interaction-design.org/literature/topics/affordances)





# ALGORITHMIC AFFORDANCES

- *Designed* action possibilities for humans with algorithms.
- Answer to the question: “How can users exercise control over the output of the algorithm?”


This includes

- Possibilities to train the algorithm and to feed its learning capabilities.
- Possibilities to navigate the recommendation space of the algorithm.
- Possibilities to tune the algorithm (i.e. by offering direct control over the parameters of the algorithm).

This may support different interaction qualities such as scrutinisability, transparency, efficiency, relatability



# ALGORITHMIC AFFORDANCES





# EXERCISE

**(5 min)**

1. Grab an everyday household object from your direct environment.
2. Write down its purpose (what is the object for)
3. Write down the actions needed to use the object for its purpose.
4. Write down the properties that afford those actions.
5. Write down the redundant properties.



**Today:**

- 1 Introduction to the notion of Affordances**
- 2 *Affordances & Feedforward an interaction critique***
- 3 Towards a pattern library for Algorithmic Affordances**








# TACKLING THE PROBLEM OF 'DIGITAL AFFORDANCES'



Skeuomorphism




Interaction metaphors



Design patterns



# TANGIBLE PRODUCTS: REDRESSING THE BALANCE BETWEEN APPEARANCE AND ACTION



1. *Builds on, and critiques the classical notion of design affordance.*
2. *Explores the relationship between action ability and functionality of interfaces. Which is a difficulty in algorithmic affordance design.*
3. ***Is an example of how a 'conceptual design investigation' could work***



Batya Friedman

# VALUE SENSITIVE DESIGN

## Conceptual Investigations

- *Considering values and value priorities*
- *Relating values and value conflicts to the design*

## Empirical Investigations



- *Investigating (value priorities) in the context of use.*
- *Investigating the (moral) effects of technologies.*

## Technical Investigations


- *Investigate how technologies can support or hinder human values.*
- *Investigate how technologies can be designed to safeguard particular values.*



# EMPIRICAL CYCLE



# RESEARCH TROUGH DESIGN CYCLE



*Reflect on  
underlying  
aspirations & values*

*Generate and design  
alternatives*

*Ideals*

*Test & validate  
aspirations in novel  
designs*






# DJADINGRAD ET AL. (2004)

## *Conceptual design investigation*

*They develop a design language;*

*Designs are created to embody certain interaction aesthetics (meaningful interactions) (generation)*

*The resulting prototypes are critically reviewed in relation to the underlying values and ideals. (aspiration)*



# FEEDFORWARD VERSUS AFFORDANCE (I)



Affordance: push, Feedforward ???




Affordance: turn, Feedforward, disconnect powerstream



# FEEDFORWARD VERSUS AFFORDANCE (II)



Affordance: push, Feedforward ???




Affordance: push, Feedforward: (decide about) picture



## FEEDFORWARD VERSUS AFFORDANCE (III)



Affordance: push, Feedforward ???



Affordance: push,  
Feedforward: change temperature / time conjunction



# AFFORDANCES



## ***Meaningful tangible interactions go beyond (classical) affordances***

Affordances: are guessable action possibilities of products

Feedforward (deep affordance) relates to guessable operations (action + function)

## **Relevance to Algorithmic Affordances**

Interaction metaphors, flow and embodiment can make complex interactions less symbolic and more natural.

Algorithmic affordances need to be meaningful in the sense of Djajadinigrat et al. because algorithmic operations are complex and hidden from the user.

# EXERCISE

(5 min)

1. Build on the affordances you wrote down earlier.
2. What are the conventional 'functions' that those actions relate to.
3. *Relabel* those functions in the context of a recommender system. If you'd use the device as a control in a music recommender what types of functions could be supported with the actions that you performed with the everyday object.
4. What other changes would you need to make that action meaningful in the Djajadinigrad et. al (2004) sense of the word??





**Today:**

- 1 Introduction to the notion of Affordances**
- 2 Affordances & Feedforward an interaction critique**
- 3 Towards a pattern library for Algorithmic Affordances**





# ALGORITHMIC AFFORDANCES

- *Designed* action possibilities for humans with algorithms.
- Answer to the question: “How can users exercise control over the output of the algorithm?”

This includes

- Possibilities to train the algorithm and to feed its learning capabilities.
- Possibilities to navigate the recommendation space of the algorithm.
- Possibilities to tune the algorithm (i.e. by offering direct control over the parameters of the algorithm).

This may support different interaction qualities such as scrutinisability, transparency, efficiency, relatability




# ALGORITHMS ARE DESIGNED AS BLACK BOXES









**ALGORITHMS ARE OFTEN DESIGNED FROM AN AUTOMATION MINDSET...**



**BUT WE SHOULD DESIGN THEM AS LUXURY PRODUCTS**



# STATE OF THE ART OF ALGORITHMIC CONTROLS....






# OPENING THE BACK BOX OF 'DIGITAL AFFORDANCES'



Skeuomorphism




Interaction metaphors



Design patterns





# PATTERN LIBRARY

## Pattern

- Proven solution to a particular problem in a particular context.
- Restricted to the (invariant) core of the solution, can be implemented in different ways.

## Pattern languages

- Collections of patterns, that can be appropriated and combined at will, acting as a design language.
- Pioneered by Christopher Alexander in the 1970ies, for Architecture.
- Still widely in use in Software, Education and Interaction Design



# ALGORITHMIC AFFORDANCE PATTERN LIBRARY V0.1



## Approach


- Investigation in 'the wild' of algorithmic controls.
- Investigation of proposals in academic papers.
- Design projects with students.
- (Using library in projects to obtain feedback and improve)

## Current status.

- Contains 17 patterns in 4 different categories.
- Bluntly incomplete. Should spark new ideas and instigate in the wild sightings. We are open for suggestions!
- Follow up research will back-up patterns with relevant knowledge base



# INTERACTIVE RECOMMENDER SYSTEMS: A SURVEY OF THE STATE OF THE ART AND FUTURE RESEARCH CHALLENGES AND OPPORTUNITIES



1. Survey's existing (academic) work on interactive recommender systems.
2. Discusses how these systems relate to certain interaction qualities such as transparency, justification, diversity, controllability, context sensitivity.
3. Highlights an agenda for future recommender systems.

*Note the similarities with Djajadinigrad et al. (2004). Ideas are refreshing, but (sometimes) impractical.*




# NAVIGATION OF THE RECOMMENDATION SPACE

**Design *choice architectures* that allow users to: oversee and understand different outcomes of a recommendation system, navigate this recommendation space, and make sensible choices within it.**



**Pattern 15: Recommendation-scapes**


## Anderen bekeken ook



Rebooting AI

★★★★★ (1)

€ 18,69



David Copperfield

★★★★★ (0)

€ 10,99




Artificial Intelligence

★★★★★ (0)

€ 20,99

## Pattern 4: Social context




## Pattern 4: Ordered lists




# FEEDING THE ALGORITHM

Design tools allowing users to provide the algorithm with relevant information, knowingly and on a voluntary basis.



Pattern 5: Cold start



Pattern 3: Curated lists




Pattern 1: Liking items



# ACTIVATING RECOMMENDATION CONTEXTS


Allow users to specify their context so they can help the algorithm interpret user input and to give contextually relevant recommendation's.



Pattern 11: Multiple profiles



Pattern 10: Incognito




Pattern 10: Incognito




# TUNING ALGORITHMIC PARAMETERS

Give users direct control over the parameters of the algorithm so they can explore alternative recommendations and understand what recommendations are based on.



Pattern 12: Decision paths



Pattern 12: Peer Picks



# HOW TO USE THE PATTERN LIBRARY

Find the pattern library at: <https://aapatternlibrary.wordpress.com/>

1. Browse for inspiration
2. Try to understand the **categories**
3. **Challenge** the patterns.

Find new implementations

Find dissenting implementations that could form a new pattern.

4. **Contribute** to the *library* - using the comment function

Point out errors and unclarities in the explanations

Report in the wild spottings or relevant literature

Suggest new patterns




# DESIGN & TECHNOLOGY....


Human: Needs, expectations, understanding, values



Design: Action possibilities



Technology: algorithms, parameters,



Data: existing and generated





# CONTACT

**Dr. Koen van Turnhout**  
**Research Group Human Experience & Media Design (HEMD)**  
University of Applied Sciences Utrecht  
P.O. Box 85029, 3508 AA Utrecht, The Netherlands

Koen.vanturnhout@hu.nl  
<https://www.linkedin.com/in/koenvanturnhout/>

<https://bit.ly/DataDrivenUXDesign>