



```

name: The value of a helping hand
log: C:\Users\hansg\Documents\working\SHARE data\weighting\output_1.smcl
log type: smcl
opened on: 10 Jun 2026, 10:33:49
C:\Users\hansg\Documents\working\SHARE data\weighting
(0 observations deleted)
(6,505 real changes made)
(4,021 real changes made)
(42,854 real changes made)
(0 real changes made)
(14,421 real changes made)
(834 real changes made)
(738 real changes made)
(834 real changes made)

```

Skewness and kurtosis tests for normality

Variable	Obs	Pr(skewness)	Pr(kurtosis)	Joint test	
				Adj chi2(2)	Prob>chi2
age	67,854	0.0000	0.0000	.	.

Skewness and kurtosis tests for normality

Variable	Obs	Pr(skewness)	Pr(kurtosis)	Joint test	
				Adj chi2(2)	Prob>chi2
thinc	67,854	0.0000	0.0000	.	.

Skewness and kurtosis tests for normality

Variable	Obs	Pr(skewness)	Pr(kurtosis)	Joint test	
				Adj chi2(2)	Prob>chi2
yedu	67,854	0.0000	0.0000	85.25	0.0000

Summary for variables: id

Group variable: htype (Household type)

htype	N
1 S	21750
1 CNRP	5644
1 C2R	40093
1 CNRP + 1 S	17
Multi S	224
1 C2R + 1 S	99
1 C2R + 1 CNRP	2
Multi C2R	25
Total	67854

Household type	Freq.	Percent	Cum.
1	21,750	32.05	32.05
2	5,644	8.32	40.37
3	40,093	59.09	99.46
4	17	0.03	99.48
5	224	0.33	99.81
6	99	0.15	99.96
7	2	0.00	99.96
8	25	0.04	100.00
Total	67,854	100.00	

(21,750 real changes made)

(40,093 real changes made)

note: **2.naly** omitted because of collinearity.

note: **11.country** omitted because of collinearity.

```

Iteration 0: Log pseudolikelihood = -1217732.6 (not concave)
Iteration 1: Log pseudolikelihood = -833721.17 (not concave)
Iteration 2: Log pseudolikelihood = -444099.81 (not concave)
Iteration 3: Log pseudolikelihood = -342345.2 (not concave)
Iteration 4: Log pseudolikelihood = -318718.54 (not concave)
Iteration 5: Log pseudolikelihood = -316936.19 (not concave)
Iteration 6: Log pseudolikelihood = -316344.94 (not concave)
Iteration 7: Log pseudolikelihood = -315910.68 (not concave)
Iteration 8: Log pseudolikelihood = -315575.46 (not concave)
Iteration 9: Log pseudolikelihood = -315290.28 (not concave)
Iteration 10: Log pseudolikelihood = -315019.43 (not concave)
Iteration 11: Log pseudolikelihood = -314172.25 (not concave)
Iteration 12: Log pseudolikelihood = -313488.56 (not concave)
Iteration 13: Log pseudolikelihood = -313008.41 (not concave)
Iteration 14: Log pseudolikelihood = -312575.32 (not concave)
Iteration 15: Log pseudolikelihood = -311519.38 (not concave)
Iteration 16: Log pseudolikelihood = -310394.61 (not concave)
Iteration 17: Log pseudolikelihood = -310106.09 (not concave)
Iteration 18: Log pseudolikelihood = -309699.95 (not concave)
Iteration 19: Log pseudolikelihood = -309495.83 (not concave)
Iteration 20: Log pseudolikelihood = -309153.62 (not concave)
Iteration 21: Log pseudolikelihood = -309073.11 (not concave)
Iteration 22: Log pseudolikelihood = -309058.16 (not concave)
Iteration 23: Log pseudolikelihood = -309047.7 (not concave)
Iteration 24: Log pseudolikelihood = -309035.53 (not concave)
Iteration 25: Log pseudolikelihood = -309031.14 (not concave)
Iteration 26: Log pseudolikelihood = -309031.11 (not concave)
Iteration 27: Log pseudolikelihood = -309031.11 (not concave)

```

Stereotype logistic regression

Number of obs = 3,462

Log pseudolikelihood = -309031.11

Wald chi2(24) = 493.36

Prob > chi2 = 0.0000

(1) [phi1_1]_cons = 1

	sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]						
> 1.133118	age	.6776268	.2323979	2.92	0.004	.2221352
> -.001169	c.age#c.age	-.0043133	.0016043	-2.69	0.007	-.0074577
> .1393356	yedu	.0143271	.063781	0.22	0.822	-.1106814
> .0003533	c.yedu#c.yedu	-.0052383	.0028529	-1.84	0.066	-.01083
> -.4594204	thinc	-.8649564	.2069099	-4.18	0.000	-1.270492
> .4223471	c.thinc#c.thinc	.2203202	.1030769	2.14	0.033	.0182932
> -.0123972	gender Female	-.4197717	.2078479	-2.02	0.043	-.8271461
> .8610478	household Couple, both responding	.3317576	.270051	1.23	0.219	-.1975326
> .751388	Multiple, at least 1 responding	-.1265201	.4479206	-0.28	0.778	-1.004428
> 2.497857	cjs Not applicable	.1044017	1.221173	0.09	0.932	-2.289053

>	2.261749	Retired	1.432475	.4231066	3.39	0.001	.6032017
>	4.77102	Unemployed	1.949807	1.439421	1.35	0.176	-.871406
>	6.594213	Permanently sick or disabled	2.9829	1.842541	1.62	0.105	-.628413
>	2.868362	Homemaker	1.861047	.5139457	3.62	0.000	.8537318
>	3.41115	Other	1.18071	1.138001	1.04	0.299	-1.049731
>	7.174524	gali Limited	6.401593	.3943597	16.23	0.000	5.628662
>	-.7263298	lifesat	-1.509304	.399484	-3.78	0.000	-2.292278
>	.0850871	c.lifesat#c.lifesat	.0344967	.0258119	1.34	0.181	-.0160938
>	-1.145767	naly At least 1	-1.920689	.3953756	-4.86	0.000	-2.695611
		Not applicable	0	(omitted)			
>	2.278192	rhfo At least 1	1.562489	.3651614	4.28	0.000	.846786
>	-.2041345	gheto At least 1	-.8248385	.3166916	-2.60	0.009	-1.445543
>	1.275556	Not applicable	.7786541	.2535261	3.07	0.002	.2817521
>	.5921318	rhfo#gheto At least 1#At least 1	-.6363674	.6267968	-1.02	0.310	-1.864867
>	-.2882919	At least 1#Not applicable	-1.423516	.5792067	-2.46	0.014	-2.55874
		country Austria	0	(omitted)			
>	.7684964	/phi1_1 /phi1_2	.7043071	.0327503	21.51	0.000	.6401178
>	.5246316	/phi1_3	.4730921	.0262961	17.99	0.000	.4215526
>	.2819578	/phi1_4 /phi1_5	.233547	.0246998	9.46	0.000	.1851362
			0	(base outcome)			
>	35.42411	/theta1	18.61374	8.576874	2.17	0.030	1.803379
>	27.37875	/theta2	15.29426	6.16567	2.48	0.013	3.20977
>	20.13189	/theta3	11.86565	4.217546	2.81	0.005	3.599407
>	11.02047	/theta4 /theta5	6.679245	2.214952	3.02	0.003	2.33802
			0	(base outcome)			

(sphus=Poor is the base outcome)
 results_impl_sloCountry_sup2_1.xls
 dir : seeout
 note: 2.naly omitted because of collinearity.
 note: 12.country omitted because of collinearity.

```

Iteration 0: Log pseudolikelihood = -711128.23 (not concave)
Iteration 1: Log pseudolikelihood = -289801.93 (not concave)
Iteration 2: Log pseudolikelihood = -202206.48 (not concave)
Iteration 3: Log pseudolikelihood = -187000.52 (not concave)
Iteration 4: Log pseudolikelihood = -128897.22 (not concave)
Iteration 5: Log pseudolikelihood = -115968.83 (not concave)
Iteration 6: Log pseudolikelihood = -111310.73 (not concave)
Iteration 7: Log pseudolikelihood = -110619.68 (not concave)
Iteration 8: Log pseudolikelihood = -110242.12 (not concave)
Iteration 9: Log pseudolikelihood = -109942.25 (not concave)
Iteration 10: Log pseudolikelihood = -109704.17 (not concave)
Iteration 11: Log pseudolikelihood = -109504.92 (not concave)
Iteration 12: Log pseudolikelihood = -109317.8 (not concave)
Iteration 13: Log pseudolikelihood = -109184.24 (not concave)
Iteration 14: Log pseudolikelihood = -109070.45 (not concave)
Iteration 15: Log pseudolikelihood = -108967.04 (not concave)
Iteration 16: Log pseudolikelihood = -108881.13 (not concave)
Iteration 17: Log pseudolikelihood = -108805.6 (not concave)
Iteration 18: Log pseudolikelihood = -108738.56 (not concave)
Iteration 19: Log pseudolikelihood = -108678.88
Iteration 20: Log pseudolikelihood = -108420.97 (not concave)
Iteration 21: Log pseudolikelihood = -108080.19 (not concave)
Iteration 22: Log pseudolikelihood = -108016.01
Iteration 23: Log pseudolikelihood = -107751.87 (not concave)
Iteration 24: Log pseudolikelihood = -107700.13
Iteration 25: Log pseudolikelihood = -107639.84
Iteration 26: Log pseudolikelihood = -107638.9
Iteration 27: Log pseudolikelihood = -107638.9

```

Stereotype logistic regression

Number of obs = 1,305

Log pseudolikelihood = -107638.9

Wald chi2(24) = 227.11

Prob > chi2 = 0.0000

(1) [phi1_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.4734401	age	-.246521	.3673338	-0.67	0.502	-.9664821
>	.0070672	c.age#c.age	.0021587	.0025044	0.86	0.389	-.0027497
>	.5169475	yedu	.0615951	.2323269	0.27	0.791	-.3937574
>	.0042659	c.yedu#c.yedu	-.0125273	.0085681	-1.46	0.144	-.0293205
>	.1154307	thinc	-.5211507	.3247924	-1.60	0.109	-1.157732
>	.3148373	c.thinc#c.thinc	-.0288203	.1753388	-0.16	0.869	-.372478
>	-.0169639	gender Female	-.6293617	.3124536	-2.01	0.044	-1.24176
>	1.105552	household Couple, both responding	.250576	.4362205	0.57	0.566	-.6044004
>	1.761364	Multiple, at least 1 responding	.6964025	.5433579	1.28	0.200	-.3685594
>	1.358575	cjs Not applicable	-2.506448	1.971987	-1.27	0.204	-6.37147

>	1.625504	Retired	.5677872	.5396612	1.05	0.293	-.4899293
>	1.377949	Unemployed	-.961365	1.19355	-0.81	0.421	-3.300679
>	5.511991	Permanently sick or disabled	3.061327	1.250362	2.45	0.014	.610663
>	.8838377	Homemaker	-.6508792	.7830332	-0.83	0.406	-2.185596
>	-1.053275	Other	-5.255063	2.143809	-2.45	0.014	-9.45685
>	6.914556	gali Limited	5.832081	.5522933	10.56	0.000	4.749606
>	.6919583	lifesat	-.3053353	.5088326	-0.60	0.548	-1.302629
>	.0288169	c.lifesat#c.lifesat	-.0427912	.0365354	-1.17	0.242	-.1143992
>	-.4526056	naly At least 1	-1.467137	.5176273	-2.83	0.005	-2.481667
		Not applicable	0	(omitted)			
>	2.598109	rhfo At least 1	1.605409	.5064891	3.17	0.002	.6127083
>	.2144046	ghfo At least 1	-.6536504	.4428934	-1.48	0.140	-1.521705
>	.7389975	Not applicable	-.0414565	.3981981	-0.10	0.917	-.8219105
>	.6550653	rhfo#ghfo At least 1#At least 1	-1.195491	.9441787	-1.27	0.205	-3.046047
>	1.798741	At least 1#Not applicable	.2444141	.7930385	0.31	0.758	-1.309913
		country Germany	0	(omitted)			
>	1.037202	/phi1_1 /phi1_2	.9293731	.0550158	16.89	0.000	.8215442
>	.7876032	/phi1_3	.6979727	.0457307	15.26	0.000	.6083421
>	.4870227	/phi1_4	.4038552	.0424332	9.52	0.000	.3206877
		/phi1_5	0	(base outcome)			
>	15.93221	/theta1	-10.80568	13.64204	-0.79	0.428	-37.54358
>	16.00539	/theta2	-8.590443	12.54912	-0.68	0.494	-33.18627
>	14.14254	/theta3	-4.267488	9.393047	-0.45	0.650	-22.67752
>	9.119633	/theta4	-1.499447	5.417998	-0.28	0.782	-12.11853
		/theta5	0	(base outcome)			

(sphus=Poor is the base outcome)
results_impl_sloCountry_sup2_1.xls
 dir : seeout
 note: **2.naly** omitted because of collinearity.
 note: **13.country** omitted because of collinearity.

```

Iteration 0: Log pseudolikelihood = -1751431 (not concave)
Iteration 1: Log pseudolikelihood = -675820.92 (not concave)
Iteration 2: Log pseudolikelihood = -459844.47 (not concave)
Iteration 3: Log pseudolikelihood = -336542.84 (not concave)
Iteration 4: Log pseudolikelihood = -263435.68 (not concave)
Iteration 5: Log pseudolikelihood = -212972.99 (not concave)
Iteration 6: Log pseudolikelihood = -196586.82 (not concave)
Iteration 7: Log pseudolikelihood = -190986.15 (not concave)
Iteration 8: Log pseudolikelihood = -188545.68 (not concave)
Iteration 9: Log pseudolikelihood = -187226.98 (not concave)
Iteration 10: Log pseudolikelihood = -186173.2 (not concave)
Iteration 11: Log pseudolikelihood = -185297.79 (not concave)
Iteration 12: Log pseudolikelihood = -184343.39 (not concave)
Iteration 13: Log pseudolikelihood = -182807.14 (not concave)
Iteration 14: Log pseudolikelihood = -181127.48 (not concave)
Iteration 15: Log pseudolikelihood = -178274.75 (not concave)
Iteration 16: Log pseudolikelihood = -176492.43 (not concave)
Iteration 17: Log pseudolikelihood = -176058.81 (not concave)
Iteration 18: Log pseudolikelihood = -175459.9 (not concave)
Iteration 19: Log pseudolikelihood = -174863.79 (not concave)
Iteration 20: Log pseudolikelihood = -174069.04 (not concave)
Iteration 21: Log pseudolikelihood = -173236.06 (not concave)
Iteration 22: Log pseudolikelihood = -173019.86 (not concave)
Iteration 23: Log pseudolikelihood = -172643.64 (not concave)
Iteration 24: Log pseudolikelihood = -172339.39 (not concave)
Iteration 25: Log pseudolikelihood = -172052.44 (not concave)
Iteration 26: Log pseudolikelihood = -171842.29 (not concave)
Iteration 27: Log pseudolikelihood = -171670.53 (not concave)
Iteration 28: Log pseudolikelihood = -171512.89 (not concave)
Iteration 29: Log pseudolikelihood = -171305.82 (not concave)
Iteration 30: Log pseudolikelihood = -171063.89 (not concave)
Iteration 31: Log pseudolikelihood = -170938.22 (not concave)
Iteration 32: Log pseudolikelihood = -170415.63 (not concave)
Iteration 33: Log pseudolikelihood = -170163.85 (not concave)
Iteration 34: Log pseudolikelihood = -169831.54 (not concave)
Iteration 35: Log pseudolikelihood = -169454.02 (not concave)
Iteration 36: Log pseudolikelihood = -169361.49
Iteration 37: Log pseudolikelihood = -168843.86 (not concave)
Iteration 38: Log pseudolikelihood = -168118.15 (not concave)
Iteration 39: Log pseudolikelihood = -168027.88
Iteration 40: Log pseudolikelihood = -167602.19 (not concave)
Iteration 41: Log pseudolikelihood = -167475.37 (not concave)
Iteration 42: Log pseudolikelihood = -167413.49 (not concave)
Iteration 43: Log pseudolikelihood = -167292.91 (not concave)
Iteration 44: Log pseudolikelihood = -167228.37
Iteration 45: Log pseudolikelihood = -167111.51
Iteration 46: Log pseudolikelihood = -166992.74 (not concave)
Iteration 47: Log pseudolikelihood = -166886.14
Iteration 48: Log pseudolikelihood = -166842.39
Iteration 49: Log pseudolikelihood = -166828.15
Iteration 50: Log pseudolikelihood = -166827
Iteration 51: Log pseudolikelihood = -166826.91
Iteration 52: Log pseudolikelihood = -166826.91

```

Stereotype logistic regression

Number of obs = **1,681**

Log pseudolikelihood = **-166826.91**

Wald chi2(24) = **339.53**

Prob > chi2 = **0.0000**

(1) **[phi1_1]_cons = 1**

	sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]						
> .279317	age	-.4066992	.3500147	-1.16	0.245	-1.092715
> .0075111	c.age#c.age	.0029014	.0023519	1.23	0.217	-.0017083

>	.2656345	yedu	-.030734	.1512112	-0.20	0.839	-.3271025
>	.0086833	c.yedu#c.yedu	-.002929	.0059247	-0.49	0.621	-.0145412
>	-.6720603	thinc	-1.26962	.304883	-4.16	0.000	-1.86718
>	.5353899	c.thinc#c.thinc	.2857668	.1273611	2.24	0.025	.0361437
>	.5375364	gender Female	.059217	.244045	0.24	0.808	-.4191024
>	1.643943	household Couple, both responding	.9272618	.3656606	2.54	0.011	.2105801
>	2.615513	Multiple, at least 1 responding	1.709318	.4623525	3.70	0.000	.803124
>	3.17433	cjs Not applicable	.2780234	1.477735	0.19	0.851	-2.618283
>	2.146827	Retired	1.229016	.4682794	2.62	0.009	.3112054
>	2.540616	Unemployed	1.080004	.7452237	1.45	0.147	-.3806074
>	5.844667	Permanently sick or disabled	3.813168	1.036498	3.68	0.000	1.781669
>	3.575415	Homemaker	.8534342	1.388791	0.61	0.539	-1.868547
>	-1.557519	Other	-6.377147	2.459039	-2.59	0.010	-11.19678
>	5.331949	gali Limited	4.569894	.3888104	11.75	0.000	3.80784
>	-.1892057	lifesat	-1.158451	.4945221	-2.34	0.019	-2.127697
>	.0855994	c.lifesat#c.lifesat	.0218621	.0325196	0.67	0.501	-.0418752
>	-.9455893	naly At least 1	-2.30978	.6960285	-3.32	0.001	-3.673971
		Not applicable	0	(omitted)			
>	1.731543	rhfo At least 1	.8398152	.4549717	1.85	0.065	-.0519129
>	.254597	ghfo At least 1	-.4018543	.3349303	-1.20	0.230	-1.058306
>	.250687	Not applicable	-.4040298	.3340453	-1.21	0.226	-1.058746
>	-.0012975	rhfo#ghfo At least 1#At least 1	-1.414086	.7208238	-1.96	0.050	-2.826875
>	1.897988	At least 1#Not applicable	.240377	.8457355	0.28	0.776	-1.417234
		country Sweden	0	(omitted)			
	/phi1_1 /phi1_2	1 (constrained)	.8589964	.0421433	20.38	0.000	.7763969

>	.9415958	/phi1_3		.5865417	.038243	15.34	0.000	.5115868
>	.6614967	/phi1_4		.3984164	.0398213	10.01	0.000	.3203681
>	.4764647	/phi1_5		0	(base outcome)			
		/theta1		-20.45379	12.99723	-1.57	0.116	-45.92789
>	5.020307	/theta2		-16.57229	11.15346	-1.49	0.137	-38.43267
>	5.288087	/theta3		-10.14732	7.654816	-1.33	0.185	-25.15049
>	4.855842	/theta4		-6.384677	5.233637	-1.22	0.222	-16.64242
>	3.873063	/theta5		0	(base outcome)			

(sphus=Poor is the base outcome)
results_impl_sloCountry_sup2_1.xls
 dir : seeout

note: **2.naly** omitted because of collinearity.
 note: **15.country** omitted because of collinearity.

```

Iteration 0: Log pseudolikelihood = -679509.56 (not concave)
Iteration 1: Log pseudolikelihood = -361584.41 (not concave)
Iteration 2: Log pseudolikelihood = -258091.76 (not concave)
Iteration 3: Log pseudolikelihood = -237704.43 (not concave)
Iteration 4: Log pseudolikelihood = -224086.76 (not concave)
Iteration 5: Log pseudolikelihood = -220810.5 (not concave)
Iteration 6: Log pseudolikelihood = -217572.87 (not concave)
Iteration 7: Log pseudolikelihood = -215961.73 (not concave)
Iteration 8: Log pseudolikelihood = -215444.81 (not concave)
Iteration 9: Log pseudolikelihood = -214979.14 (not concave)
Iteration 10: Log pseudolikelihood = -214561.06 (not concave)
Iteration 11: Log pseudolikelihood = -214296.71 (not concave)
Iteration 12: Log pseudolikelihood = -214119.82 (not concave)
Iteration 13: Log pseudolikelihood = -213953.95 (not concave)
Iteration 14: Log pseudolikelihood = -213720.64 (not concave)
Iteration 15: Log pseudolikelihood = -213488.69 (not concave)
Iteration 16: Log pseudolikelihood = -213174.2 (not concave)
Iteration 17: Log pseudolikelihood = -212869.54 (not concave)
Iteration 18: Log pseudolikelihood = -212801.8 (not concave)
Iteration 19: Log pseudolikelihood = -212743.54 (not concave)
Iteration 20: Log pseudolikelihood = -212688.18 (not concave)
Iteration 21: Log pseudolikelihood = -212639.28 (not concave)
Iteration 22: Log pseudolikelihood = -212594.27 (not concave)
Iteration 23: Log pseudolikelihood = -212552.17 (not concave)
Iteration 24: Log pseudolikelihood = -212513.28 (not concave)
Iteration 25: Log pseudolikelihood = -212170.18 (not concave)
Iteration 26: Log pseudolikelihood = -212121.88 (not concave)
Iteration 27: Log pseudolikelihood = -212083.48 (not concave)
Iteration 28: Log pseudolikelihood = -211869.21 (not concave)
Iteration 29: Log pseudolikelihood = -211774.96 (not concave)
Iteration 30: Log pseudolikelihood = -211648.33 (not concave)
Iteration 31: Log pseudolikelihood = -211452.76 (not concave)
Iteration 32: Log pseudolikelihood = -211367.46 (not concave)
Iteration 33: Log pseudolikelihood = -211357.85 (not concave)
Iteration 34: Log pseudolikelihood = -211357.4 (not concave)
Iteration 35: Log pseudolikelihood = -211357.4 (not concave)

```

Stereotype logistic regression

Log pseudolikelihood = **-211357.4**

Number of obs = **2,627**
 Wald chi2(24) = **188.76**
 Prob > chi2 = **0.0000**

(1) [phil_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.8881136	age	.3852539	.2565658	1.50	0.133	-.1176058
>	.0008965	c.age#c.age	-.0025028	.0017344	-1.44	0.149	-.0059021
>	.1430977	yedu	.0246292	.0604442	0.41	0.684	-.0938392
>	.0012718	c.yedu#c.yedu	-.0056061	.0035092	-1.60	0.110	-.0124839
>	-.0374147	thinc	-.4888054	.2303056	-2.12	0.034	-.9401961
>	.6701438	c.thinc#c.thinc	.3809687	.147541	2.58	0.010	.0917937
>	1.016816	gender Female	.4989157	.2642399	1.89	0.059	-.0189849
>	1.482947	household Couple, both responding	.934202	.2799772	3.34	0.001	.3854568
>	1.614408	Multiple, at least 1 responding	.7639554	.4339125	1.76	0.078	-.0864976
>	7.426179	cjs Not applicable	4.589072	1.44753	3.17	0.002	1.751965
>	3.011842	Retired	2.021463	.5053047	4.00	0.000	1.031084
>	2.1862	Unemployed	.8816844	.6655815	1.32	0.185	-.4228314
>	4.991468	Permanently sick or disabled	3.705444	.6561467	5.65	0.000	2.41942
>	3.013204	Homemaker	1.986964	.5236011	3.79	0.000	.960725
>	2.48358	Other	.6011483	.9604418	0.63	0.531	-1.281283
>	6.23184	gali Limited	5.297154	.4768893	11.11	0.000	4.362468
>	-.722166	lifesat	-1.369479	.3302681	-4.15	0.000	-2.016793
>	.0990614	c.lifesat#c.lifesat	.0549731	.0224945	2.44	0.015	.0108847
>	-.4673762	naly At least 1	-.9014017	.2214457	-4.07	0.000	-1.335427
		Not applicable	0	(omitted)			
>	2.072674	rhfo At least 1	1.370946	.3580313	3.83	0.000	.6692176
>	-.0394172	ghfo At least 1	-.9308046	.4547978	-2.05	0.041	-1.822192
		Not applicable	-.0437421	.2437981	-0.18	0.858	-.5215775

>	.4340933					
		rhfo#gheto				
	At least 1#	At least 1	.478169	.9463299	0.51	0.613
>	2.332942					-1.376604
	At least 1#	Not applicable	-.3533111	.5539436	-0.64	0.524
>	.7323983					-1.439021
		country				
		Spain	0	(omitted)		
		/phi1_1	1	(constrained)		
		/phi1_2	.8442157	.0712254	11.85	0.000
>	.9838149					.7046164
		/phi1_3	.6674365	.0552682	12.08	0.000
>	.7757601					.5591128
		/phi1_4	.3779643	.0368527	10.26	0.000
>	.4501943					.3057343
		/phi1_5	0	(base outcome)		
		/theta1	10.26414	9.357255	1.10	0.273
>	28.60403					-8.075738
		/theta2	10.50258	7.942177	1.32	0.186
>	26.06896					-5.0638
		/theta3	9.842661	6.287315	1.57	0.117
>	22.16557					-2.48025
		/theta4	6.402883	3.581472	1.79	0.074
>	13.42244					-.6166734
		/theta5	0	(base outcome)		

(sphus=Poor is the base outcome)
results_impl_sloCountry_sup2_1.xls
 dir : seeout
 note: **2.naly** omitted because of collinearity.
 note: **16.country** omitted because of collinearity.

Iteration 0: Log pseudolikelihood = -704081.67 (not concave)
 Iteration 1: Log pseudolikelihood = -590740.85 (not concave)
 Iteration 2: Log pseudolikelihood = -380457.36 (not concave)
 Iteration 3: Log pseudolikelihood = -267175.29 (not concave)
 Iteration 4: Log pseudolikelihood = -234024.81 (not concave)
 Iteration 5: Log pseudolikelihood = -229352.17 (not concave)
 Iteration 6: Log pseudolikelihood = -226736.83 (not concave)
 Iteration 7: Log pseudolikelihood = -224205.01 (not concave)
 Iteration 8: Log pseudolikelihood = -221902.43 (not concave)
 Iteration 9: Log pseudolikelihood = -221303.63 (not concave)
 Iteration 10: Log pseudolikelihood = -220654.72 (not concave)
 Iteration 11: Log pseudolikelihood = -219972.66 (not concave)
 Iteration 12: Log pseudolikelihood = -218642.68 (not concave)
 Iteration 13: Log pseudolikelihood = -217690.09 (not concave)
 Iteration 14: Log pseudolikelihood = -217623.88 (not concave)
 Iteration 15: Log pseudolikelihood = -217500.4 (not concave)
 Iteration 16: Log pseudolikelihood = -217471.73 (not concave)
 Iteration 17: Log pseudolikelihood = -217454.26 (not concave)
 Iteration 18: Log pseudolikelihood = -217452.16 (not concave)
 Iteration 19: Log pseudolikelihood = -217452.16 (not concave)

Stereotype logistic regression

Log pseudolikelihood = -217452.16

Number of obs = 2,601
 Wald chi2(24) = 367.25
 Prob > chi2 = 0.0000

(1) [phi1_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.3920058	age	-.150521	.2768045	-0.54	0.587	-.6930478
>	.0054578	c.age#c.age	.0017154	.0019094	0.90	0.369	-.002027
>	.1530064	yedu	-.0329202	.0948623	-0.35	0.729	-.2188469
>	.0047632	c.yedu#c.yedu	-.0046481	.0048018	-0.97	0.333	-.0140594
>	.4834375	thinc	.067734	.2120975	0.32	0.749	-.3479694
>	.4088968	c.thinc#c.thinc	.1785006	.1175512	1.52	0.129	-.0518956
>	.8757187	gender Female	.4166522	.2342219	1.78	0.075	-.0424143
>	.6121762	household Couple, both responding	.0297442	.2971646	0.10	0.920	-.5526878
>	.9181731	Multiple, at least 1 responding	.0556513	.4400703	0.13	0.899	-.8068706
>	2.469475	cjs Not applicable	-.1135559	1.317897	-0.09	0.931	-2.696587
>	2.549351	Retired	1.498182	.5363205	2.79	0.005	.4470134
>	4.135522	Unemployed	1.677332	1.254202	1.34	0.181	-.7808589
>	5.749826	Permanently sick or disabled	4.191539	.7950594	5.27	0.000	2.633251
>	2.944181	Homemaker	1.765065	.6016006	2.93	0.003	.5859497
>	1.317662	Other	-.5207848	.9380003	-0.56	0.579	-2.359232
>	5.766519	gali Limited	5.014875	.3834988	13.08	0.000	4.263231
>	.101583	lifesat	-.4491604	.2809967	-1.60	0.110	-.9999038
>	.0182106	c.lifesat#c.lifesat	-.0242171	.0216472	-1.12	0.263	-.0666449
>	-.0285073	naly At least 1	-.452183	.216165	-2.09	0.036	-.8758587
		Not applicable	0	(omitted)			
>	1.935195	rhfo At least 1	1.248672	.3502736	3.56	0.000	.5621482
>	.4997059	ghfo At least 1	-.1444365	.3286501	-0.44	0.660	-.7885788
		Not applicable	.16499	.2503956	0.66	0.510	-.3257763

>	.6557563					
		rhfo#ghto				
		At least 1#At least 1	-1.921569	.8365758	-2.30	0.022
>	-.2819102					-3.561227
		At least 1#Not applicable	-.0899243	.5965356	-0.15	0.880
>	1.079264					-1.259113
		country				
		Italy	0	(omitted)		
		/phi1_1	1	(constrained)		
		/phi1_2	.8539908	.0548022	15.58	0.000
>	.9614011					.7465805
		/phi1_3	.6773569	.0415331	16.31	0.000
>	.7587603					.5959535
		/phi1_4	.4046946	.0336518	12.03	0.000
>	.470651					.3387382
		/phi1_5	0	(base outcome)		
		/theta1	-3.896755	10.09179	-0.39	0.699
>	15.88279					-23.6763
		/theta2	-2.261618	8.577108	-0.26	0.792
>	14.54921					-19.07244
		/theta3	-.0568721	6.800349	-0.01	0.993
>	13.27157					-13.38531
		/theta4	.8117748	4.062688	0.20	0.842
>	8.774496					-7.150947
		/theta5	0	(base outcome)		

(sphus=Poor is the base outcome)
results_impl_sloCountry_sup2_1.xls
 dir : seeout
 note: **2.naly** omitted because of collinearity.
 note: **17.country** omitted because of collinearity.

Iteration 0: Log pseudolikelihood = -1355697.1 (not concave)
 Iteration 1: Log pseudolikelihood = -992118 (not concave)
 Iteration 2: Log pseudolikelihood = -562911.32 (not concave)
 Iteration 3: Log pseudolikelihood = -470370.92 (not concave)
 Iteration 4: Log pseudolikelihood = -384618.44 (not concave)
 Iteration 5: Log pseudolikelihood = -353047.31 (not concave)
 Iteration 6: Log pseudolikelihood = -343193.01 (not concave)
 Iteration 7: Log pseudolikelihood = -334495.72 (not concave)
 Iteration 8: Log pseudolikelihood = -328411.25 (not concave)
 Iteration 9: Log pseudolikelihood = -325460.85 (not concave)
 Iteration 10: Log pseudolikelihood = -322740.89 (not concave)
 Iteration 11: Log pseudolikelihood = -322108.8 (not concave)
 Iteration 12: Log pseudolikelihood = -321314.68 (not concave)
 Iteration 13: Log pseudolikelihood = -320488.72 (not concave)
 Iteration 14: Log pseudolikelihood = -320088.02 (not concave)
 Iteration 15: Log pseudolikelihood = -319785.11 (not concave)
 Iteration 16: Log pseudolikelihood = -319502.16 (not concave)
 Iteration 17: Log pseudolikelihood = -319208.95 (not concave)
 Iteration 18: Log pseudolikelihood = -318942.4 (not concave)
 Iteration 19: Log pseudolikelihood = -318694.66 (not concave)
 Iteration 20: Log pseudolikelihood = -318448.36 (not concave)
 Iteration 21: Log pseudolikelihood = -318207.59 (not concave)
 Iteration 22: Log pseudolikelihood = -317977.09 (not concave)
 Iteration 23: Log pseudolikelihood = -317754 (not concave)
 Iteration 24: Log pseudolikelihood = -317537.46 (not concave)
 Iteration 25: Log pseudolikelihood = -317327.34 (not concave)
 Iteration 26: Log pseudolikelihood = -317124.59 (not concave)
 Iteration 27: Log pseudolikelihood = -316928.47 (not concave)
 Iteration 28: Log pseudolikelihood = -316739.24 (not concave)
 Iteration 29: Log pseudolikelihood = -314870.45 (not concave)
 Iteration 30: Log pseudolikelihood = -314560.63 (not concave)
 Iteration 31: Log pseudolikelihood = -314120.85 (not concave)
 Iteration 32: Log pseudolikelihood = -313914 (not concave)

Iteration 33: Log pseudolikelihood = **-313811.21** (not concave)
 Iteration 34: Log pseudolikelihood = **-313193.53**
 Iteration 35: Log pseudolikelihood = **-313081.05** (not concave)
 Iteration 36: Log pseudolikelihood = **-313003.43**
 Iteration 37: Log pseudolikelihood = **-312990.92**
 Iteration 38: Log pseudolikelihood = **-312990.81**
 Iteration 39: Log pseudolikelihood = **-312990.81**

Stereotype logistic regression

Number of obs = **3,756**

Log pseudolikelihood = **-312990.81**

Wald chi2(24) = **368.92**

Prob > chi2 = **0.0000**

(1) [phi1_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
	age		.2306309	.1994441	1.16	0.248	-.1602722
>	.6215341						
	c.age#c.age		-.0011142	.0013622	-0.82	0.413	-.003784
>	.0015556						
	yedu		-.2930188	.0893955	-3.28	0.001	-.4682308
>	-.1178068						
	c.yedu#c.yedu		.0069031	.0035871	1.92	0.054	-.0001276
>	.0139337						
	thinc		-.6414912	.1798102	-3.57	0.000	-.9939128
>	-.2890697						
	c.thinc#c.thinc		.1030541	.0881789	1.17	0.243	-.0697733
>	.2758816						
	gender						
	Female		.132507	.1703877	0.78	0.437	-.2014468
>	.4664609						
	household						
	Couple, both responding		.4043764	.2288174	1.77	0.077	-.0440976
>	.8528503						
	Multiple, at least 1 responding		1.066026	.3138113	3.40	0.001	.450967
>	1.681085						
	cjs						
	Not applicable		.2083271	1.278842	0.16	0.871	-2.298158
>	2.714812						
	Retired		.6069994	.395046	1.54	0.124	-.1672766
>	1.381275						
	Unemployed		-.2440882	.9555783	-0.26	0.798	-2.116987
>	1.628811						
	Permanently sick or disabled		2.40321	1.029267	2.33	0.020	.3858846
>	4.420536						
	Homemaker		-.1939391	.4996153	-0.39	0.698	-1.173167
>	.7852889						
	Other		-.448097	1.30524	-0.34	0.731	-3.006321
>	2.110127						
	gali						
	Limited		4.940285	.3207598	15.40	0.000	4.311607
>	5.568963						
	lifesat		-.540093	.2294038	-2.35	0.019	-.9897162
>	-.0904698						
	c.lifesat#c.lifesat		-.0117438	.0177826	-0.66	0.509	-.0465969
>	.0231094						
	naly						

>	-.6747991	At least 1	-1.165085	.2501506	-4.66	0.000	-1.655371
		Not applicable	0	(omitted)			
		rhfo					
>	1.232327	At least 1	.6904224	.2764871	2.50	0.013	.1485176
		ghfo					
>	.0811466	At least 1	-.4007204	.245855	-1.63	0.103	-.8825873
>	.4105645	Not applicable	-.0430463	.2314384	-0.19	0.852	-.4966572
		rhfo#ghfo					
>	.4258292	At least 1#At least 1	-.5992617	.5230152	-1.15	0.252	-1.624353
>	1.479776	At least 1#Not applicable	.3608106	.5709111	0.63	0.527	-.7581545
		country					
		France	0	(omitted)			
		/phi1_1	1	(constrained)			
>	.9686626	/phi1_2	.8718553	.0493924	17.65	0.000	.7750481
>	.6543702	/phi1_3	.5887504	.0334801	17.59	0.000	.5231306
>	.3561037	/phi1_4	.3062346	.0254439	12.04	0.000	.2563655
		/phi1_5	0	(base outcome)			
>	19.42686	/theta1	5.257422	7.22944	0.73	0.467	-8.91202
>	18.07721	/theta2	5.727544	6.300968	0.91	0.363	-6.622125
>	14.19303	/theta3	5.823719	4.270136	1.36	0.173	-2.545594
>	7.975013	/theta4	3.571099	2.246936	1.59	0.112	-.8328154
		/theta5	0	(base outcome)			

(sphus=Poor is the base outcome)

results_imp1_sloCountry_sup2_1.xls

dir : seeout

note: 2.naly omitted because of collinearity.

note: 18.country omitted because of collinearity.

```

Iteration 0: Log pseudolikelihood = -238370.54 (not concave)
Iteration 1: Log pseudolikelihood = -205650.93 (not concave)
Iteration 2: Log pseudolikelihood = -142547.14 (not concave)
Iteration 3: Log pseudolikelihood = -129150.05 (not concave)
Iteration 4: Log pseudolikelihood = -127458.7 (not concave)
Iteration 5: Log pseudolikelihood = -126755.27 (not concave)
Iteration 6: Log pseudolikelihood = -126448.84 (not concave)
Iteration 7: Log pseudolikelihood = -126280.12 (not concave)
Iteration 8: Log pseudolikelihood = -126187.44 (not concave)
Iteration 9: Log pseudolikelihood = -126140.27 (not concave)
Iteration 10: Log pseudolikelihood = -125907.54 (not concave)
Iteration 11: Log pseudolikelihood = -125900.86 (not concave)
Iteration 12: Log pseudolikelihood = -125897.7 (not concave)
Iteration 13: Log pseudolikelihood = -125897.03 (not concave)
Iteration 14: Log pseudolikelihood = -125897.03 (not concave)

```

Stereotype logistic regression

Log pseudolikelihood = -125897.03

Number of obs = 1,374

Wald chi2(24) = 201.83

Prob > chi2 = 0.0000

(1) [phil_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.56104	age	-.1546465	.3651529	-0.42	0.672	-.8703331
>	.0063507	c.age#c.age	.0015113	.0024691	0.61	0.540	-.0033281
>	.5481139	yedu	-.0034229	.2814015	-0.01	0.990	-.5549596
>	.0171205	c.yedu#c.yedu	-.005884	.0117372	-0.50	0.616	-.0288885
>	.4316732	thinc	-.2988991	.3727478	-0.80	0.423	-1.029471
>	.1667025	c.thinc#c.thinc	-.1378874	.1554059	-0.89	0.375	-.4424773
>	.2077471	gender Female	-.30656	.2624064	-1.17	0.243	-.820867
>	1.739364	household Couple, both responding	.9745223	.3902327	2.50	0.013	.2096803
>	1.637083	Multiple, at least 1 responding	.5411719	.5591485	0.97	0.333	-.5547389
>	3.190606	cjs Not applicable	.3023198	1.473642	0.21	0.837	-2.585966
>	1.469137	Retired	.5961178	.4454264	1.34	0.181	-.2769018
>	4.182579	Unemployed	1.040266	1.60325	0.65	0.516	-2.102046
>	4.601269	Permanently sick or disabled	2.874745	.8808957	3.26	0.001	1.148221
>	3.661244	Homemaker	-.6717267	2.21074	-0.30	0.761	-5.004697
>	1.711739	Other	-.4760972	1.116263	-0.43	0.670	-2.663933
>	6.479667	gali Limited	5.519771	.4897521	11.27	0.000	4.559874
>	1.420089	lifesat	.2620013	.5908721	0.44	0.657	-.8960868
>	.0064435	c.lifesat#c.lifesat	-.067646	.0378015	-1.79	0.074	-.1417355
>	.460962	naly At least 1	-1.205139	.850067	-1.42	0.156	-2.871239
		Not applicable	0	(omitted)			
>	1.947363	rhfo At least 1	.9751917	.4960149	1.97	0.049	.0030203
>	1.013052	ghto At least 1	.2759155	.3760972	0.73	0.463	-.4612216
		Not applicable	-.2553835	.3762434	-0.68	0.497	-.992807

>	.4820401					
		rhfo#ghto				
		At least 1#At least 1	-.0037373	.652277	-0.01	0.995
>	1.274702					-1.282177
		At least 1#Not applicable	-1.013559	.7257986	-1.40	0.163
>	.4089801					-2.436098
		country				
		Denmark	0	(omitted)		
		/phi1_1	1	(constrained)		
		/phi1_2	.6936847	.0423729	16.37	0.000
>	.7767339					.6106354
		/phi1_3	.4875509	.0441568	11.04	0.000
>	.5740966					.4010052
		/phi1_4	.156644	.0586068	2.67	0.008
>	.2715112					.0417768
		/phi1_5	0	(base outcome)		
		/theta1	-3.54163	13.60711	-0.26	0.795
>	23.12781					-30.21107
		/theta2	-.5720503	9.361173	-0.06	0.951
>	17.77551					-18.91961
		/theta3	.3309413	6.589344	0.05	0.960
>	13.24582					-12.58394
		/theta4	1.052681	2.111819	0.50	0.618
>	5.191771					-3.086408
		/theta5	0	(base outcome)		

(sphus=Poor is the base outcome)
results_imp1_sloCountry_sup2_1.xls
 dir : seeout
 note: 2.naly omitted because of collinearity.
 note: 20.country omitted because of collinearity.

Iteration 0: Log pseudolikelihood = -1887757.7 (not concave)
 Iteration 1: Log pseudolikelihood = -1296782.1 (not concave)
 Iteration 2: Log pseudolikelihood = -867857.29 (not concave)
 Iteration 3: Log pseudolikelihood = -517384.01 (not concave)
 Iteration 4: Log pseudolikelihood = -374750.1 (not concave)
 Iteration 5: Log pseudolikelihood = -294498.33 (not concave)
 Iteration 6: Log pseudolikelihood = -253807.88 (not concave)
 Iteration 7: Log pseudolikelihood = -243179.18 (not concave)
 Iteration 8: Log pseudolikelihood = -238533.48 (not concave)
 Iteration 9: Log pseudolikelihood = -234031.16 (not concave)
 Iteration 10: Log pseudolikelihood = -230997.97 (not concave)
 Iteration 11: Log pseudolikelihood = -227963.87 (not concave)
 Iteration 12: Log pseudolikelihood = -220793.92 (not concave)
 Iteration 13: Log pseudolikelihood = -214059.74 (not concave)
 Iteration 14: Log pseudolikelihood = -213012.77 (not concave)
 Iteration 15: Log pseudolikelihood = -212195.64 (not concave)
 Iteration 16: Log pseudolikelihood = -211649.74 (not concave)
 Iteration 17: Log pseudolikelihood = -211117.58 (not concave)
 Iteration 18: Log pseudolikelihood = -209194.23 (not concave)
 Iteration 19: Log pseudolikelihood = -208117.78 (not concave)
 Iteration 20: Log pseudolikelihood = -207679.31 (not concave)
 Iteration 21: Log pseudolikelihood = -207236.17 (not concave)
 Iteration 22: Log pseudolikelihood = -206556.01 (not concave)
 Iteration 23: Log pseudolikelihood = -205711.82 (not concave)
 Iteration 24: Log pseudolikelihood = -204881.78 (not concave)
 Iteration 25: Log pseudolikelihood = -204691.58 (not concave)
 Iteration 26: Log pseudolikelihood = -204523.64 (not concave)
 Iteration 27: Log pseudolikelihood = -204379.12 (not concave)
 Iteration 28: Log pseudolikelihood = -204248.61 (not concave)
 Iteration 29: Log pseudolikelihood = -204130.21 (not concave)
 Iteration 30: Log pseudolikelihood = -204026.22 (not concave)
 Iteration 31: Log pseudolikelihood = -203933.5 (not concave)
 Iteration 32: Log pseudolikelihood = -203851.2

Iteration 33: Log pseudolikelihood = **-203264.03** (not concave)
 Iteration 34: Log pseudolikelihood = **-203226.61**
 Iteration 35: Log pseudolikelihood = **-203204.4** (not concave)
 Iteration 36: Log pseudolikelihood = **-203166.99**
 Iteration 37: Log pseudolikelihood = **-203155.88**
 Iteration 38: Log pseudolikelihood = **-203153.05**
 Iteration 39: Log pseudolikelihood = **-203152.92**
 Iteration 40: Log pseudolikelihood = **-203152.92**

Stereotype logistic regression

Log pseudolikelihood = **-203152.92**

Number of obs = **2,398**

Wald chi2(24) = **239.82**

Prob > chi2 = **0.0000**

(1) [phi1_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.1510005	age	-.4579039	.3106712	-1.47	0.141	-1.066808
>	.0079361	c.age#c.age	.0037995	.0021106	1.80	0.072	-.0003371
>	.2000753	yedu	.0589413	.0720084	0.82	0.413	-.0821926
>	.0007964	c.yedu#c.yedu	-.0061718	.0035553	-1.74	0.083	-.01314
>	.2548106	thinc	-.3001889	.2831682	-1.06	0.289	-.8551884
>	.1491963	c.thinc#c.thinc	-.0421167	.0976105	-0.43	0.666	-.2334298
>	.6687921	gender Female	.2002445	.2390593	0.84	0.402	-.268303
>		household					
>	1.416552	Couple, both responding	.720831	.3549662	2.03	0.042	.02511
>	1.611403	Multiple, at least 1 responding	.8055133	.411176	1.96	0.050	-.0003769
>		cjs					
>	.3549099	Not applicable	-2.263567	1.335982	-1.69	0.090	-4.882044
>	.6659643	Retired	-.0583613	.3695607	-0.16	0.875	-.7826869
>	5.450399	Unemployed	2.548425	1.480626	1.72	0.085	-.3535491
>	6.088842	Permanently sick or disabled	4.060391	1.034943	3.92	0.000	2.03194
>	1.019759	Homemaker	.0742389	.4824173	0.15	0.878	-.8712816
>	1.637896	Other	-.2988313	.9881442	-0.30	0.762	-2.235558
>		gali					
>	5.294398	Limited	4.558941	.3752404	12.15	0.000	3.823483
>	1.039126	lifesat	-.2437478	.6545394	-0.37	0.710	-1.526621
>	.0240645	c.lifesat#c.lifesat	-.0600983	.042941	-1.40	0.162	-.1442611

>	-1.099521	naly At least 1	-2.248886	.5864219	-3.83	0.000	-3.398252
		Not applicable	0 (omitted)				
>	1.197175	rhfo At least 1	.3212262	.4469211	0.72	0.472	-.5547229
		ghfo At least 1	-.8638248	.3476165	-2.48	0.013	-1.545141
>	-.1825089	Not applicable	-.5036239	.2964865	-1.70	0.089	-1.084727
		.077479					
>	1.877342	rhfo#ghfo At least 1#At least 1	.3269976	.7910065	0.41	0.679	-1.223347
		At least 1#Not applicable	.7510726	.825155	0.91	0.363	-.8662014
>	2.368347						
country Switzerland			0 (omitted)				
>	.915285	/phi1_1 /phi1_2	1 .8427274	(constrained) .0370199	22.76	0.000	.7701697
		/phi1_3	.5843388	.0354866	16.47	0.000	.5147864
>	.6538912	/phi1_4	.2913888	.0421105	6.92	0.000	.2088538
>	.3739239	/phi1_5	0 (base outcome)				
>	5.015706	/theta1	-18.01791	11.75206	-1.53	0.125	-41.05153
>	5.936284	/theta2	-13.45165	9.891983	-1.36	0.174	-32.83958
>	5.824764	/theta3	-7.49831	6.797612	-1.10	0.270	-20.82138
>	3.654378	/theta4	-2.90677	3.347586	-0.87	0.385	-9.467918
		/theta5	0 (base outcome)				

(sphus=Poor is the base outcome)
results_impl_sloCountry_sup2_1.xls
 dir : seeout

note: **2.naly** omitted because of collinearity.
 note: **23.country** omitted because of collinearity.

Iteration 0: Log pseudolikelihood = **-657605.77** (not concave)
 Iteration 1: Log pseudolikelihood = **-370191.46** (not concave)
 Iteration 2: Log pseudolikelihood = **-300227.06** (not concave)
 Iteration 3: Log pseudolikelihood = **-285830.47** (not concave)
 Iteration 4: Log pseudolikelihood = **-283733.01** (not concave)
 Iteration 5: Log pseudolikelihood = **-283280.35** (not concave)
 Iteration 6: Log pseudolikelihood = **-283076.25**
 Iteration 7: Log pseudolikelihood = **-282870.54** (not concave)
 Iteration 8: Log pseudolikelihood = **-282787.17**
 Iteration 9: Log pseudolikelihood = **-282685.24**
 Iteration 10: Log pseudolikelihood = **-282683.18**
 Iteration 11: Log pseudolikelihood = **-282683.17**

Stereotype logistic regression

Log pseudolikelihood = **-282683.17**

Number of obs = **3,221**
 Wald chi2(24) = **457.81**
 Prob > chi2 = **0.0000**

(1) [phi1_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.8063836	age	.3643733	.2255196	1.62	0.106	-.077637
>	.0009216	c.age#c.age	-.0020974	.0015403	-1.36	0.173	-.0051164
>	-.0397554	yedu	-.2576268	.1111609	-2.32	0.020	-.4754982
>	.0121547	c.yedu#c.yedu	.0032518	.0045424	0.72	0.474	-.0056511
>	-.3232661	thinc	-.7219085	.2033927	-3.55	0.000	-1.120551
>	.3785589	c.thinc#c.thinc	.2155227	.0831833	2.59	0.010	.0524864
>	.7164075	gender Female	.3314285	.1964215	1.69	0.092	-.0535505
>	1.367796	household Couple, both responding	.8657214	.2561654	3.38	0.001	.3636464
>	1.580458	Multiple, at least 1 responding	.8809348	.3569061	2.47	0.014	.1814116
>	1.811491	cjs Not applicable	.11364	.8662662	0.13	0.896	-1.584211
>	1.401036	Retired	.5711738	.423407	1.35	0.177	-.2586886
>	2.152284	Unemployed	.8490438	.6649306	1.28	0.202	-.4541963
>	4.804269	Permanently sick or disabled	3.607896	.6104055	5.91	0.000	2.411523
>	1.598318	Homemaker	.6431378	.4873459	1.32	0.187	-.3120426
>	1.88286	Other	.4289057	.7418273	0.58	0.563	-1.025049
>	5.393709	gali Limited	4.779303	.3134778	15.25	0.000	4.164898
>	.4645929	lifesat	-.2788394	.3793091	-0.74	0.462	-1.022272
>	.0148532	c.lifesat#c.lifesat	-.0366835	.0262947	-1.40	0.163	-.0882201
>	-.9653933	naly At least 1	-1.611862	.329837	-4.89	0.000	-2.25833
		Not applicable	0	(omitted)			
>	1.468254	rhfo At least 1	.9278427	.2757251	3.37	0.001	.3874315
>	.4443491	ghto At least 1	-.0529037	.2537051	-0.21	0.835	-.5501566
		Not applicable	.2882648	.2523602	1.14	0.253	-.206352

>	.7828817					
		rhfo#ghto				
		At least 1#At least 1	-.396716	.5317356	-0.75	0.456
>	.6454667					-1.438899
		At least 1#Not applicable	-.5201762	.4699059	-1.11	0.268
>	.4008224					-1.441175
		country				
		Belgium	0	(omitted)		
		/phi1_1	1	(constrained)		
		/phi1_2	.8581854	.0341319	25.14	0.000
>	.9250828					.7912881
		/phi1_3	.6427197	.0276223	23.27	0.000
>	.6968584					.5885809
		/phi1_4	.3167632	.0307248	10.31	0.000
>	.3769827					.2565438
		/phi1_5	0	(base outcome)		
		/theta1	11.28401	8.435003	1.34	0.181
>	27.81632					-5.248287
		/theta2	11.2025	7.285182	1.54	0.124
>	25.4812					-3.07619
		/theta3	10.03655	5.509021	1.82	0.068
>	20.83403					-.7609377
		/theta4	5.717237	2.83071	2.02	0.043
>	11.26533					.1691471
		/theta5	0	(base outcome)		

(sphus=Poor is the base outcome)
results_impl_sloCountry_sup2_1.xls
 dir : seeout
 note: **2.naly** omitted because of collinearity.
 note: **28.country** omitted because of collinearity.

Iteration 0: Log pseudolikelihood = -1387687.3 (not concave)
 Iteration 1: Log pseudolikelihood = -1000977.6 (not concave)
 Iteration 2: Log pseudolikelihood = -516663 (not concave)
 Iteration 3: Log pseudolikelihood = -459013.46 (not concave)
 Iteration 4: Log pseudolikelihood = -388631.61 (not concave)
 Iteration 5: Log pseudolikelihood = -368716.95 (not concave)
 Iteration 6: Log pseudolikelihood = -360546.99 (not concave)
 Iteration 7: Log pseudolikelihood = -359496.12 (not concave)
 Iteration 8: Log pseudolikelihood = -357783.16 (not concave)
 Iteration 9: Log pseudolikelihood = -357033.54 (not concave)
 Iteration 10: Log pseudolikelihood = -356337.28 (not concave)
 Iteration 11: Log pseudolikelihood = -355901.81 (not concave)
 Iteration 12: Log pseudolikelihood = -355510.78 (not concave)
 Iteration 13: Log pseudolikelihood = -355087.13 (not concave)
 Iteration 14: Log pseudolikelihood = -354398.88 (not concave)
 Iteration 15: Log pseudolikelihood = -353679.07 (not concave)
 Iteration 16: Log pseudolikelihood = -353302.83 (not concave)
 Iteration 17: Log pseudolikelihood = -350889.69 (not concave)
 Iteration 18: Log pseudolikelihood = -349396.24 (not concave)
 Iteration 19: Log pseudolikelihood = -349232.12 (not concave)
 Iteration 20: Log pseudolikelihood = -348729.43 (not concave)
 Iteration 21: Log pseudolikelihood = -348479.86 (not concave)
 Iteration 22: Log pseudolikelihood = -347601.22 (not concave)
 Iteration 23: Log pseudolikelihood = -347440.28 (not concave)
 Iteration 24: Log pseudolikelihood = -347142.72 (not concave)
 Iteration 25: Log pseudolikelihood = -347025.65 (not concave)
 Iteration 26: Log pseudolikelihood = -346962.23 (not concave)
 Iteration 27: Log pseudolikelihood = -346874.41 (not concave)
 Iteration 28: Log pseudolikelihood = -346861.47 (not concave)
 Iteration 29: Log pseudolikelihood = -346861.45 (not concave)

Stereotype logistic regression

Log pseudolikelihood = **-346861.45**Number of obs = **3,846**Wald chi2 (24) = **273.73**Prob > chi2 = **0.0000**

(1) [phi1_1]_cons = 1

		sphus	Coefficient	Robust std. err.	z	P> z	[95% con
> f. interval]							
>	.6832828	age	.2605924	.2156623	1.21	0.227	-.1620979
>	.001698	c.age#c.age	-.0012081	.0014827	-0.81	0.415	-.0041141
>	-.0215569	yedu	-.2448952	.1139502	-2.15	0.032	-.4682336
>	.0118597	c.yedu#c.yedu	.0029878	.0045266	0.66	0.509	-.0058841
>	1.022687	thinc	-.0373558	.540848	-0.07	0.945	-1.097398
>	.9908321	c.thinc#c.thinc	.0618708	.4739685	0.13	0.896	-.8670904
>	.041102	gender Female	-.3094304	.1788464	-1.73	0.084	-.6599628
>	.7899678	household Couple, both responding	.3193693	.2401056	1.33	0.183	-.1512291
>	.9558348	Multiple, at least 1 responding	.2215241	.3746552	0.59	0.554	-.5127866
>	3.659733	cjs Not applicable	1.70683	.9963977	1.71	0.087	-.2460739
>	1.413756	Retired	.5643823	.4333621	1.30	0.193	-.2849917
>	-.5136028	Unemployed	-4.038498	1.798449	-2.25	0.025	-7.563394
>	5.700173	Permanently sick or disabled	3.726252	1.007121	3.70	0.000	1.752331
>	3.272661	Homemaker	-1.202639	2.283359	-0.53	0.598	-5.67794
>	1.127475	Other	-1.404301	1.291746	-1.09	0.277	-3.936078
>	5.962974	gali Limited	5.166706	.4062667	12.72	0.000	4.370438
>	-.7634424	lifesat	-1.419177	.3345648	-4.24	0.000	-2.074912
>	.1009855	c.lifesat#c.lifesat	.0568363	.0225255	2.52	0.012	.012687
>	-.0363452	naly At least 1	-.5895116	.2822329	-2.09	0.037	-1.142678
		Not applicable	0	(omitted)			
>	1.395713	rhfo At least 1	.8976598	.2541136	3.53	0.000	.3996063

>	.3266696	gheto At least 1	- .2399298	.2890866	-0.83	0.407	-.8065292
		Not applicable	.078483	.2461652	0.32	0.750	-.403992
>	.560958	rhfo#gheto At least 1#At least 1	-.7083659	.4346827	-1.63	0.103	-1.560328
		At least 1#Not applicable	-.3864527	.4016171	-0.96	0.336	-1.173608
>	.4007024	country Czech Republic	0	(omitted)			
>	.9390114	/phi1_1 /phi1_2	1 .8273883	(constrained) .0569516	14.53	0.000	.7157651
		/phi1_3	.6075058	.0433766	14.01	0.000	.5224893
>	.6925223	/phi1_4	.343131	.034463	9.96	0.000	.2755847
		/phi1_5	0	(base outcome)			
>	19.19069	/theta1	3.84908	7.827497	0.49	0.623	-11.49253
		/theta2	5.132951	6.502261	0.79	0.430	-7.611246
>	17.87715	/theta3	5.517151	4.787125	1.15	0.249	-3.86544
		/theta4	3.699643	2.72645	1.36	0.175	-1.644102
>	14.89974	/theta5	0	(base outcome)			
>	9.043387						

(sphus=Poor is the base outcome)
results_imp1_sloCountry_sup2_1.xls
 dir : seeout
 note: **2.naly** omitted because of collinearity.
 note: **34.country** omitted because of collinearity.

Iteration 0: Log pseudolikelihood = -272058.09 (not concave)
 Iteration 1: Log pseudolikelihood = -194292.08 (not concave)
 Iteration 2: Log pseudolikelihood = -171225.17 (not concave)
 Iteration 3: Log pseudolikelihood = -162246.16 (not concave)
 Iteration 4: Log pseudolikelihood = -160072.32 (not concave)
 Iteration 5: Log pseudolikelihood = -159523.15 (not concave)
 Iteration 6: Log pseudolikelihood = -159424.65 (not concave)
 Iteration 7: Log pseudolikelihood = -159346.87 (not concave)
 Iteration 8: Log pseudolikelihood = -159285.74 (not concave)
 Iteration 9: Log pseudolikelihood = -159273.46 (not concave)
 Iteration 10: Log pseudolikelihood = -159271.82 (not concave)
 Iteration 11: Log pseudolikelihood = -159271.82 (not concave)

Stereotype logistic regression

Log pseudolikelihood = -159271.82

Number of obs = 1,748
 Wald chi2 (23) = 311.08
 Prob > chi2 = 0.0000

(1) [phi1_1]_cons = 1

>	f. interval]	sphus	Coefficient	Robust std. err.	z	P> z	[95% con
>	1.094363	age	.4899507	.3083792	1.59	0.112	-.1144615
		c.age#c.age	-.0028295	.002133	-1.33	0.185	-.00701

>	.0013511						
>	.5790059	yedu	.2953007	.1447502	2.04	0.041	.0115955
>	-.006957	c.yedu#c.yedu	-.0202261	.0067701	-2.99	0.003	-.0334953
>	-.1965564	thinc	-.6180384	.2150458	-2.87	0.004	-1.03952
>	.1916186	c.thinc#c.thinc	-.0227749	.1093864	-0.21	0.835	-.2371683
>	.3669917	gender Female	-.1301016	.2536237	-0.51	0.608	-.627195
>	.884417	household Couple, both responding	.2097241	.3442374	0.61	0.542	-.4649687
>	1.677924	Multiple, at least 1 responding	.9597767	.3664083	2.62	0.009	.2416296
>	3.731033	cjs Not applicable	1.615668	1.079288	1.50	0.134	-.4996975
>	1.863377	Retired	.1688363	.8645773	0.20	0.845	-1.525704
>	4.028194	Unemployed	1.502449	1.288669	1.17	0.244	-1.023296
>	4.3875	Permanently sick or disabled	.9146291	1.771906	0.52	0.606	-2.558242
>	2.112053	Homemaker	.1571728	.9974064	0.16	0.875	-1.797708
>	2.626111	Other	.2986795	1.187487	0.25	0.801	-2.028752
>	5.407617	gali Limited	4.658618	.382149	12.19	0.000	3.90962
>	.4224552	lifesat	-.3319188	.3848917	-0.86	0.388	-1.086293
>	.0351837	c.lifesat#c.lifesat	-.0188975	.027593	-0.68	0.493	-.0729788
>	-.6317494	naly At least 1	-1.165688	.2724227	-4.28	0.000	-1.699627
>		Not applicable	0	(omitted)			
>	3.005867	rhfo At least 1	2.061946	.4816014	4.28	0.000	1.118024
>	-.1909408	ghfo At least 1	-.990461	.407926	-2.43	0.015	-1.789981
>	.2151847	Not applicable	-.4423031	.3354591	-1.32	0.187	-1.099791
>	.8132519	rhfo#ghfo At least 1#At least 1	-1.010454	.9304792	-1.09	0.278	-2.83416
>	.8853453	At least 1#Not applicable	-1.473872	1.203705	-1.22	0.221	-3.83309
>		country Slovenia	0	(omitted)			

	/phi1_1	1	(constrained)			
>	.9993224	/phi1_2	.8719908	.0649663	13.42	0.000
		/phi1_3	.5985956	.0408724	14.65	0.000
>	.6787039	/phi1_4	.3649404	.0338861	10.77	0.000
>	.4313559	/phi1_5	0	(base outcome)		
	/theta1	17.92053	11.15163	1.61	0.108	-3.936262
>	39.77732	/theta2	16.59357	9.763955	1.70	0.089
>	35.73058	/theta3	13.1439	6.79188	1.94	0.053
>	26.45574	/theta4	8.457426	4.256279	1.99	0.047
>	16.79958	/theta5	0	(base outcome)		

(sphus=Poor is the base outcome)

results_imp1_sloCountry_sup2_1.xls

dir : seeout

name: **The value of a helping hand**

log: C:\Users\hansg\Documents\working\SHARE data\weighting\output_1.smcl

log type: **smcl**

closed on: **10 Jun 2026, 10:35:19**