```
navee@laptop1324 MINGW64 ~ (master)
$ cd C:/Users/navee/OneDrive/Desktop/devops\ lab

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git init
Initialized empty Git repository in C:/Users/navee/OneDrive/Desktop/devops lab/.
git/

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git add index.html

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git add .

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git commit -m "Initial file"
[master (root-commit) c4060d8] Initial file
 2 files changed, 82 insertions(+)
 create mode 100644 Screenshot 2025-08-04 142456.png
 create mode 100644 index.html
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git commit -m "initial file"
On branch master
nothing to commit, working tree clean

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git log --oneline
c4060d8 (HEAD -> master) Initial file

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git show
commit c4060d86751be0bfa29280b8cbed7967e742e682 (HEAD -> master)
Author: hansikagollen <hansikagollen@gmail.com>
Date:   Mon Aug 4 14:35:56 2025 +0530

        Initial file

diff --git a/Screenshot 2025-08-04 142456.png b/Screenshot 2025-08-04 142456.png
new file mode 100644
index 0000000..606f927
Binary files /dev/null and b/Screenshot 2025-08-04 142456.png differ
diff --git a/index.html b/index.html
new file mode 100644
index 0000000..06c20ac
--- /dev/null
+++ b/index.html
@@ -0,0 +1,82 @@
+<!DOCTYPE html>
+<html lang="en">
+<head>
+  <meta charset="UTF-8">
+  <title>Basic Form</title>
+  <style>
+    body {
+      font-family: Arial, sans-serif;
+      background-color: #f1f1f1;
+      display: flex;
+      justify-content: center;
+      align-items: center;
+      height: 100vh;
+    }
+    .form-container {
+      background: white;
+      padding: 30px;
+      border-radius: 10px;
+      box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
+      width: 300px;
```

```
+        display: flex;
+        justify-content: center;
+        align-items: center;
+        height: 100vh;
+    }
+    .form-container {
+        background: white;
+        padding: 30px;
+        border-radius: 10px;
+        box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
+        width: 300px;
+    }
+    .form-container h2 {
+        text-align: center;
+        margin-bottom: 20px;
+    }
+    label {
+        display: block;
+        margin-top: 10px;
+    }
+    input[type="text"],
+    input[type="email"],
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ ^C

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git show c4060d8
commit c4060d86751be0bfa29280b8cbed7967e742e682 (HEAD -> master)
Author: hansikagollen <hansikagollen@gmail.com>
Date:   Mon Aug 4 14:35:56 2025 +0530

    Initial file

diff --git a/Screenshot 2025-08-04 142456.png b/Screenshot 2025-08-04 142456.png
new file mode 100644
index 0000000..606f927
Binary files /dev/null and b/Screenshot 2025-08-04 142456.png differ
diff --git a/index.html b/index.html
new file mode 100644
index 0000000..06c20ac
--- /dev/null
+++ b/index.html
@@ -0,0 +1,82 @@
+<!DOCTYPE html>
+<html lang="en">
+<head>
+    <meta charset="UTF-8">
+    <title>Basic Form</title>
+    <style>
+      body {
+          font-family: Arial, sans-serif;
+          background-color: #f1f1f1;
+          display: flex;
+          justify-content: center;
+          align-items: center;
+          height: 100vh;
+      }
+      .form-container {
+          background: white;
+          padding: 30px;
+          border-radius: 10px;
+          box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
+          width: 300px;
+      }
+      .form-container h2 {
+          text-align: center;
+          margin-bottom: 20px;
+      }
+      label {
+          display: block;
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ ^C

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git commit -am "Updated index.html with latest changes"
[master 443918c] Updated index.html with latest changes
 1 file changed, 1 insertion(+), 1 deletion(-)

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ ^[[200~git log --oneline
bash: $'\E[200~git': command not found

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git log --oneline
443918c (HEAD -> master) Updated index.html with latest changes
c4060d8 Initial file
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git diff c4060d8 443918c
diff --git a/index.html b/index.html
index 06c20ac..ca82c15 100644
--- a/index.html
+++ b/index.html
@@ -2,7 +2,7 @@
 <html lang="en">
 <head>
    <meta charset="UTF-8">
-   <title>Basic Form</title>
+   <title>Registration Form page</title>
    <style>
      body {
        font-family: Arial, sans-serif;
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git log --graph --oneline --all
* 443918c (HEAD -> master) Updated index.html with latest changes
* c4060d8 Initial file
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git reset --soft  HEAD~1

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ code .

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ code index.html
```

```
navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab (master)
$ git checkout c4060d8
M       index.html
Note: switching to 'c4060d8'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

  git switch -c <new-branch-name>

Or undo this operation with:

  git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at c4060d8 Initial file

navee@laptop1324 MINGW64 ~/OneDrive/Desktop/devops lab ((c4060d8...))
$ git status
HEAD detached at c4060d8
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html
```