

NAME: HANSINI R

CLASS: BE.CSE (III YR)

DATE: 06/08/2024 – 10/08/2024

GIT REPOSITORY: <https://github.com/hansini-r/Portfolio.git>

MICROSOFT AZURE


MODULE	DESCRIPTION	PAGE NUMBER
1	CREATION OF VIRTUAL MACHINE	2
2	CONFIGURE GIT WITH NETWORK	3
3	CREATION OF STORAGE ACCOUNT	10
4	CREATION OF STATIC WEB APPS	12
5	CREATION OF LOCK IN STORAGE ACCOUNT	14

MODULE 1: CREATION OF VIRTUAL MACHINE

Creating A Virtual Machine (Vm) In Microsoft Azure Involves The Following Steps:

1. Sign in to the Azure portal.
2. Navigate to "Create a resource" and select "Virtual Machine."
3. Choose a subscription, resource group, and region.
4. Configure VM settings, including size, OS, and storage.
5. Set up networking, security, and management options.
6. Review and create the VM, then monitor its deployment.

The VM will be ready to use after deployment.



Home >

VM Virtual machine

Search

Connect Start Restart Stop Hibernate Capture Delete Refresh Open in mobile Feedback CLI / PS

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Connect
- Networking
- Settings
- Availability + scale
- Security
- Backup + disaster recovery
- Operations
- Monitoring
- Automation
- Help

Essentials

Resource group (move) : [hansinir](#)

Status : Running

Location : Southeast Asia (Zone 2)

Subscription (move) : [Azure for Students](#)

Subscription ID : bf759bdd-202d-4e49-b523-964d037a53c1

Availability zone : 2

Tags (edit) : [Add tags](#)

Operating system : Linux (ubuntu 24.04)

Size : Standard D2s v3 (2 vcpus, 8 GiB memory)

Public IP address : [52.230.105.19](#)

Virtual network/subnet : [VM-vnet/default](#)

DNS name : [Not configured](#)

Health state : -

Time created : 8/8/2024, 7:59 AM UTC

JSON View

Properties Monitoring Capabilities (7) Recommendations Tutorials

Virtual machine

Computer name	VM
Operating system	Linux (ubuntu 24.04)
VM generation	V2
VM architecture	x64
Agent status	Ready
Agent version	2.11.1.4
Hibernation	Disabled
Host group	-

Networking

Public IP address	52.230.105.19 (Network interface vm80_x2)
Public IP address (IPv6)	-
Private IP address	10.0.0.4
Private IP address (IPv6)	-
Virtual network/subnet	VM-vnet/default
DNS name	Configure

Size

Size	Standard D2s v3
------	-----------------

MODULE 2: CONFIGURE GIT WITH NETWORK

Requesting a Cloud Shell.Succeeded.

Connecting terminal...

Your Cloud Shell session will be ephemeral so no files or system changes will persist beyond your current session.

hansinir [~]\$ ssh hansinir@52.230.105.19

The authenticity of host '52.230.105.19 (52.230.105.19)' can't be established.

ED25519 key fingerprint is

SHA256:wsqFZBfQJaZr9f3zceh7m5u8398gj4g4PMvhQapzjY.

This key is not known by any other names

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added '52.230.105.19' (ED25519) to the list of known hosts.

hansinir@52.230.105.19's password:

Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-1010-azure x86_64)

* Documentation: <https://help.ubuntu.com>

* Management: <https://landscape.canonical.com>

* Support: <https://ubuntu.com/pro>

System information as of Fri Aug 9 07:26:42 UTC 2024

System load: 0.62 Processes: 135
Usage of /: 5.0% of 28.02GB Users logged in: 0
Memory usage: 4% IPv4 address for eth0: 10.0.0.4
Swap usage: 0%

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s just raised the bar for easy, resilient and secure K8s cluster deployment.

<https://ubuntu.com/engage/secure-kubernetes-at-the-edge>

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.

See <https://ubuntu.com/esm> or run: `sudo pro status`

The programs included with the Ubuntu system are free software; the exact distribution terms for each program are described in the individual files in `/usr/share/doc/*/copyright`.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

`hansinir@VM:~$ sudo apt update`

Hit:1 <http://azure.archive.ubuntu.com/ubuntu> noble InRelease

Get:2 <http://azure.archive.ubuntu.com/ubuntu> noble-updates InRelease [126 kB]

Get:3 <http://azure.archive.ubuntu.com/ubuntu> noble-backports InRelease [126 kB]

Get:4 <http://azure.archive.ubuntu.com/ubuntu> noble-security InRelease [126 kB]

Get:5 <http://azure.archive.ubuntu.com/ubuntu noble/universe amd64 Packages> [15.0 MB]

Get:6 <http://azure.archive.ubuntu.com/ubuntu noble/universe Translation-en> [5982 kB]

Get:7 <http://azure.archive.ubuntu.com/ubuntu noble/universe amd64 Components> [3871 kB]

Get:8 <http://azure.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata> [301 kB]

Get:9 <http://azure.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages> [269 kB]

Get:10 <http://azure.archive.ubuntu.com/ubuntu noble/multiverse Translation-en> [118 kB]

Get:11 <http://azure.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components> [35.0 kB]

Get:12 <http://azure.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata> [8328 B]

Get:13 <http://azure.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages> [344 kB]

Get:14 <http://azure.archive.ubuntu.com/ubuntu noble-updates/main Translation-en> [86.7 kB]

Get:15 <http://azure.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata> [5704 B]

Get:16 <http://azure.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages> [321 kB]

Get:17 <http://azure.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en> [135 kB]

Get:18 <http://azure.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components> [45.0 kB]

Get:19 <http://azure.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata> [12.7 kB]

Get:20 <http://azure.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages> [241 kB]

Get:21 <http://azure.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en> [47.0 kB]

Get:22 <http://azure.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages> [14.1 kB]

Get:23 <http://azure.archive.ubuntu.com/ubuntu noble-updates/multiverse Translation-en> [3608 B]

Get:24 <http://azure.archive.ubuntu.com/ubuntu> noble-updates/multiverse amd64 Components [212 B]

Get:25 <http://azure.archive.ubuntu.com/ubuntu> noble-updates/multiverse amd64 c-n-f Metadata [532 B]

Get:26 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/main amd64 Components [208 B]

Get:27 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/main amd64 c-n-f Metadata [112 B]

Get:28 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/universe amd64 Packages [10.3 kB]

Get:29 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/universe Translation-en [10.5 kB]

Get:30 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/universe amd64 Components [17.6 kB]

Get:31 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/universe amd64 c-n-f Metadata [1016 B]

Get:32 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/restricted amd64 Components [216 B]

Get:33 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/restricted amd64 c-n-f Metadata [116 B]

Get:34 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/multiverse amd64 Components [212 B]

Get:35 <http://azure.archive.ubuntu.com/ubuntu> noble-backports/multiverse amd64 c-n-f Metadata [116 B]

Get:36 <http://azure.archive.ubuntu.com/ubuntu> noble-security/main amd64 Packages [288 kB]

Get:37 <http://azure.archive.ubuntu.com/ubuntu> noble-security/main Translation-en [66.6 kB]

Get:38 <http://azure.archive.ubuntu.com/ubuntu> noble-security/main amd64 c-n-f Metadata [3696 B]

Get:39 <http://azure.archive.ubuntu.com/ubuntu> noble-security/universe amd64 Packages [249 kB]

Get:40 <http://azure.archive.ubuntu.com/ubuntu> noble-security/universe Translation-en [108 kB]

Get:41 <http://azure.archive.ubuntu.com/ubuntu> noble-security/universe amd64 Components [8632 B]

Get:42 <http://azure.archive.ubuntu.com/ubuntu> noble-security/universe amd64 c-n-f Metadata [9376 B]

Get:43 http://azure.archive.ubuntu.com/ubuntu noble-security/restricted amd64
Packages [237 kB]

Get:44 http://azure.archive.ubuntu.com/ubuntu noble-security/restricted Translation-
en [46.4 kB]

Get:45 http://azure.archive.ubuntu.com/ubuntu noble-security/multiverse amd64
Packages [10.6 kB]

Get:46 http://azure.archive.ubuntu.com/ubuntu noble-security/multiverse Translation-
en [2808 B]

Get:47 http://azure.archive.ubuntu.com/ubuntu noble-security/multiverse amd64
Components [208 B]

Get:48 http://azure.archive.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f
Metadata [344 B]

Fetched 28.3 MB in 5s (6181 kB/s)

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

16 packages can be upgraded. Run 'apt list --upgradable' to see them.

hansinir@VM:~\$ sudo apt install git

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

git is already the newest version (1:2.43.0-1ubuntu7.1).

git set to manually installed.

0 upgraded, 0 newly installed, 0 to remove and 16 not upgraded.

hansinir@VM:~\$ sudo apt install nginx

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following additional packages will be installed:

nginx-common

Suggested packages:

fcgiwrap nginx-doc ssl-cert

The following NEW packages will be installed:

nginx nginx-common

0 upgraded, 2 newly installed, 0 to remove and 16 not upgraded.

Need to get 552 kB of archives.

After this operation, 1596 kB of additional disk space will be used.

Do you want to continue? [Y/n] y

Get:1 http://azure.archive.ubuntu.com/ubuntu noble/main amd64 nginx-common all 1.24.0-2ubuntu7 [31.2 kB]

Get:2 http://azure.archive.ubuntu.com/ubuntu noble/main amd64 nginx amd64 1.24.0-2ubuntu7 [521 kB]

Fetches 552 kB in 0s (8072 kB/s)

Preconfiguring packages ...

Selecting previously unselected package nginx-common.

(Reading database ... 64517 files and directories currently installed.)

Preparing to unpack .../nginx-common_1.24.0-2ubuntu7_all.deb ...

Unpacking nginx-common (1.24.0-2ubuntu7) ...

Selecting previously unselected package nginx.

Preparing to unpack .../nginx_1.24.0-2ubuntu7_amd64.deb ...

Unpacking nginx (1.24.0-2ubuntu7) ...

Setting up nginx (1.24.0-2ubuntu7) ...

Setting up nginx-common (1.24.0-2ubuntu7) ...

debconf: unable to initialize frontend: Dialog

debconf: (Dialog frontend requires a screen at least 13 lines tall and 31 columns wide.)

debconf: falling back to frontend: Readline

Created symlink /etc/systemd/system/multi-user.target.wants/nginx.service → /usr/lib/systemd/system/nginx.service.

Processing triggers for ufw (0.36.2-6) ...

Processing triggers for man-db (2.12.0-4build2) ...

Scanning
processes...

Scanning linux
images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

```
hansinir@VM:~$ sudo systemctl start nginx
```

```
hansinir@VM:~$ sudo systemctl enable nginx
```

Synchronizing state of nginx.service with SysV service script with
/usr/lib/systemd/systemd-sysv-install.

Executing: /usr/lib/systemd/systemd-sysv-install enable nginx

```
hansinir@VM:~$ cd /var/www/html
```

```
hansinir@VM:/var/www/html$ sudo rm -rf *
```

```
hansinir@VM:/var/www/html$ sudo git clone  
https://github.com/gvhansinir/Portfolio.git .
```

Cloning into '.'...

remote: Enumerating objects: 4, done.

remote: Counting objects: 100% (4/4), done.


remote: Compressing objects: 100% (4/4), done.

remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0

Receiving objects: 100% (4/4), done.

```
hansinir@VM:/var/www/html$ sudo chown -R www-data:www-data /var/www/html
```


```
hansinir@VM:/var/www/html$
```



```
Switch to PowerShell Restart Manage files New session Editor Web preview Settings Help
hansinir@VM:/var/www/html$ sudo rm -rf /var/www/html/*
hansinir@VM:/var/www/html$ sudo git clone https://github.com/hansini-r/Portfolio.git .
fatal: unable to get current working directory: No such file or directory
hansinir@VM:/var/www/html$ cd /var/www
hansinir@VM:/var/www$ sudo mkdir -p html
hansinir@VM:/var/www$ cd html
hansinir@VM:/var/www/html$ pwd
/var/www/html
hansinir@VM:/var/www/html$ sudo git clone https://github.com/hansini-r/Portfolio.git .
Cloning into '.'...
remote: Enumerating objects: 56, done.
remote: Counting objects: 100% (56/56), done.
remote: Compressing objects: 100% (54/54), done.
remote: Total 56 (delta 5), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (56/56), 790.88 KiB | 8.24 MiB/s, done.
Resolving deltas: 100% (5/5), done.
hansinir@VM:/var/www/html$ sudo chown -R www-data:www-data /var/www/html
hansinir@VM:/var/www/html$
```

OUTPUT:


IP Address:52.230.105.19



MODULE 3: CREATION OF STORAGE ACCOUNT

To Create A Storage Account In Microsoft Azure, Follow These Steps:


1. Sign in to Azure Portal.
2. Create a Resource
3. Configure the Basics
4. Set Advanced Options
5. Review and Create
6. Access the Storage Account
7. After deployment, access the storage account to manage containers, blobs, files, tables, or queues.




MANAGING OF STORAGE ACCOUNT :

To Upload An Image Into A Container In An Azure Storage Account, Follow These Steps:

1. Access the Storage Account: Sign in to the Azure portal and navigate to your Storage Account.
2. Create a Container: In the Storage Account, select "Containers" and click "Add Container." Name the container and set the access level (private, blob, or container).
3. Open the Container: Once created, click on the container to open it.
4. Upload the Image: Click the "Upload" button within the container. In the upload window, browse your local machine to select the image file.
5. Configure Upload Settings: Optional - You can set advanced upload options like overwriting existing files, setting metadata, or assigning blob tier.
6. Start the Upload: Click "Upload" to start the process. Once the upload is complete, your image will be stored in the container and accessible based on the access level you set.





URL PATH OF IMAGE :

Url: <https://mystores.blob.core.windows.net/mystore1/suriya.jpg>

OUTPUT :



MODULE 4: CREATION OF STATIC WEB APPS

Deploying a Static Web Page on Azure

Using Azure Static Web App:


Prepare Your Site: Develop your static site and push it to a GitHub repository.

Set Up Azure Static Web Apps:


1. Sign in to [Azure Portal](#).
2. Click **Create a resource > Static Web Apps**.
3. Connect to your GitHub repo and branch.

Deploy and Access:

1. Azure deploys your site automatically.
2. Access it via the provided URL.




Access Your GitHub Pages Site :



OUTPUT :

Url: <https://kind-glacier-06ff05800.5.azurestaticapps.net/#about>




MODULE 5: CREATION OF LOCK IN STORAGE ACCOUNT

To create a lock on a storage account in Azure:

1. **Go to the Azure Portal:** Sign in at portal.azure.com.
2. **Find Your Storage Account:** Navigate to Storage accounts and select your account.
3. **Add a Lock:**
 1. Go to Settings > Locks.
 2. Click + Add, choose ReadOnly or Delete, name the lock, and click OK.

This prevents accidental deletion or modification of your storage account.



After creating a lock :

