

MVPCompanion V1 Launch Specification

Version: 1.0

Purpose: Launch the current MVPCompanion website publicly at www.mvpcompanion.com as a credible, production-ready V1.

Scope: Website launch only — not the future MVPCompanion app.

1. Launch Objective

MVPCompanion V1 should establish a clear public presence for the method:

MVPCompanion is a systematic method for turning app ideas into valuable, viable and buildable MVPs.

The website should:

1. Explain the problem with idea-to-MVP development.
2. Explain the MVPCompanion approach and method.
3. Present the **five phases / fifteen stages** clearly.
4. Make the methodology credible through the Framework and Traceability concepts.
5. Explain the resulting MVP specification.
6. Establish MVPCompanion as a coherent product ecosystem:
Book → Website → future App
7. Provide a simple way to start or contact MVPCompanion.
8. Be technically and legally ready for public access.

The V1 website **does not need to implement the future MVPCompanion app.**

2. Product Positioning

Core statement

Turn Ideas into Meaningful Products.

Supporting statement

A systematic method for turning app ideas into valuable, viable and buildable MVPs.

Core methodological principle

Progressive clarification: start with an uncertain idea, make the problem and user explicit, establish the product model, derive the smallest coherent solution, and specify it precisely enough to build and learn from.

App_Idea_to_MVP_Spec_Guide_Editable.docx

Method signature

Method + Process → Integrated MVP Spec → Valuable · Viable · Buildable MVP

Quality principle

**Problem → User → Outcome → Job → Capability → Requirement → Acceptance
Criterion → Metric**

App_Idea_to_MVP_Spec_Guide_Editable.docx

3. Website Scope

Required V1 pages

Page	Purpose	Priority
Home	Explain MVPCompanion	● Required
Process / Method	Explain the 15-stage method	● Required
Contact	Enable contact	● Required
Impressum	Legal operator information	● Required
Datenschutz	Privacy information	● Required
404	Handle invalid URLs	● Required before launch

Optional V1 pages

Page	Purpose	Priority
Book	Explain/book future book offering	● Optional
Resources	Future content/resources	● Optional
Templates	Future downloadable templates	● Optional
About	Founder/background	● Optional

Recommendation: Do not delay launch for optional content sections. Empty or placeholder-heavy sections are less useful than a focused V1.

4. Homepage Specification

The existing homepage structure should remain largely unchanged because it already represents the intended methodology.

Section sequence

1. **Hero**
2. **Problem**
3. **Approach**
4. **Framework**
5. **Traceability**
6. **Process**
7. **Result**
8. **Ecosystem**
9. **Audience**
10. **CTA**

Hero

Eyebrow

PLAN · BUILD · LEARN · GROW

Headline

Turn Ideas into Meaningful Products.

Subheadline

A systematic method for turning app ideas into valuable, viable and buildable MVPs.

Primary CTA

Get Started Free →

Secondary CTA

Explore the Method

Hero visual

Five connected phases:

1. Understand — Idea · Problem · User
2. Define — Value · Product · Context
3. Shape — Jobs · Scope · Experience
4. Specify — Information Architecture · Data · Requirements
5. Learn — Learning · Technical Boundaries · MVP Boundary

5. Process Architecture

MVPCompanion V1 should communicate:

Five phases. Fifteen stages.

The five phases are a simplified view of the same underlying process — **not five replacement stages**.

Phase 01 — Understand

- 01 Idea
- 02 Problem
- 03 User

Phase 02 — Define

- 04 Value
- 05 Product
- 06 Context

Phase 03 — Shape

- 07 Jobs
- 08 Scope
- 09 Experience

Phase 04 — Specify

- 10 Information Architecture
- 11 Data
- 12 Requirements

Phase 05 — Learn

- 13 Learning
- 14 Technical Boundaries
- 15 MVP Boundary

The underlying source methodology describes these stages individually and assigns each an explicit output, from Idea Brief through Scope Statement / prioritized feature list / exclusions.

App_Idea_to_MVP_Spec_Guide_Editable.docx

Important positioning

Do **not** describe MVP as a sixth phase. The MVP is the **result** of the clarification process.

6. Methodological Content

The website should preserve the conceptual depth of the methodology.

The critical sequence is:

Clarify before designing. Model before listing features. Scope before specifying. Define learning before building.

App_Idea_to_MVP_Spec_Guide_Editable.docx

The site should particularly communicate the following methodological ideas.

Problem before solution

The problem should exist independently of the proposed app.

App_Idea_to_MVP_Spec_Guide_Editable.docx

Product model before screen list

Identify the central object/entity and its supporting relationships before designing screens.

App_Idea_to_MVP_Spec_Guide_Editable.docx

Jobs before features

Capabilities should be derived from core user jobs rather than beginning with a feature list.

App_Idea_to_MVP_Spec_Guide_Editable.docx

Coherent MVP

The MVP should be the smallest coherent product capable of delivering its core promise and testing important assumptions.

App_Idea_to_MVP_Spec_Guide_Editable.docx

MVP as learning instrument

Success is not simply “the software works”; the MVP should generate observable learning.

App_Idea_to_MVP_Spec_Guide_Editable.docx

7. Framework Graphic

The current Framework graphic is considered **approved for V1**.

It should communicate:

Why + How

MVPCompanion Method

What + When

From Idea to MVP

↓

Integrated MVP Spec

↓

Valuable · Viable · Buildable MVP

No redesign is required for launch.

8. Traceability Graphic

The current Traceability graphic is **good enough for V1** and should not become a launch blocker.

It represents:

**Problem → User → Outcome → Job → Capability → Requirement → Acceptance
Criterion → Metric**

The methodology explicitly defines this chain as the central quality test for the MVP specification.

App_Idea_to_MVP_Spec_Guide_Editable.docx

Potential visual refinement can be postponed to V1.1.

9. Result / MVP Definition

The website should define the resulting MVP through three dimensions:

Valuable

Solves a meaningful user problem.

Viable

Creates a credible basis for the product and its context.

Buildable

Is sufficiently defined to actually build.

Then reinforce:

Not everything you could build.

The smallest coherent product worth building and learning from.

The underlying methodology similarly defines the MVP as a smallest coherent product capable of delivering the core promise and testing important assumptions.

App_Idea_to_MVP_Spec_Guide_Editable.docx

10. Contact Functionality

Contact page

Minimum fields:

- Name
- Email
- Message

Optional:

- Subject / reason for contact

Required behavior

After successful submission:

Thanks — your message has been sent.

On failure:

Something went wrong. Please try again or contact us directly.

Technical requirement

The form must actually deliver messages.

A visual-only form is **not acceptable for launch**.

The implementation should keep secrets/API keys server-side and use environment variables.

11. Legal Pages

Impressum

A complete Impressum must be available before public launch.

It should identify the operator and contain the information required for the actual operating structure.

The final text should be reviewed against the actual legal setup.

Datenschutz

A dedicated privacy page is required.

It should accurately document the actual V1 data processing, especially:

- contact form
- hosting
- server logs
- email transmission
- cookies, if any
- externally loaded resources
- fonts
- analytics, if any
- third-party services

Important: Do not create a generic privacy policy containing services that the website does not actually use.

12. Privacy-First V1 Technical Scope

For the simplest launch, V1 should preferably avoid unnecessary tracking.

V1 recommendation

No:

- Google Analytics
- Meta Pixel
- Hotjar
- advertising trackers
- unnecessary marketing cookies

This keeps the initial technical and privacy setup substantially simpler.

Fonts

Check whether **Plus Jakarta Sans** is loaded externally.

Prefer:

self-hosted font assets

rather than unnecessary external font requests.

13. Domain & Infrastructure

Production domain:

www.mvpcompanion.com

Recommended behavior:

mvpcompanion.com



www.mvpcompanion.com

with HTTPS.

Required

- DNS configured
 - SSL/TLS active
 - production deployment
 - [www](#) reachable
 - root-domain redirect configured
 - canonical URL defined
 - no localhost references
 - no development environment leakage
-

14. Email Infrastructure

Use a professional domain email, for example:

hello@mvpcompanion.com

or

contact@mvpcompanion.com

The exact address is a business decision.

Recommended technical setup

- SPF
- DKIM
- DMARC

This is particularly important once the contact form sends email from the domain.

15. SEO V1

Required technical SEO basics:

<title>

Something close to:

MVPCompanion — Turn Ideas into Meaningful Products

Meta description

Describe MVPCompanion as the systematic method for turning app ideas into valuable, viable and buildable MVPs.

Required

- canonical URL
- Open Graph title
- Open Graph description
- Open Graph image
- favicon
- **robots.txt**
- **sitemap.xml**

No sophisticated SEO strategy is required for V1.

16. Accessibility

Before launch:

Navigation

- keyboard accessible
- visible focus state
- links/buttons distinguishable

Content

- logical heading hierarchy
- readable contrast
- meaningful link labels
- form labels
- useful error messages

Graphics

The Framework and Traceability SVGs should not create accessibility problems.

Where appropriate, decorative SVGs should be hidden from screen readers; meaningful diagrams should have an accessible description.

17. Responsive QA

Test at minimum:

Desktop

- Chrome
- Safari

Mobile

- iPhone Safari
- Android Chrome

Check

- hero layout
- navigation
- typography
- five-phase visual
- Framework SVG
- Traceability SVG
- CTA buttons
- contact form
- legal pages
- footer
- horizontal overflow
- touch targets

Particular attention should go to the two SVG diagrams because they use responsive layouts.

18. Production Quality Checks

Before deployment:

Functional

- All navigation links work
- All CTA links work
- Contact form works
- Contact email arrives
- Error handling works
- Impressum accessible
- Datenschutz accessible
- 404 works

Technical

- Production build succeeds
- No console errors
- No broken assets
- No localhost URLs
- No test content
- No placeholder text
- No unused generated brand assets
- Official logo is used
- Environment variables are configured
- HTTPS works

Visual

- Desktop checked
 - Mobile checked
 - Framework graphic approved
 - Traceability graphic acceptable
 - Footer checked
 - Header checked
-

19. Content Integrity

One particularly important V1 requirement:

Clearly distinguish today's MVPCompanion from the future app.

The website can say:

Book → Understand

Website → Explore

App → Do

But it should **not imply that the MVPCompanion app already exists** if it does not.

Likewise, avoid claims such as:

- “Start building your MVP with our AI”
- “Generate your complete MVP”
- “Our app automatically creates your product”

unless those capabilities actually exist.

The V1 website is selling/explaining the **method**, not pretending that the future software product already exists.

20. What Is Explicitly Out of Scope for V1

To keep launch focused, do **not** make these launch blockers:

Product

- user accounts
- login
- workspace
- project persistence
- AI assistant
- automated MVP generation
- collaboration
- dashboards
- billing
- subscriptions

Content

- complete resource library
- extensive blog
- large template library
- extensive case-study library
- comprehensive book sales infrastructure

Marketing technology

- advanced analytics
- personalization
- retargeting
- marketing automation
- newsletter infrastructure

These can become subsequent product/marketing work.

21. V1 Launch Definition of Done

MVPCompanion V1 is ready to launch when:

Product/message

- Core positioning is clear
- Method is understandable
- Five phases are understandable
- Fifteen stages are represented
- Framework is represented
- Traceability is represented
- MVP outcome is clear
- Future app is not misrepresented

Website

- Homepage complete
- Process/method page complete
- Contact page complete
- Impressum complete
- Datenschutz complete
- 404 complete

Infrastructure

- Domain live
- HTTPS live
- DNS configured
- Email working
- Contact form working
- SPF/DKIM/DMARC configured

Technical

- Production build passes
- No critical console errors
- SEO metadata complete
- robots.txt
- sitemap.xml
- favicon
- OG metadata
- responsive behavior verified


Quality

- Mobile tested

- Desktop tested
 - Accessibility basics checked
 - Legal pages checked
 - Assets/licenses checked
-

22. Recommended V1 Architecture

The launch can therefore remain deliberately small:



23. V1 → V1.1 → V2 Direction

This specification also gives a clean boundary between website launch and product development.

V1 — Explain

Make the method understandable and credible.

V1.1 — Validate

Add:

- templates
- downloadable artifacts
- early user feedback
- examples/case studies
- potentially newsletter
- improved Traceability visual
- deeper process content

V2 — Do

The future MVPCompanion app can then operationalize the method:

Understand → Define → Shape → Specify → Learn

and progressively turn the methodology into an interactive product experience.

This is consistent with the source methodology's emphasis on turning progressive clarification into a reusable specification process rather than simply producing a feature list.

App_Idea_to_MVP_Spec_Guide_Editable.docx

My recommendation for the immediate next step

Do not redesign the website further right now.

The current content and visual system are sufficiently mature for V1. The remaining work should shift from **design refinement** → **launch readiness**.

The next concrete artifact should be a **single Cursor implementation prompt** covering only:

1. Impressum
2. Datenschutz
3. Contact page + working form
4. production email handling
5. SEO metadata
6. robots.txt + sitemap
7. 404
8. favicon/OG
9. production-domain readiness
10. final QA

That gives you a very clean transition from the current localhost version to a **real MVPCompanion V1 launch**.

