






23 P6LED1/DISAUTOLOAD Disable EEPROM Autoload.
Pull Up: Disable EEPROM autoload
Pull Down: Enable EEPROM autoload


24 P6LED0/MID29 Slave SMI (MDC/MDIO) Device Address.
Pull Up: Slave SMI (MDC/MDIO) Device Address is d ' 29
Pull Down: Slave SMI (MDC/MDIO) Device Address is 0


25 P3LED2/EN_PHY Enable Embedded PHY.
Pull Up: Enable embedded PHY
Pull Down: Disable embedded PHY


26 P3LED1





27 P3LED0/SMI_SEL Slave I2C-like/Slave MII Management Interface Selection.
Pull Up: Slave I2C-like interface
Pull Down: Slave MII Management interface




Schematic	Schematic1			Update Date	2022-12-30	
				Create Date	2022-10-17	
Page	RTL8213B			Part Number		
Drawn		RTL8367S_RTL8213B_帶SFP接口千兆交换机				
Reviewed						
		VER	SIZE	PAGE	1	OF 5
		V1.0	A3	嘉立创EDA		




Schematic	Schematic1			Update Date	2022-12-30
				Create Date	2022-10-17
Page	RTL8367S			Part Number	
Drawed		RTL8367S_RTL8213B_带SFP接口千兆交换机			
Reviewed					
		VER	SIZE	PAGE	2 OF 5
		V1.0	A3	嘉立创EDA	




Schematic	Schematic1		Update Date	2022-12-30
			Create Date	2022-10-17
Page	Power		Part Number	
Drawn	RTL8367S_RTL8213B_带SFP接口千兆交换机			
Reviewed				
		VER	SIZE	PAGE 3 OF 5
嘉立创EDA		V1.0	A3	嘉立创EDA



81 EEPROM SMI/MII Management Interface Selection.
Pull Up: EEPROM SMI interface
Pull Down: MII Management interface




75 LAN2LED0 / DIS_8051:
是否启用内部单片机
Disable Embedded 8051.
Pull Up: Disable embedded 8051
Pull Down: Enable embedded 8051




74 LAN3LED0 / EN_SPIF:
是否启用SIP Flash
Enable SPI FLASH Interface.
Pull Up: Enable FLASH interface
Pull Down: Disable FLASH interface


傻瓜交换机模式：不贴R58，贴R57，LED6反贴
不贴R69，贴R70，LED8反贴
不贴R24，贴R23



79 LAN1LED0 / EN_PHY:
Enable Embedded PHY.
Pull Up: Enable embedded PHY
Pull Down: Disable embedded PHY



70 LAN4LED0 / EEPROM_MOD:
选择EEPROM的型号
EEPROM Mode Selection.
Pull Up: EEPROM 24Cxx Size greater than 16Kbits (24C32-24C256)
Pull Down: EEPROM 24Cxx Size less than or equal to 16Kbit (24C02-24C16).

Schematic	Schematic1			Update Date	2022-12-30	
				Create Date	2022-10-17	
Page	RJ45			Part Number		
Drawed		RTL8367S_RTL8213B_帶SFP接口千兆交换机				
Reviewed						
		VER	SIZE	PAGE	4	OF 5
		V1.0	A3	嘉立创EDA		

