





Dashboard eCommerceDeploy #17

 Status

 Changes

 Console Output

 View as plain text

 Edit Build Information

 Delete build '#17'

 Git Build Data

 Open Blue Ocean

 Previous Build

## Console Output

Started by user [han huang](#)

Running as SYSTEM

Building in workspace /var/jenkins\_home/workspace/eCommerceDeploy

The recommended git tool is: NONE

using credential 7064ab46-a867-4776-8e7f-470110b0c0e7

```
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/eCommerceDeploy/.git #  
timeout=10
```

Fetching changes from the remote Git repository

```
> git config remote.origin.url https://github.com/hansomwong/e\_commerce\_app.git #  
timeout=10
```

Fetching upstream changes from [https://github.com/hansomwong/e\\_commerce\\_app.git](https://github.com/hansomwong/e_commerce_app.git)

```
> git --version # timeout=10
```

```
> git --version # 'git version 2.30.2'
```

using GIT\_SSH to set credentials

Verifying host key using known hosts file

You're using 'Known hosts file' strategy to verify ssh host keys, but your known\_hosts file does not exist, please go to 'Manage Jenkins' -> 'Configure Global Security' -> 'Git Host Key Verification Configuration' and configure host key verification.

```
> git fetch --tags --force --progress -- https://github.com/hansomwong/e_commerce_app.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
```

```
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
```

Checking out Revision dd52b283dc6e98f1a1393cc12414f2a380282a8b (refs/remotes/origin/master)

```
> git config core.sparsecheckout # timeout=10
```

```
> git checkout -f dd52b283dc6e98f1a1393cc12414f2a380282a8b # timeout=10
```

Commit message: "add ignore file"

```
> git rev-list --no-walk dd52b283dc6e98f1a1393cc12414f2a380282a8b # timeout=10
```

[eCommerceDeploy] \$ mvn -f pom.xml package

```
[ 1;34mINFO [m] Scanning for projects...
```

```
[ 1;34mINFO [m]
```

```
[ 1;34mINFO [m] [1m-----< [0;36mcom.example:auth-course [0;1m >-----
----- [m
```

```
[ 1;34mINFO [m] [1mBuilding auth-course 0.0.1-SNAPSHOT [m
```

```
[ 1;34mINFO [m] [1m-----[ jar ]-----
-- [m
```

```
[ 1;34mINFO [m]
```

```
[ 1;34mINFO [m] [1m--- [0;32mmaven-resources-plugin:3.1.0:resources [m [1m(default-
resources) [m @ [36mauth-course [0;1m --- [m
```

```
[ 1;34mINFO [m] Using 'UTF-8' encoding to copy filtered resources.
```

```
[ 1;34mINFO [m] Copying 1 resource
```

```
[ 1;34mINFO [m] Copying 2 resources
```

```
[ 1;34mINFO [m]
```

```
[ 1;34mINFO [m] [1m--- [0;32mmaven-compiler-plugin:3.8.1:compile [m [1m(default-
compile) [m @ [36mauth-course [0;1m --- [m
```

```
[ 1;34mINFO [m] Nothing to compile - all classes are up to date
```

```
[ 1;34mINFO [m]
```

```
[ 1;34mINFO [m] [1m--- [0;32mmaven-resources-plugin:3.1.0:testResources [m [1m(default-
testResources) [m @ [36mauth-course [0;1m --- [m
```

```
[ 1;34mINFO [m] Using 'UTF-8' encoding to copy filtered resources.
```

```
[ 1;34mINFO [m] skip non existing resourceDirectory
```

```
/var/jenkins_home/workspace/eCommerceDeploy/src/test/resources
```

```
[ 1;34mINFO [m]
```

```
[ 1;34mINFO [m] [1m--- [0;32mmaven-compiler-plugin:3.8.1:testCompile [m [1m(default-
testCompile) [m @ [36mauth-course [0;1m --- [m
```

```
[ 1;34mINFO [m] Nothing to compile - all classes are up to date
```

```
[ 1;34mINFO [m]
```

```
[ 1;34mINFO [m] [1m--- [0;32mmaven-surefire-plugin:2.22.2:test [m [1m(default-test) [m
@ [36mauth-course [0;1m --- [m
```

```
[ [1;34mINFO [m]
[ [1;34mINFO [m] -----
[ [1;34mINFO [m]   T E S T S
[ [1;34mINFO [m] -----
2022-12-10T19:30:42.442+0000 INFO Neither @ContextConfiguration nor @ContextHierarchy found
for test class [com.example.demo.SareetaApplicationTests], using SpringBootTestLoader
2022-12-10T19:30:42.474+0000 INFO Could not detect default resource locations for test
class [com.example.demo.SareetaApplicationTests]: no resource found for suffixes {-
context.xml, Context.groovy}.
2022-12-10T19:30:42.480+0000 INFO Could not detect default configuration classes for test
class [com.example.demo.SareetaApplicationTests]: SareetaApplicationTests does not declare
any static, non-private, non-final, nested classes annotated with @Configuration.
2022-12-10T19:30:42.686+0000 INFO Found @SpringBootConfiguration
com.example.demo.SareetaApplication for test class com.example.demo.SareetaApplicationTests
2022-12-10T19:30:42.831+0000 INFO Loaded default TestExecutionListener class names from
location [META-INF/spring.factories]:
[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener
, org.springframework.security.test.context.support.ReactorContextTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.test.context.event.EventPublishingTestExecutionListener,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecut
ionListener,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecut
ionListener,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExec
utionListener]
2022-12-10T19:30:42.875+0000 INFO Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@4078695f,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@79a
1728c, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@a7f0ab6,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListe
ner@41f35f7c,
org.springframework.test.context.support DirtiesContextTestExecutionListener@42c2f48c,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@3005db4a,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@425d5d46,
```

```
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@198ef2ce,
org.springframework.test.context.event.EventPublishingTestExecutionListener@4cbd03e7,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener@52fc5eb1, org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@7a639ec5,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@14151bc5
,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener@3013909b,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener@2a49fe,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@66596a88,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener@5aae8eb5]
2022-12-10T19:30:42.919+0000 INFO Neither @ContextConfiguration nor @ContextHierarchy found for test class [com.example.demo.SareetaApplicationTests], using SpringBootTestLoader
2022-12-10T19:30:42.928+0000 INFO Could not detect default resource locations for test class [com.example.demo.SareetaApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.
2022-12-10T19:30:42.928+0000 INFO Could not detect default configuration classes for test class [com.example.demo.SareetaApplicationTests]: SareetaApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.
2022-12-10T19:30:42.935+0000 INFO Found @SpringBootConfiguration
com.example.demo.SareetaApplication for test class com.example.demo.SareetaApplicationTests
2022-12-10T19:30:42.947+0000 INFO Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener
, org.springframework.security.test.context.support.ReactorContextTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support.DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.test.context.event.EventPublishingTestExecutionListener,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
```

```
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener]
2022-12-10T19:30:42.955+0000 INFO Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@7dd00705,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@f14e5bf, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@d176a31,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@3a91d146,
org.springframework.test.context.support DirtiesContextTestExecutionListener@4784013e,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@6f952d6c,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@5965844d,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@6d4a65c6,
org.springframework.test.context.event.EventPublishingTestExecutionListener@aa004a0,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener@4c98a6d5, org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@392a04e7,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@7f02251,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener@dffa30b,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener@4d8126f,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@6d3c232f,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener@6b587673]
[ [1;34mINFO [m] Running com.example.demo.controllers. [1mCartControllerTest [m
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m2 [m, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.889 s - in com.example.demo.controllers. [1mCartControllerTest [m
[ [1;34mINFO [m] Running com.example.demo.controllers. [1mItemControllerTest [m
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m3 [m, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s - in com.example.demo.controllers. [1mItemControllerTest [m
[ [1;34mINFO [m] Running com.example.demo.controllers. [1mOrderControllerTest [m
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m2 [m, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.001 s - in com.example.demo.controllers. [1mOrderControllerTest [m
[ [1;34mINFO [m] Running com.example.demo.controllers. [1mUserControllerTest [m
2022-12-10T19:30:44.196+0000 INFO Created user with username, hanhuang.
2022-12-10T19:30:44.199+0000 INFO Created user with username, hanhuang.
2022-12-10T19:30:44.200+0000 INFO Found user with username, hanhuang.
2022-12-10T19:30:44.203+0000 INFO Created user with username, hanhuang.
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m3 [m, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.075 s - in com.example.demo.controllers. [1mUserControllerTest [m
[ [1;34mINFO [m] Running com.example.demo.persistence. [1mItemTest [m
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m1 [m, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.002 s - in com.example.demo.persistence. [1mItemTest [m
```

```
[ [1;34mINFO [m] Running com.example.demo.persistence. [1mUserOrderTest [m
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m1 [m, Failures: 0, Errors: 0, Skipped: 0, Time
elapsed: 0 s - in com.example.demo.persistence. [1mUserOrderTest [m
[ [1;34mINFO [m] Running com.example.demo.securityTest. [1mServiceImplementorTest [m
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m1 [m, Failures: 0, Errors: 0, Skipped: 0, Time
elapsed: 0 s - in com.example.demo.securityTest. [1mServiceImplementorTest [m
[ [1;34mINFO [m] Running com.example.demo. [1mSareetaApplicationTests [m
```

```

      _ _ _ _ _
     / \ / \ _ _ _ _ _ ( _ ) _ _ _ _ \ \ \ \
    ( ( ) \ _ _ | ' _ | ' _ | ' _ \ / _ _ | \ \ \ \
    \ \ / _ _ ) | _ _ | | | | | | ( _ | ) ) ) )
     ' | _ _ | . _ | | | _ _ | _ _ , | / / / /
    =====|_|=====|_|_/ _ / _ / _ /
:: Spring Boot ::                (v2.3.4.RELEASE)

```

2022-12-10T19:30:44.805+0000 INFO Starting SareetaApplicationTests on 8182a2d9cd6b with PID 195 (started by root in /var/jenkins\_home/workspace/eCommerceDeploy)

2022-12-10T19:30:44.814+0000 DEBUG Running with Spring Boot v2.3.4.RELEASE, Spring v5.2.9.RELEASE

2022-12-10T19:30:44.816+0000 INFO No active profile set, falling back to default profiles: default

2022-12-10T19:30:45.932+0000 INFO Bootstrapping Spring Data JPA repositories in DEFAULT mode.

2022-12-10T19:30:46.020+0000 INFO Finished Spring Data repository scanning in 73ms. Found 4 JPA repository interfaces.

2022-12-10T19:30:47.367+0000 INFO HHH000204: Processing PersistenceUnitInfo [name: default]

2022-12-10T19:30:47.496+0000 INFO HHH000412: Hibernate ORM core version 5.4.21.Final

2022-12-10T19:30:47.572+0000 INFO HCANN000001: Hibernate Commons Annotations {5.1.0.Final}

2022-12-10T19:30:47.761+0000 INFO HikariPool-1 - Starting...

2022-12-10T19:30:48.130+0000 INFO HikariPool-1 - Start completed.

2022-12-10T19:30:48.161+0000 INFO HHH000400: Using dialect: org.hibernate.dialect.H2Dialect

2022-12-10T19:30:48.973+0000 INFO HHH000182: No default (no-argument) constructor for class: com.example.demo.model.persistence.Item (class must be instantiated by Interceptor)

2022-12-10T19:30:49.359+0000 INFO HHH000490: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]

2022-12-10T19:30:49.371+0000 INFO Initialized JPA EntityManagerFactory for persistence unit 'default'

2022-12-10T19:30:50.543+0000 WARN spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning

2022-12-10T19:30:51.406+0000 INFO Creating filter chain: any request,

[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@1a13b5c1, org.springframework.security.web.context.SecurityContextPersistenceFilter@4e7b89b6,

```
org.springframework.security.web.header.HeaderWriterFilter@7be85f15,
org.springframework.web.filter.CorsFilter@1b6e32ee,
org.springframework.security.web.authentication.logout.LogoutFilter@62ff3028,
com.example.demo.security.JWTAuthenticationFilter@798d8247,
com.example.demo.security.JWTAuthenticationVerificationFilter@41623694,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@4cf1ec2,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@4961631
0, org.springframework.security.web.authentication.AnonymousAuthenticationFilter@46d83ec4,
org.springframework.security.web.session.SessionManagementFilter@78a7fccd,
org.springframework.security.web.access.ExceptionTranslationFilter@4f3b11e6,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@186537ac]
2022-12-10T19:30:51.804+0000 INFO Initializing ExecutorService 'applicationTaskExecutor'
2022-12-10T19:30:52.189+0000 INFO Started SareetaApplicationTests in 7.898 seconds (JVM
running for 12.219)
[ [1;34mINFO [m] [1;32mTests run: [0;1;32m1 [m, Failures: 0, Errors: 0, Skipped: 0, Time
elapsed: 7.988 s - in com.example.demo. [1mSareetaApplicationTests [m
2022-12-10T19:30:52.258+0000 INFO Shutting down ExecutorService 'applicationTaskExecutor'
2022-12-10T19:30:52.261+0000 INFO Closing JPA EntityManagerFactory for persistence unit
'default'
2022-12-10T19:30:52.265+0000 INFO HikariPool-1 - Shutdown initiated...
2022-12-10T19:30:52.273+0000 INFO HikariPool-1 - Shutdown completed.
[ [1;34mINFO [m]
[ [1;34mINFO [m] Results:
[ [1;34mINFO [m]
[ [1;34mINFO [m] [1;32mTests run: 14, Failures: 0, Errors: 0, Skipped: 0 [m
[ [1;34mINFO [m]
[ [1;34mINFO [m]
[ [1;34mINFO [m] [1m--- [0;32mmaven-jar-plugin:3.1.1:jar [m [1m(default-jar) [m @
[36mauth-course [0;1m --- [m
[ [1;34mINFO [m] Building jar: /var/jenkins_home/workspace/eCommerceDeploy/target/auth-
course-0.0.1-SNAPSHOT.jar
[ [1;34mINFO [m]
[ [1;34mINFO [m] [1m--- [0;32mspring-boot-maven-plugin:2.3.4.RELEASE:repackage [m
[1m(repackage) [m @ [36mauth-course [0;1m --- [m
[ [1;34mINFO [m] Replacing main artifact with repackaged archive
[ [1;34mINFO [m] [1m-----
-- [m
[ [1;34mINFO [m] [1;32mBUILD SUCCESS [m
[ [1;34mINFO [m] [1m-----
-- [m
[ [1;34mINFO [m] Total time: 17.968 s
[ [1;34mINFO [m] Finished at: 2022-12-10T19:30:53Z
[ [1;34mINFO [m] [1m-----
```

-- [m

Finished: SUCCESS

Jenkins 2.381