

## S&P 500 Dual-List Screen — 2026-09-24

Scanned 503 constituents, 503 OK, 0 skipped. Timeframe: 2-hour bars synthesized from Yahoo Finance 1-hour data (regular session only).

List 1 · EMA36(close) × EMA90(open) cross within last trading day — golden 5 / death 6

| Ticker | Company                | Type   | Bar time         | EMA36  | EMA90  | Close  |
|--------|------------------------|--------|------------------|--------|--------|--------|
| BDX    | Becton Dickinson       | death  | 2026-09-24 13:30 | 181.88 | 181.89 | 179.70 |
| ELV    | Elevance Health        | death  | 2026-09-24 15:30 | 405.58 | 405.71 | 398.16 |
| MCK    | McKesson Corporation   | death  | 2026-09-24 15:30 | 885.92 | 885.95 | 869.14 |
| MDT    | Medtronic              | death  | 2026-09-24 09:30 | 91.55  | 91.63  | 89.17  |
| TRGP   | Targa Resources        | death  | 2026-09-24 09:30 | 287.99 | 287.99 | 284.85 |
| TRMB   | Trimble Inc.           | death  | 2026-09-24 13:30 | 58.42  | 58.44  | 57.69  |
| EMR    | Emerson Electric       | golden | 2026-09-24 13:30 | 151.87 | 151.83 | 155.29 |
| GRMN   | Garmin                 | golden | 2026-09-24 13:30 | 281.93 | 281.84 | 293.94 |
| MAR    | Marriott International | golden | 2026-09-24 15:30 | 343.87 | 343.73 | 351.46 |
| PWR    | Quanta Services        | golden | 2026-09-24 15:30 | 634.54 | 634.32 | 643.50 |
| SNPS   | Synopsys               | golden | 2026-09-24 13:30 | 402.03 | 401.81 | 423.00 |

List 2 · Close beyond BB(90, SMA, 3) with Beta(300) regime confirmation — above 0 / below 3

| Ticker | Company              | Side  | Close  | Upper  | Lower  | Beta  | Beta mean |
|--------|----------------------|-------|--------|--------|--------|-------|-----------|
| AIZ    | Assurant             | below | 261.92 | 299.46 | 264.31 | 0.048 | 0.083     |
| AMP    | Ameriprise Financial | below | 484.94 | 606.05 | 487.56 | 0.600 | 0.634     |
| FSLR   | First Solar          | below | 172.16 | 226.32 | 178.15 | 2.079 | 2.131     |

Data: Yahoo Finance 1h bars resampled to 2h (regular session). List 2 condition: close above upper band AND Beta(300) above its 252-bar mean, or close below lower band AND beta below its mean. This report is a mechanical screening output, not investment advice.