

S&P 500 Dual-List Screen — 2026-08-17

Scanned 503 constituents, 502 OK, 1 skipped (PPL). Timeframe: 2-hour bars synthesized from Yahoo Finance 1-hour data (regular session only).

List 1 · EMA36(close) × EMA90(open) cross within last trading day — golden 9 / death 14

Ticker	Company	Type	Bar time	EMA36	EMA90	Close
AON	Aon plc	death	2026-08-17 09:30	356.49	356.59	350.91
CL	Colgate-Palmolive	death	2026-08-17 15:30	91.95	91.96	90.22
CSCO	Cisco	death	2026-08-17 13:30	116.78	116.87	112.96
DG	Dollar General	death	2026-08-17 15:30	122.73	122.80	120.09
EXR	Extra Space Storage	death	2026-08-17 13:30	148.00	148.01	146.75
IDXX	Idexx Laboratories	death	2026-08-17 13:30	567.79	568.31	545.39
KVUE	Kenvue	death	2026-08-17 13:30	19.10	19.11	18.80
MCD	McDonald's	death	2026-08-17 13:30	271.83	271.92	265.52
MCO	Moody's Corporation	death	2026-08-17 09:30	480.81	480.93	478.32
MOS	Mosaic Company (The)	death	2026-08-17 09:30	22.40	22.45	21.05
OTIS	Otis Worldwide	death	2026-08-17 13:30	72.75	72.76	70.86
PEP	PepsiCo	death	2026-08-17 09:30	139.13	139.14	138.03
PM	Philip Morris International	death	2026-08-17 11:30	188.35	188.43	185.20
SNA	Snap-on	death	2026-08-17 13:30	408.07	408.15	402.07
FIX	Comfort Systems USA	golden	2026-08-17 11:30	1746.11	1744.05	1858.84
GLW	Corning Inc.	golden	2026-08-17 11:30	161.90	161.77	175.11
HAL	Halliburton	golden	2026-08-17 11:30	33.33	33.32	34.46
IBKR	Interactive Brokers	golden	2026-08-17 09:30	90.63	90.61	92.42
JBHT	J.B. Hunt	golden	2026-08-17 15:30	276.91	276.89	283.29
KMI	Kinder Morgan	golden	2026-08-17 09:30	31.89	31.87	32.63
SNDK	Sandisk	golden	2026-08-17 11:30	1449.41	1445.78	1784.40
TRGP	Targa Resources	golden	2026-08-17 15:30	269.99	269.75	278.01
VRT	Vertiv	golden	2026-08-17 15:30	284.50	284.33	292.58

List 2 · Close beyond BB(90, SMA, 3) with Beta(300) regime confirmation — above 0 / below 0

No qualifying breakouts today ($\pm 3\sigma$ Bollinger breaks with beta confirmation are rare by design; an empty list is normal).

Data: Yahoo Finance 1h bars resampled to 2h (regular session). List 2 condition: close above upper band AND Beta(300) above its 252-bar mean, or close below lower band AND beta below its mean. This report is a mechanical screening output, not investment advice.