S&P 500 Dual-List Screen — 2026-11-03

Scanned 503 constituents, 501 OK, 2 skipped (SKYD, VYLR). Timeframe: 2-hour bars synthesized from Yahoo Finance 1-hour data (regular session only).

List 1 · EMA36(close) × EMA90(open) cross within last trading day — golden 15 / death 8

Ticker	Company	Type	Bar time	EMA36	EMA90	Close
CRM	Salesforce	death	2026-11-02 11:30	237.34	237.48	231.67
CVS	CVS Health	death	2026-11-02 13:30	90.91	90.91	88.95
FOXA	Fox Corporation (Class A)	death	2026-11-02 09:30	64.47	64.50	63.30
HPQ	HP Inc.	death	2026-11-02 09:30	31.59	31.60	29.41
ILMN	Illumina, Inc.	death	2026-11-02 13:30	263.48	264.42	226.40
NTAP	NetApp	death	2026-11-02 09:30	214.87	215.33	192.30
P	Everpure	death	2026-11-02 13:30	130.29	130.90	114.10
PLTR	Palantir Technologies	death	2026-11-02 11:30	193.37	193.48	184.29
CPAY	Corpay	golden	2026-11-02 11:30	401.51	401.26	411.54
DAL	Delta Air Lines	golden	2026-11-02 11:30	80.01	79.91	83.47
DE	Deere & Company	golden	2026-11-02 13:30	652.75	652.49	663.82
DECK	Deckers Brands	golden	2026-11-02 13:30	82.75	82.70	85.03
FDXF	FedEx Freight	golden	2026-11-02 09:30	113.60	113.18	133.46
GIS	General Mills	golden	2026-11-02 13:30	33.66	33.64	34.52
HSIC	Henry Schein	golden	2026-11-02 13:30	85.38	85.37	86.54
HSY	Hershey Company (The)	golden	2026-11-02 15:30	166.63	166.60	171.27
JPM	JPMorgan Chase	golden	2026-11-02 11:30	337.76	337.65	341.56
MKC	McCormick & Company	golden	2026-11-02 13:30	47.17	47.14	48.49
MTB	M&T Bank	golden	2026-11-02 11:30	221.20	221.17	224.76
NDSN	Nordson Corporation	golden	2026-11-02 09:30	325.03	324.99	328.09
NVR	NVR, Inc.	golden	2026-11-02 15:30	5973.28	5972.18	6264.61
PCG	PG&E Corporation	golden	2026-11-02 13:30	13.08	13.08	13.23
WY	Weyerhaeuser	golden	2026-11-02 11:30	19.75	19.71	21.40

List 2 · Close beyond BB(90, SMA, 3) with Beta(300) regime confirmation — above 1 / below 0

Ticker	Company	Side	Close	Upper	Lower	Beta	Beta mean
TDG	TransDigm Group	above	1213.66	1213.17	1037.37	0.644	0.552

Data: Yahoo Finance 1h bars resampled to 2h (regular session). List 2 condition: close above upper band AND Beta(300) above its 252-bar mean, or close below lower band AND beta below its mean. This report is a mechanical screening output, not investment advice.