
pynput

Release 1.4.1

Sep 07, 2018

Contents

1	Table of contents	3
1.1	Handling the mouse	3
1.2	Handling the keyboard	7
1.3	Platform limitations	15

This library allows you to control and monitor input devices.

It contains subpackages for each type of input device supported:

pynput.mouse Contains classes for controlling and monitoring a mouse or trackpad.

pynput.keyboard Contains classes for controlling and monitoring the keyboard.

All modules mentioned above are automatically imported into the `pynput` package. To use any of them, import them from the main package:

```
from pynput import mouse, keyboard
```


1.1 Handling the mouse

The package `pynput.mouse` contains classes for controlling and monitoring the mouse.

1.1.1 Controlling the mouse

Use `pynput.mouse.Controller` like this:

```
from pynput.mouse import Button, Controller

mouse = Controller()

# Read pointer position
print('The current pointer position is {0}'.format(
    mouse.position))

# Set pointer position
mouse.position = (10, 20)
print('Now we have moved it to {0}'.format(
    mouse.position))

# Move pointer relative to current position
mouse.move(5, -5)

# Press and release
mouse.press(Button.left)
mouse.release(Button.left)

# Double click; this is different from pressing and releasing
# twice on Mac OSX
mouse.click(Button.left, 2)
```

(continues on next page)

(continued from previous page)

```
# Scroll two steps down
mouse.scroll(0, 2)
```

1.1.2 Monitoring the mouse

Use `pynput.mouse.Listener` like this:

```
from pynput import mouse

def on_move(x, y):
    print('Pointer moved to {0}'.format(
        (x, y)))

def on_click(x, y, button, pressed):
    print('{0} at {1}'.format(
        'Pressed' if pressed else 'Released',
        (x, y)))
    if not pressed:
        # Stop listener
        return False

def on_scroll(x, y, dx, dy):
    print('Scrolled {0} at {1}'.format(
        'down' if dy < 0 else 'up',
        (x, y)))

# Collect events until released
with mouse.Listener(
    on_move=on_move,
    on_click=on_click,
    on_scroll=on_scroll) as listener:
    listener.join()
```

A mouse listener is a `threading.Thread`, and all callbacks will be invoked from the thread.

Call `pynput.mouse.Listener.stop` from anywhere, raise `StopException` or return `False` from a callback to stop the listener.

The mouse listener thread

The listener callbacks are invoked directly from an operating thread on some platforms, notably *Windows*.

This means that long running procedures and blocking operations should not be invoked from the callback, as this risks freezing input for all processes.

A possible workaround is to just dispatch incoming messages to a queue, and let a separate thread handle them.

Handling mouse listener errors

If a callback handler raises an exception, the listener will be stopped. Since callbacks run in a dedicated thread, the exceptions will not automatically be reraised.

To be notified about callback errors, call `Thread.join` on the listener instance:


```

from pynput import mouse

class MyException(Exception): pass

def on_click(x, y, button, pressed):
    if button == mouse.Button.left:
        raise MyException(button)

# Collect events until released
with mouse.Listener(
    on_click=on_click) as listener:
    try:
        listener.join()
    except MyException as e:
        print('{0} was clicked'.format(e.args[0]))

```

1.1.3 Reference

class pynput.mouse.Controller

A controller for sending virtual mouse events to the system.

click (*button*, *count=1*)

Emits a button click event at the current position.

The default implementation sends a series of press and release events.

Parameters

- **button** (*Button*) – The button to click.
- **count** (*int*) – The number of clicks to send.

move (*dx*, *dy*)

Moves the mouse pointer a number of pixels from its current position.

Parameters

- **x** (*int*) – The horizontal offset.
- **dy** (*int*) – The vertical offset.

Raises **ValueError** – if the values are invalid, for example out of bounds

position

The current position of the mouse pointer.

This is the tuple (*x*, *y*), and setting it will move the pointer.

press (*button*)

Emits a button press event at the current position.

Parameters **button** (*Button*) – The button to press.

release (*button*)

Emits a button release event at the current position.

Parameters **button** (*Button*) – The button to release.

scroll (*dx*, *dy*)

Sends scroll events.

Parameters

- **dx** (*int*) – The horizontal scroll. The units of scrolling is undefined.
- **dy** (*int*) – The vertical scroll. The units of scrolling is undefined.

Raises ValueError – if the values are invalid, for example out of bounds

class pynput.mouse.**Listener** (*on_move=None, on_click=None, on_scroll=None, suppress=False, **kwargs*)

A listener for mouse events.

Instances of this class can be used as context managers. This is equivalent to the following code:

```
listener.start()
try:
    with_statements()
finally:
    listener.stop()
```

This class inherits from `threading.Thread` and supports all its methods. It will set `daemon` to `True` when created.

Parameters

- **on_move** (*callable*) – The callback to call when mouse move events occur.
It will be called with the arguments (*x*, *y*), which is the new pointer position. If this callback raises `StopException` or returns `False`, the listener is stopped.
- **on_click** (*callable*) – The callback to call when a mouse button is clicked.
It will be called with the arguments (*x*, *y*, *button*, *pressed*), where (*x*, *y*) is the new pointer position, *button* is one of the `Button` values and *pressed* is whether the button was pressed.
If this callback raises `StopException` or returns `False`, the listener is stopped.
- **on_scroll** (*callable*) – The callback to call when mouse scroll events occur.
It will be called with the arguments (*x*, *y*, *dx*, *dy*), where (*x*, *y*) is the new pointer position, and (*dx*, *dy*) is the scroll vector.
If this callback raises `StopException` or returns `False`, the listener is stopped.
- **suppress** (*bool*) – Whether to suppress events. Setting this to `True` will prevent the input events from being passed to the rest of the system.
- **kwargs** – Any non-standard platform dependent options. These should be prefixed with the platform name thus: `darwin_`, `xorg_` or `win32_`.

Supported values are:

darwin_intercept A callable taking the arguments (*event_type*, *event*), where *event_type* is any mouse related event type constant, and *event* is a `CGEventRef`.

This callable can freely modify the event using functions like `Quartz.CGEventSetIntegerValueField`. If this callable does not return the event, the event is suppressed system wide.

win32_event_filter A callable taking the arguments (*msg*, *data*), where *msg* is the current message, and *data* associated data as a `MSLLHOOKSTRUCT`.

If this callback returns `False`, the event will not be propagated to the listener callback.

If `self.suppress_event()` is called, the event is suppressed system wide.

__init__ (*on_move=None, on_click=None, on_scroll=None, suppress=False, **kwargs*)

This constructor should always be called with keyword arguments. Arguments are:

group should be None; reserved for future extension when a ThreadGroup class is implemented.

target is the callable object to be invoked by the run() method. Defaults to None, meaning nothing is called.

name is the thread name. By default, a unique name is constructed of the form “Thread-N” where N is a small decimal number.

args is the argument tuple for the target invocation. Defaults to ().

kwargs is a dictionary of keyword arguments for the target invocation. Defaults to {}.

If a subclass overrides the constructor, it must make sure to invoke the base class constructor (Thread.__init__()) before doing anything else to the thread.

running

Whether the listener is currently running.

start ()

Start the thread’s activity.

It must be called at most once per thread object. It arranges for the object’s run() method to be invoked in a separate thread of control.

This method will raise a RuntimeError if called more than once on the same thread object.

stop ()

Stops listening for events.

When this method returns, no more events will be delivered.

wait ()

Waits for this listener to become ready.

1.2 Handling the keyboard

The package `pynput.keyboard` contains classes for controlling and monitoring the keyboard.

1.2.1 Controlling the keyboard

Use `pynput.keyboard.Controller` like this:

```
from pynput.keyboard import Key, Controller

keyboard = Controller()

# Press and release space
keyboard.press(Key.space)
keyboard.release(Key.space)

# Type a lower case A; this will work even if no key on the
# physical keyboard is labelled 'A'
keyboard.press('a')
keyboard.release('a')
```

(continues on next page)

(continued from previous page)

```
# Type two upper case As
keyboard.press('A')
keyboard.release('A')
with keyboard.pressed(Key.shift):
    keyboard.press('a')
    keyboard.release('a')

# Type 'Hello World' using the shortcut type method
keyboard.type('Hello World')
```

1.2.2 Monitoring the keyboard

Use `pynput.keyboard.Listener` like this:

```
from pynput import keyboard

def on_press(key):
    try:
        print('alphanumeric key {0} pressed'.format(
            key.char))
    except AttributeError:
        print('special key {0} pressed'.format(
            key))

def on_release(key):
    print('{0} released'.format(
        key))
    if key == keyboard.Key.esc:
        # Stop listener
        return False

# Collect events until released
with keyboard.Listener(
    on_press=on_press,
    on_release=on_release) as listener:
    listener.join()
```

A keyboard listener is a `threading.Thread`, and all callbacks will be invoked from the thread.

Call `pynput.keyboard.Listener.stop` from anywhere, raise `StopException` or return `False` from a callback to stop the listener.

The `key` parameter passed to callbacks is a `pynput.keyboard.Key`, for special keys, a `pynput.keyboard.KeyCode` for normal alphanumeric keys, or just `None` for unknown keys.

The keyboard listener thread

The listener callbacks are invoked directly from an operating thread on some platforms, notably *Windows*.

This means that long running procedures and blocking operations should not be invoked from the callback, as this risks freezing input for all processes.

A possible workaround is to just dispatch incoming messages to a queue, and let a separate thread handle them.

Handling keyboard listener errors

If a callback handler raises an exception, the listener will be stopped. Since callbacks run in a dedicated thread, the exceptions will not automatically be reraised.

To be notified about callback errors, call `Thread.join` on the listener instance:

```
from pynput import keyboard

class MyException(Exception): pass

def on_press(key):
    if key == keyboard.Key.esc:
        raise MyException(key)

# Collect events until released
with keyboard.Listener(
    on_press=on_press) as listener:
    try:
        listener.join()
    except MyException as e:
        print('{0} was pressed'.format(e.args[0]))
```

1.2.3 Reference

class `pynput.keyboard.Controller`

A controller for sending virtual keyboard events to the system.

exception `InvalidCharacterException`

The exception raised when an invalid character is encountered in the string passed to `Controller.type()`.

Its first argument is the index of the character in the string, and the second the character.

exception `InvalidKeyException`

The exception raised when an invalid key parameter is passed to either `Controller.press()` or `Controller.release()`.

Its first argument is the key parameter.

alt_gr_pressed

Whether *altgr* is pressed.

Please note that this reflects only the internal state of this controller. See *modifiers* for more information.

alt_pressed

Whether any *alt* key is pressed.

Please note that this reflects only the internal state of this controller. See *modifiers* for more information.

ctrl_pressed

Whether any *ctrl* key is pressed.

Please note that this reflects only the internal state of this controller. See *modifiers* for more information.

modifiers

The currently pressed modifier keys.

Please note that this reflects only the internal state of this controller, and not the state of the operating system keyboard buffer. This property cannot be used to determine whether a key is physically pressed.

Only the generic modifiers will be set; when pressing either `Key.shift_l`, `Key.shift_r` or `Key.shift`, only `Key.shift` will be present.

Use this property within a context block thus:

```
with controller.modifiers as modifiers:
    with_block()
```

This ensures that the modifiers cannot be modified by another thread.

press (*key*)

Presses a key.

A key may be either a string of length 1, one of the `Key` members or a `KeyCode`.

Strings will be transformed to `KeyCode` using `KeyCode.char()`. Members of `Key` will be translated to their `value()`.

Parameters **key** – The key to press.

Raises

- `InvalidKeyException` – if the key is invalid
- `ValueError` – if key is a string, but its length is not 1

pressed (**args*)

Executes a block with some keys pressed.

Parameters **keys** – The keys to keep pressed.

release (*key*)

Releases a key.

A key may be either a string of length 1, one of the `Key` members or a `KeyCode`.

Strings will be transformed to `KeyCode` using `KeyCode.char()`. Members of `Key` will be translated to their `value()`.

Parameters **key** – The key to release. If this is a string, it is passed to `touches()` and the returned releases are used.

Raises

- `InvalidKeyException` – if the key is invalid
- `ValueError` – if key is a string, but its length is not 1

shift_pressed

Whether any *shift* key is pressed, or *caps lock* is toggled.

Please note that this reflects only the internal state of this controller. See `modifiers` for more information.

touch (*key, is_press*)

Calls either `press()` or `release()` depending on the value of `is_press`.

Parameters

- **key** – The key to press or release.
- **is_press** (*bool*) – Whether to press the key.

Raises `InvalidKeyException` – if the key is invalid

type (*string*)

Types a string.

This method will send all key presses and releases necessary to type all characters in the string.

Parameters **string** (*str*) – The string to type.

Raises *InvalidCharacterException* – if an untypable character is encountered

class pynput.keyboard.**Listener** (*on_press=None, on_release=None, suppress=False, **kwargs*)

A listener for keyboard events.

Instances of this class can be used as context managers. This is equivalent to the following code:

```
listener.start()
try:
    with statements()
finally:
    listener.stop()
```

This class inherits from `threading.Thread` and supports all its methods. It will set `daemon` to `True` when created.

Parameters

- **on_press** (*callable*) – The callback to call when a button is pressed.
It will be called with the argument (*key*), where *key* is a *KeyCode*, a *Key* or `None` if the key is unknown.
- **on_release** (*callable*) – The callback to call when a button is release.
It will be called with the argument (*key*), where *key* is a *KeyCode*, a *Key* or `None` if the key is unknown.
- **suppress** (*bool*) – Whether to suppress events. Setting this to `True` will prevent the input events from being passed to the rest of the system.
- **kwargs** – Any non-standard platform dependent options. These should be prefixed with the platform name thus: *darwin_*, *xorg_* or *win32_*.

Supported values are:

darwin_intercept A callable taking the arguments (*event_type*, *event*), where *event_type* is `Quartz.kCGEventKeyDown` or `Quartz.kCGEventKeyUp`, and *event* is a `CGEventRef`.

This callable can freely modify the event using functions like `Quartz.CGEventSetIntegerValueField`. If this callable does not return the event, the event is suppressed system wide.

win32_event_filter A callable taking the arguments (*msg*, *data*), where *msg* is the current message, and *data* associated data as a `KBDLLHOOKSTRUCT`.

If this callback returns `False`, the event will not be propagated to the listener callback.

If `self.suppress_event()` is called, the event is suppressed system wide.

__init__ (*on_press=None, on_release=None, suppress=False, **kwargs*)

This constructor should always be called with keyword arguments. Arguments are:

group should be `None`; reserved for future extension when a `ThreadGroup` class is implemented.

target is the callable object to be invoked by the `run()` method. Defaults to `None`, meaning nothing is called.

name is the thread name. By default, a unique name is constructed of the form “Thread-N” where N is a small decimal number.

args is the argument tuple for the target invocation. Defaults to ().

kwargs is a dictionary of keyword arguments for the target invocation. Defaults to {}.

If a subclass overrides the constructor, it must make sure to invoke the base class constructor (Thread.__init__()) before doing anything else to the thread.

running

Whether the listener is currently running.

start ()

Start the thread’s activity.

It must be called at most once per thread object. It arranges for the object’s run() method to be invoked in a separate thread of control.

This method will raise a RuntimeError if called more than once on the same thread object.

stop ()

Stops listening for events.

When this method returns, no more events will be delivered.

wait ()

Waits for this listener to become ready.

class pynput.keyboard.Key

A class representing various buttons that may not correspond to letters. This includes modifier keys and function keys.

The actual values for these items differ between platforms. Some platforms may have additional buttons, but these are guaranteed to be present everywhere.

alt = 0

A generic Alt key. This is a modifier.

alt_gr = 0

The AltGr key. This is a modifier.

alt_l = 0

The left Alt key. This is a modifier.

alt_r = 0

The right Alt key. This is a modifier.

backspace = 0

The Backspace key.

caps_lock = 0

The CapsLock key.

cmd = 0

A generic command button. On *PC* platforms, this corresponds to the Super key or Windows key, and on *Mac* it corresponds to the Command key. This may be a modifier.

cmd_l = 0

The left command button. On *PC* platforms, this corresponds to the Super key or Windows key, and on *Mac* it corresponds to the Command key. This may be a modifier.

cmd_r = 0
The right command button. On *PC* platforms, this corresponds to the Super key or Windows key, and on *Mac* it corresponds to the Command key. This may be a modifier.

ctrl = 0
A generic Ctrl key. This is a modifier.

ctrl_l = 0
The left Ctrl key. This is a modifier.

ctrl_r = 0
The right Ctrl key. This is a modifier.

delete = 0
The Delete key.

down = 0
A down arrow key.

end = 0
The End key.

enter = 0
The Enter or Return key.

esc = 0
The Esc key.

f1 = 0
The function keys. F1 to F20 are defined.

home = 0
The Home key.

insert = 0
The Insert key. This may be undefined for some platforms.

left = 0
A left arrow key.

menu = 0
The Menu key. This may be undefined for some platforms.

num_lock = 0
The NumLock key. This may be undefined for some platforms.

page_down = 0
The PageDown key.

page_up = 0
The PageUp key.

pause = 0
The Pause/Break key. This may be undefined for some platforms.

print_screen = 0
The PrintScreen key. This may be undefined for some platforms.

right = 0
A right arrow key.

scroll_lock = 0
The ScrollLock key. This may be undefined for some platforms.

shift = 0

A generic Shift key. This is a modifier.

shift_l = 0

The left Shift key. This is a modifier.

shift_r = 0

The right Shift key. This is a modifier.

space = 0

The Space key.

tab = 0

The Tab key.

up = 0

An up arrow key.

class pynput.keyboard.**KeyCode** (*vk=None, char=None, is_dead=False*)

A [KeyCode](#) represents the description of a key code used by the operating system.

classmethod **from_char** (*char, **kwargs*)

Creates a key from a character.

Parameters **char** (*str*) – The character.

Returns a key code

classmethod **from_dead** (*char, **kwargs*)

Creates a dead key.

Parameters **char** – The dead key. This should be the unicode character representing the stand alone character, such as '~' for *COMBINING TILDE*.

Returns a key code

classmethod **from_vk** (*vk, **kwargs*)

Creates a key from a virtual key code.

Parameters

- **vk** – The virtual key code.
- **kwargs** – Any other parameters to pass.

Returns a key code

join (*key*)

Applies this dead key to another key and returns the result.

Joining a dead key with space (' ') or itself yields the non-dead version of this key, if one exists; for example, `KeyCode.from_dead('~').join(KeyCode.from_char(' '))` equals `KeyCode.from_char('~')` and `KeyCode.from_dead('~').join(KeyCode.from_dead('~'))`.

Parameters **key** ([KeyCode](#)) – The key to join with this key.

Returns a key code

Raises **ValueError** – if the keys cannot be joined

1.3 Platform limitations

pynput aims at providing a unified *API* for all supported platforms. In some cases, however, that is not entirely possible.

1.3.1 Linux

On *Linux*, *pynput* uses *X*, so the following must be true:

- An *X server* must be running.
- The environment variable `$DISPLAY` must be set.

The latter requirement means that running *pynput* over *SSH* generally will not work. To work around that, make sure to set `$DISPLAY`:

```
$ DISPLAY=:0 python -c 'import pynput'
```

1.3.2 Mac OSX

Recent versions of *Mac OSX* restrict monitoring of the keyboard for security reasons. For that reason, one of the following must be true:

- The process must run as root.
- Your application must be white listed under *Enable access for assistive devices*. Note that this might require that you package your application, since otherwise the entire *Python* installation must be white listed.

Please note that this does not apply to monitoring of the mouse or trackpad.

1.3.3 Windows

On *Windows*, virtual events sent by *other* processes may not be received. This library takes precautions, however, to dispatch any virtual events generated to all currently running listeners of the current process.

- `genindex`

Symbols

`__init__()` (pynput.keyboard.Listener method), 11
`__init__()` (pynput.mouse.Listener method), 6

A

`alt` (pynput.keyboard.Key attribute), 12
`alt_gr` (pynput.keyboard.Key attribute), 12
`alt_gr_pressed` (pynput.keyboard.Controller attribute), 9
`alt_l` (pynput.keyboard.Key attribute), 12
`alt_pressed` (pynput.keyboard.Controller attribute), 9
`alt_r` (pynput.keyboard.Key attribute), 12

B

`backspace` (pynput.keyboard.Key attribute), 12

C

`caps_lock` (pynput.keyboard.Key attribute), 12
`click()` (pynput.mouse.Controller method), 5
`cmd` (pynput.keyboard.Key attribute), 12
`cmd_l` (pynput.keyboard.Key attribute), 12
`cmd_r` (pynput.keyboard.Key attribute), 12
`Controller` (class in pynput.keyboard), 9
`Controller` (class in pynput.mouse), 5
`Controller.InvalidCharacterException`, 9
`Controller.InvalidKeyException`, 9
`ctrl` (pynput.keyboard.Key attribute), 13
`ctrl_l` (pynput.keyboard.Key attribute), 13
`ctrl_pressed` (pynput.keyboard.Controller attribute), 9
`ctrl_r` (pynput.keyboard.Key attribute), 13

D

`delete` (pynput.keyboard.Key attribute), 13
`down` (pynput.keyboard.Key attribute), 13

E

`end` (pynput.keyboard.Key attribute), 13
`enter` (pynput.keyboard.Key attribute), 13
`esc` (pynput.keyboard.Key attribute), 13

F

`f1` (pynput.keyboard.Key attribute), 13
`from_char()` (pynput.keyboard.KeyCode class method), 14
`from_dead()` (pynput.keyboard.KeyCode class method), 14
`from_vk()` (pynput.keyboard.KeyCode class method), 14

H

`home` (pynput.keyboard.Key attribute), 13

I

`insert` (pynput.keyboard.Key attribute), 13

J

`join()` (pynput.keyboard.KeyCode method), 14

K

`Key` (class in pynput.keyboard), 12
`KeyCode` (class in pynput.keyboard), 14

L

`left` (pynput.keyboard.Key attribute), 13
`Listener` (class in pynput.keyboard), 11
`Listener` (class in pynput.mouse), 6

M

`menu` (pynput.keyboard.Key attribute), 13
`modifiers` (pynput.keyboard.Controller attribute), 9
`move()` (pynput.mouse.Controller method), 5

N

`num_lock` (pynput.keyboard.Key attribute), 13

P

`page_down` (pynput.keyboard.Key attribute), 13
`page_up` (pynput.keyboard.Key attribute), 13
`pause` (pynput.keyboard.Key attribute), 13

position (pynput.mouse.Controller attribute), 5
press() (pynput.keyboard.Controller method), 10
press() (pynput.mouse.Controller method), 5
pressed() (pynput.keyboard.Controller method), 10
print_screen (pynput.keyboard.Key attribute), 13

R

release() (pynput.keyboard.Controller method), 10
release() (pynput.mouse.Controller method), 5
right (pynput.keyboard.Key attribute), 13
running (pynput.keyboard.Listener attribute), 12
running (pynput.mouse.Listener attribute), 7

S

scroll() (pynput.mouse.Controller method), 5
scroll_lock (pynput.keyboard.Key attribute), 13
shift (pynput.keyboard.Key attribute), 13
shift_l (pynput.keyboard.Key attribute), 14
shift_pressed (pynput.keyboard.Controller attribute), 10
shift_r (pynput.keyboard.Key attribute), 14
space (pynput.keyboard.Key attribute), 14
start() (pynput.keyboard.Listener method), 12
start() (pynput.mouse.Listener method), 7
stop() (pynput.keyboard.Listener method), 12
stop() (pynput.mouse.Listener method), 7

T

tab (pynput.keyboard.Key attribute), 14
touch() (pynput.keyboard.Controller method), 10
type() (pynput.keyboard.Controller method), 10

U

up (pynput.keyboard.Key attribute), 14

W

wait() (pynput.keyboard.Listener method), 12
wait() (pynput.mouse.Listener method), 7