Medical care for unconscious patients

"i would like to know more about the problems faced when a patient is unconcious and how old records access can be helpful" *Generated by LeapSpace*

Unconscious Patients and the Value of Old Medical Records at a Glance

Key Findings Table

Key finding	Why it matters in unconscious patients	Population / setting	Evidence
Loss of patient history is the central clinical problem	Clinicians cannot directly confirm symptoms, timing, medications, allergies, past illness, or wishes, which increases diagnostic uncertainty and risk of delayed or missed diagnosis	Emergency and acute-care patients who are unconscious, altered, or critically ill	[1] [2] [3] [4] [5] [6]
Stabilization must often come before diagnosis	Airway, breathing, circulation, oxygenation, and rapid bedside assessment take priority when history is unavailable	ED and critical care	[5] [6] [7]
Old records are most useful for medication and allergy safety	Prior lists reduce omissions, duplications, dose discrepancies, and adverse drug events, though they may still be outdated	ED, trauma, acute care, medication reconciliation studies	[8] [9] [10] [11] [12] [13] [14] [15]
Prior records also help with comorbidity context and handover	More complete records improve documentation of diagnoses, medications, allergies, and care transitions	ED and emergency documentation workflows	[16] [17] [18]
Record access is often incomplete or slow	Missing internal or external data, poor visibility, and paper-chart fallback can delay care and trigger duplicate work	Emergency and hospital informatics settings	[19] [20] [21] [22] [23] [24] [25] [26] [27]

Key finding	Why it matters in unconscious patients	Population / setting	Evidence
Identification is safety-critical before using old records	Wrong-patient orders, mislabeled imaging/specimens, and fragmented identities can make record access dangerous if verification is weak	ED, trauma, CPOE, radiology, registration workflows	[28] [29] [30] [31] [32] [33]
Emergency access is shaped by consent and privacy rules	Proxy, deferred, or presumed consent pathways are used when patients cannot decide, but rules vary and documentation matters	Emergency care, transfer, privacy/consent workflows	[34] [35] [36] [37] [38]

Direct Answer

When a patient is unconscious, the biggest problem is that the clinical team loses the fastest and usually most reliable source of context: the patient's own history. That means staff may not know what happened, when symptoms started, what medicines the patient takes, what allergies they have, what chronic illnesses they live with, or whether there are advance-care preferences. As a result, diagnosis becomes less certain, treatment risk rises, and clinicians often have to stabilize first and investigate in parallel using bedside examination, rapid tests, witnesses, relatives, and any records they can retrieve [1] [4] [5] [6].

Old records can be very helpful because they may reveal medication lists, allergies, chronic diseases, prior imaging, lab trends, and previous notes. The strongest evidence is for medication reconciliation: when prior lists are available and reconciliation is done well, omission, duplication, dose discrepancy, and adverse drug event risk falls, although the records may still be incomplete or outdated [9] [12] [13] [14] [15]. Prior records also support better documentation and handover by giving a more complete picture of diagnoses, medications, and allergies [16] [17].

However, old-record access is not a complete solution. Records may be fragmented across systems, hard to retrieve quickly, hidden inside the EHR, tied to the wrong patient, or constrained by privacy and consent rules. So the best-supported approach is: stabilize the patient immediately, verify identity carefully, and retrieve the most critical prior information as fast as possible from EHRs, shared-record systems, prior hospitals, pharmacies, family, and caregivers [21] [25] [29] [30] [34] [39].

Confidence level: High - The evidence is consistent across multiple emergency, informatics, and medication-safety studies, especially for missing-history problems and medication/allergy benefits of prior records [1] [4] [12] [25].

Study Scope

This report synthesizes evidence from emergency medicine, critical care, hospital informatics, medication reconciliation, patient identification, and privacy/consent workflow studies focused mainly on 2010-2025 acute-care contexts, especially ED and ICU settings [5] [13] [27] [28] [36] [40]. The evidence base is strongest for process issues such as missing history, record retrieval barriers, medication discrepancies, and identification risk, and weaker for unconscious-patient-specific hard outcomes like mortality or time-to-treatment [41] [42] [43].

Assumptions & Limitations

- The literature supports process benefits of old records more strongly than direct outcome improvements specifically in unconscious patients [41] [42] [43] [44].
- Medication lists and allergy records can reduce harm but are not always current, so they cannot be treated as perfectly reliable representations of what is biologically active at the moment of care [14] [15].
- Legal and consent workflows vary by jurisdiction, so no single universal emergency-access model is established across all settings

References

1. Wertz Hartzell, C. (1989) Sleeping beauty: A case of pickwickian syndrome. *Journal of Emergency Nursing*. https://www.sciencedirect.com/science/article/pii/009917678990010X
2. Stubbs, A.M. (2008) Initial approach to the patient with impaired consciousness.. *Missouri medicine*. https://www.scopus.com/pages/publications/51249107405
3. Ahl, B., Weissenborn, K. (2003) Cardinal symptom "acute disturbance of consciousness". *Intensiv- und Notfallbehandlung*. https://www.scopus.com/pages/publications/0348225371
4. Pisciotta, W., Arina, P., Hofmaenner, D., Singer, M. (2023) Difficult diagnosis in the ICU: making the right call but beware uncertainty and bias. *Anaesthesia*. https://doi.org/10.1111/anae.15897
5. Pham, X., Jeffcote, T., Udy, A. (2025) Disorders of consciousness. *Oh's Intensive Care Manual*. https://doi.org/10.1016/B978-0-443-11611-7.00059-1
6. Azharuddin, S., Ogbebor, O., Shuster, M., (...), Cheema, T. (2023) Toxicological Emergencies. *Critical Care Nursing Quarterly*. https://doi.org/10.1097/CNQ.0000000000000439
7. Völk, S., Koedel, U., Pfister, H.-W., (...), Klein, M. (2019) Impaired consciousness in the emergency department. *European Neurology*. https://doi.org/10.1159/000495363
8. Sharma, A.N., Dvorkin, R., Tucker, V., (...), Rosalia, A. (2012) Medical reconciliation in patients discharged from the emergency department. *Journal of Emergency Medicine*. https://doi.org/10.1016/j.jemermed.2011.05.080

9. Monte, A.A., Anderson, P., Hoppe, J.A., (...), Heard, K.J. (2015) Accuracy of electronic medical record medication reconciliation in emergency department patients. *Journal of Emergency Medicine*. https://doi.org/10.1016/j.jemermed.2014.12.052
10. Vouri, S.M., Marcum, Z.A. (2013) Use of a medication reconciliation tool in an outpatient geriatric clinic. *Journal of the American Pharmacists Association*. https://doi.org/10.1331/JAPhA.2013.13084
11. de Winter, S., Vanbrabant, P., Spriet, I., (...), Willems, L. (2011) A simple tool to improve medication reconciliation at the emergency department. *European Journal of Internal Medicine*. https://doi.org/10.1016/j.ejim.2011.03.010
12. Buckley, Mitchell S., Harinstein, Lisa M., Clark, Kimberly B., (...), Kane-Gill, Sandra L. (2013) Impact of a Clinical Pharmacy Admission Medication Reconciliation Program on Medication Errors in "High-Risk" Patients. *Annals of Pharmacotherapy*. https://doi.org/10.1177/1060028013507428
13. Bordin-Wosk, T., Klubnick, J., O'Toole, J.K., (...), Donato, J. (2025) Handoffs, Care Transitions, and Readmissions. *Medical Clinics of North America*. https://doi.org/10.1016/j.mcna.2025.02.016
14. DeAntonio, Jonathan H., Nguyen, Tammy, Chenault, Gregory, (...), Jayaraman, Sudha (2019) Medications and patient safety in the trauma setting: a systematic review. *World Journal of Emergency Surgery*. https://doi.org/10.1186/s13017-019-0225-6
15. Schneider, Philip J. (2013) Evaluating the impact of telepharmacy. *American Journal of Health-System Pharmacy*. https://doi.org/10.2146/ajhp130138
16. Wohlmann, J., Juhra, C., Warnken, L., (...), Eveslage, M. (2021) Medical Emergency Datasets Can Improve the Comprehensiveness of Handover Information: A Simulation Study. *Telemedicine and e-Health*. https://doi.org/10.1089/tmj.2020.0341
17. Landman, A., Gregory Marchand, E. (2014) Information technology in emergency care. *Emergency Care and the Public's Health*. https://doi.org/10.1002/9781118779750.ch5
18. Davidson, S.J., Zwemer, F.L., Nathanson, L.A., (...), Khan, A.N.G.A. (2004) Where's the beef? The promise and the reality of clinical documentation. *Academic Emergency Medicine*. https://doi.org/10.1197/j.aem.2004.08.004
19. Gibby, G.L., Schwab, W.K. (1998) Availability of records in an outpatient preanesthetic evaluation clinic. *Journal of Clinical Monitoring and Computing*. https://doi.org/10.1023/A:1009971521520
20. Finnell, J.T., Overhage, J.M., McDonald, C.J. (2005) In support of emergency department health information technology.. *AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium*. https://www.scopus.com/pages/publications/39049188770
21. Lin, Y.-C., Jeng, A., Huang, C.-I. (2005) Rapid identification and provision of medical records for emergency patients. *Journal on Information Technology in Healthcare*. https://www.scopus.com/pages/publications/29244470464

22. Murray, L., Gopinath, D., Agrawal, M., (...), Karger, D.R. (2021) MedKnowts: Unified Documentation and Information Retrieval for Electronic Health Records. *UIST 2021 - Proceedings of the 34th Annual ACM Symposium on User Interface Software and Technology*. https://doi.org/10.1145/3472749.3474814

23. Ahmad Shahabuddin, F., Wah, K.Y., Buji, R.I., (...), Loo, J.L. (2020) Medical record abstraction in a hospital with paper-based records: Experience of early career psychiatrists in northern Borneo. *BJPsych International*. https://doi.org/10.1192/bji.2019.29

24. Devendran, A., Jayam, R., Sindhuja, P. (2015) Electronic medical records using NFC technology. *ARPN Journal of Engineering and Applied Sciences*. https://www.scopus.com/pages/publications/84927135952

25. Krey, L., Rabea, Z., Krause, O., (...), Klietz, M. (2024) Missing Medical Data in Neurological Emergency Care Compromise Patient Safety and Healthcare Resources. *Journal of Clinical Medicine*. https://doi.org/10.3390/jcm13216344

26. Lakin, J.R., Isaacs, E., Sullivan, E., (...), Sudore, R.L. (2016) Emergency Physicians' Experience with Advance Care Planning Documentation in the Electronic Medical Record: Useful, Needed, and Elusive. *Journal of Palliative Medicine*. https://doi.org/10.1089/jpm.2015.0486

27. Rouby, J.-J., Arbelot, C., Deransy, R., (...), Brisson, H. (2014) Electronic medical record in the intensive care unit : Objectives, conception and expected benefits. *Reanimation*. https://doi.org/10.1007/s13546-015-1065-3

28. Adelman, J.S., Kalkut, G.E., Schechter, C.B., (...), Southern, W.N. (2013) Understanding and preventing wrong-patient electronic orders: A randomized controlled trial. *Journal of the American Medical Informatics Association*. https://doi.org/10.1136/amiajnl-2012-001055

29. Green, R.A., Hripcsak, G., Salmasian, H., (...), Vawdrey, D.K. (2015) Intercepting wrong-patient orders in a computerized provider order entry system. *Annals of Emergency Medicine*. https://doi.org/10.1016/j.annemergmed.2014.11.017

30. Salmasian, H., Blanchfield, B.B., Joyce, K., (...), Landman, A.B. (2020) Association of Display of Patient Photographs in the Electronic Health Record with Wrong-Patient Order Entry Errors. *JAMA Network Open*. https://doi.org/10.1001/jamanetworkopen.2020.19652

31. Spain, D., Crilly, J., Pierce, J., (...), Keijzers, G. (2015) Can a barcode scanner for blood collection improve patient identification integrity in the emergency department? A prospective before-and-after study. *EMA - Emergency Medicine Australasia*. https://doi.org/10.1111/1742-6723.12334

32. Sadigh, G., Loehfelm, T., Applegate, K.E., Tridandapani, S. (2015) Evaluation of near-miss wrong-patient events in radiology reports. *American Journal of Roentgenology*. https://doi.org/10.2214/AJR.14.13339

33. Pablo-Comeche, D., Buitrago-Vera, C., Meneu, R. (2010) Evaluation of the launch of an unambiguous patient identification strategy in the hospitals of the Valencian Healthcare Agency (Spain). *Medicina Clinica*. https://doi.org/10.1016/S0025-7753(10)70021-X

34. Kompanje, E.J.O., Maas, A.I.R., Menon, D.K., Kesecioğlu, J. (2014) Medical research in emergency research in the European Union member states: Tensions between theory and practice. *Intensive Care Medicine*. https://doi.org/10.1007/s00134-014-3243-6

35. Chidwick, P., Sibbald, R.W., Hansen, T.-L., Parkes, C. (2013) Managing access and flow through appropriate discharge: preventing common errors and improving processes. *Healthcare quarterly (Toronto, Ont.)*. https://www.scopus.com/pages/publications/84928701434

36. Martinez, J.A. (2012) Legal issues in emergency medicine. *An Introduction to Clinical Emergency Medicine*. https://doi.org/10.1017/CBO9780511852091.056

37. Doherty, A.M., Matthews, P.R. (2025) Challenges in decision-making capacity in the acute hospital setting: two years on from the implementation of the Assisted Decision-Making (Capacity) Act 2015. *Irish Journal of Psychological Medicine*. https://doi.org/10.1017/ipm.2025.10118

38. Surianto, A.T.S., Isrul, M., Sya'ban, A.R., (...), Hadju, L. (2025) Addressing Legal Uncertainty in Delayed Informed Consent: Protecting Health Workers in Indonesian Hospitals. *Volksgeist: Jurnal Ilmu Hukum dan Konstitusi*. https://doi.org/10.24090/volksgeist.v8i2.13089

39. Kawtrakul, A., Chanlekha, H., Issariyakul, T., Khunthong, V. (2017) Cloud-based personal health information broker for emergency medical services. *9th International Conference on Management of Digital EcoSystems, MEDES 2017*. https://doi.org/10.1145/3167020.3167049

40. Fernandes, M., Vieira, S.M., Leite, F., (...), da Costa Sousa, J.M.C. (2020) Clinical Decision Support Systems for Triage in the Emergency Department using Intelligent Systems: a Review. *Artificial Intelligence in Medicine*. https://doi.org/10.1016/j.artmed.2019.101762

41. Zachariasse, Joany M., Seiger, Nienke, Rood, Pleunie P. M., (...), Moll, Henriëtte A. (2017) Validity of the Manchester Triage System in emergency care: A prospective observational study. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0170811

42. https://www.sciencedirect.com/science/article/pii/S1936901820000856

43. Uslu, A., Stausberg, J. (2021) Value of the Electronic Medical Record for Hospital Care: Update from the Literature. *Journal of Medical Internet Research*. https://doi.org/10.2196/26323

44. Sanders, S.F., DeVon, H.A. (2016) Accuracy in ED Triage for Symptoms of Acute Myocardial Infarction. *Journal of Emergency Nursing*. https://doi.org/10.1016/j.jen.2015.12.011