Challenges of ABHA and Ayushman Bharat Digital Mission

"challenges of abha/aidmb" *Generated by LeapSpace*

ABHA and ABDM Challenges at a Glance

Key Findings Table

Key challenge	What the evidence shows	Affected groups/settings	Citations
Low awareness and digital literacy	Awareness of ABHA/ABDM is often poor, with language barriers, difficulty using apps, and reluctance to share OTPs reducing uptake; one study reported ABHA registration adoption below 24% among OPD visits.	Patients, OPD users, community populations, providers	[1] [2] [3] [4] [5]
Provider workflow burden	Busy clinics, low perceived utility, limited time, weak training, and duplicated data entry reduce provider participation and routine record updating.	Doctors, OPD staff, primary care teams, hospitals	[2] [4] [6] [7]
Uneven rollout and infrastructure gaps	Rollout is highly uneven across states and facilities, shaped by connectivity gaps, limited smartphone/internet access, and organizational capacity constraints.	Rural and underserved populations, public facilities, some states	[6] [8] [9] [10] [11]
Interoperability and integration problems	Exchange across heterogeneous systems remains difficult; interoperability is described more as a policy goal than a consistently demonstrated implementation success.	Hospitals, clinics, insurers, EHR/HIS environments	[5] [6] [12] [13] [14] [15] [16] [17]

Key challenge	What the evidence shows	Affected groups/settings	Citations
Privacy, consent, and trust concerns	Acceptance depends on trust in consent, access control, auditability, retention/deletion rules, and breach handling; current frameworks are seen as incomplete or insufficiently tested.	Patients, guardians, platform operators, regulators	[18] [19] [20] [21] [22] [23]
Scale-up does not equal routine use	National registration and onboarding numbers are large, but facility-level studies still show low usage, low awareness, and weak workflow adoption.	National program vs local implementation sites	[1] [2] [6] [9]
Thin hard-failure evidence	The supplied literature does not quantify real-world rates of incomplete registration, OTP failure, duplicate identity creation, or failed record linkage.	Evaluation and monitoring efforts	[17] [24] [25] [26] [27]

Direct Answer

The main challenges of ABHA/ABDM are not just technical. The evidence points to a socio-technical implementation problem: **low awareness, weak digital literacy, language and OTP-related friction, provider time burden, poor workflow fit, connectivity and infrastructure gaps, interoperability problems across health IT systems, and persistent privacy/consent concerns** [1] [2] [6] [12] [13] [22].

A practical way to interpret the evidence is:

1. **Front-end adoption is weak** because many patients and some providers do not clearly understand the system or find it easy to use [1] [2] [3].
2. **Routine clinical use is weak** because ABHA/ABDM often adds work instead of removing it, especially in crowded public settings [4] [6] [7].
3. **Back-end integration is incomplete** because hospitals, clinics, insurers, and existing HIS/EHR systems remain fragmented [12] [14] [15] [28].
4. **Trust remains conditional** because consent validity, audit trails, access control, breach exposure, and accountability are still active governance concerns [19] [21] [22] [23].
5. **National scale-up metrics overstate maturity**: large registration totals do not yet prove meaningful, equitable, routine use in care delivery [9].

Confidence level: High - The same barrier pattern appears repeatedly across adoption studies, policy analyses, and implementation reports [1] [2] [6] [9] [12].

Study Scope

This report synthesizes the supplied evidence on ABHA/ABDM from roughly **2019-2025**, covering **implementation studies, policy/legal analyses, technical and architecture papers, rollout reports, and hospital/primary-care deployment observations** in the Indian health-system context [9] [20] [29].

Assumptions & Limitations

The strongest limitation is that the supplied evidence is rich on **qualitative barriers and policy concerns** but thin on **quantified operational failure rates**, especially incomplete registration, OTP failure, duplicate creation, and failed record linkage [24] [25] [26] [27].

Suggested Further Research

- Quantify registration abandonment, OTP/authentication failures, duplicate creation, and record-linkage failure in real deployments [17] [24] [25].
- Compare rollout across states, rural/urban settings, and public/private facilities using common implementation metrics [3] [6] [9].
- Measure provider workload effects, OPD throughput effects, and duplicate data-entry burden [6] [7].
- Audit consent artifacts, access logs, retention/deletion practices, and breach reporting in operational systems [19] [21] [23].
- Evaluate which interoperability standards and APIs actually work in practice across Indian facilities [5] [6] [17].

Full Report

Foundational Context: What ABHA and ABDM Are Trying to Do

ABHA operates as a digital health identity layer within ABDM, while ABDM is the broader federated digital health architecture intended to connect patients, providers, facilities, professionals, and linked records across the health system [9] [29] [30] [31]. The underlying goal is not only identity creation but also **interoperable record exchange, provider/facility registry use, and support for service, payment, and regulatory workflows** [9] [14] [16] [32].

This matters because the value of such a system depends on more than issuing IDs. A digital health identity creates public value only if patients can register, providers can use it without excessive burden, records can move across systems, and users trust the governance around consent and privacy [9] [12] [13] [33].

A key pattern in the evidence is a tension between **central architectural scale** and **local implementation reality**. Nationally, ABDM has reported large numbers of beneficiary registrations, linked records, and onboarded facilities/professionals, yet local studies still report low awareness, low workflow adoption, and fragile usage in care settings [1] [9]. Taken together, these findings suggest that ABHA/ABDM's hardest problems are in the "last mile" of health-service integration rather than only in central platform design [2] [6].

Confidence level: High - This framing is directly supported by both rollout metrics and on-the-ground implementation studies [1] [6] [9].

1. User Adoption and On-the-Ground Implementation Barriers

1.1 Low awareness, digital literacy, and language barriers

The most consistent barrier across the evidence is low awareness. Multiple studies report that patients often do not understand ABHA/ABDM's purpose or benefits, and digital health literacy is too weak to support independent use at scale [1] [3] [4] [5]. Language mismatch and difficulty navigating apps further suppress uptake, especially where registration or access depends on a smartphone-based workflow [1] [4] [5].

Trust-related friction is also user-facing: some users are reluctant to share OTPs, and data-security concerns reduce willingness to register or link records [1] [5]. A hospital-based study reported ABHA registration adoption below 24% among OPD visits, illustrating how these barriers translate into low actual uptake rather than just abstract concerns [1].

Evidence from facility-level studies reinforces the same point. One Tamil Nadu primary-care study found very high unawareness of the ABHA mobile app, while another setting in urban Chandigarh reported stronger uptake, showing that awareness is variable and context dependent rather than uniformly low [2] [5].

1.2 Provider workload and workflow disruption

Provider adoption is also limited. Studies report low doctor participation, lack of time in crowded outpatient settings, and weak understanding of ABHA benefits among both staff and patients [2] [4] [6]. Where digital registration or updating records adds steps to already stressed workflows, participation drops [6].

The burden is not just initial onboarding. Evidence from HWC implementation points to duplicated data maintenance and weak information flow, suggesting that digital systems can coexist with manual or parallel processes instead of replacing them [7]. In practice, this means staff may face extra clerical work without seeing immediate clinical value [6] [7].

Taken together, these findings suggest that adoption failure often reflects **poor workflow fit**, not merely resistance to technology [2] [6] [7].

1.3 Rural, underserved, and uneven regional uptake

Rural and underserved settings face additional barriers: weak connectivity, limited smartphone and internet access, organizational constraints, and difficulty reaching marginalized groups [6] [8] [9] [10] [11]. These constraints help explain why state-level rollout remains uneven despite strong national totals [9].

Facility-level evidence aligns with this interpretation. Karnataka government hospitals using Scan and Share reported low adoption linked to connectivity problems, limited training, and low awareness of incentives [6]. This indicates that implementation success depends heavily on local delivery capacity and support structures, not just central infrastructure [6].

1.4 Operational support, incentives, and training needs

Several studies converge on similar remedies: targeted digital literacy efforts, communication campaigns, stronger privacy assurances, frontline support during registration, and incentives or workflow support for providers and community workers [1] [3] [4] [6] [34]. Karnataka evidence specifically points to the importance of better training and communication around the Digital Health Incentive Scheme [6].

Confidence level: High - Awareness, literacy, workflow burden, and infrastructure are the most repeatedly observed adoption barriers across the supplied studies [1] [2] [3] [6].

2. Interoperability and Workflow Integration Across the Health System

2.1 Exchange across facilities and information systems

Interoperability is a central challenge in the literature. Studies repeatedly describe fragmented, heterogeneous digital environments and the need for standards, governance, and platform architecture to enable exchange across hospitals, clinics, insurers, and health record systems [12] [13] [14] [15] [16]. A 2021 Indian EHR framework paper argued that vendor-specific fragmentation prevents sharing across primary, district, and tertiary care and proposed a secure, standards-based framework to support continuity of care [28].

However, the evidence does **not** show strong real-world validation that named interoperability standards have already solved these problems at scale in ABDM deployments [17] [35] [36] [37]. Interoperability appears in the literature more as an **ecosystem coordination problem** than a proven technical success [12] [14] [15] [17].

2.2 Real-world deployment barriers

On-the-ground deployment studies describe the barriers less in terms of explicit semantic code mismatches and more in terms of **connectivity problems, limited training, poor awareness, data-quality issues, and EHR integration challenges** [2] [4] [5] [6] [38]. This matters because a technically sound architecture can still fail in practice if the clinical environment cannot sustain the workflow or infrastructure needed to make exchange routine [6] [17].

2.3 Hospital, claims, and financing use cases

Interoperability is not only about clinical records. The evidence connects it directly to **billing, patient record access, insurance eligibility, claims processing, and financial workflows** [14] [16] [32] [39]. In a government tertiary hospital under PMJAY, 10.56% of claims were pending, indicating administrative bottlenecks relevant to ABDM-linked financing use cases [40]. This does not by itself prove ABDM caused the delay, but it shows that digital integration and workflow quality matter materially for claims settlement [32] [40].

2.4 Workflow duplication and administrative burden

The evidence repeatedly points to duplicate maintenance, weak information flow, and manual workarounds [6] [7] [17]. This undermines one of the main promised benefits of digital health architecture: efficiency. Inferred: if ABHA/ABDM layers are added without removing old paperwork or parallel entry systems, the system may increase administrative burden before it reduces it. **Confidence level: Low** - This is a cross-source inference from reported duplication and workflow friction rather than a directly measured causal outcome [6] [7] [17].

Confidence level: Medium - Interoperability problems are consistently reported, but the evidence base is weaker on detailed technical evaluations of which standards fail or succeed in actual deployments [12] [14] [15] [17].

3. Privacy, Consent, Security, and Governance

3.1 Consent management and patient control

The literature treats consent as a central legitimacy issue. Existing consent artifacts are described as needing evaluation against the legal features of valid consent, and new mechanisms are proposed to close identified gaps [21]. Some sources emphasize that only patients or legal guardians should be able to modify consent, reflecting concern that operational control may otherwise be too weak [22].

A broader pattern is that patient control over shared records remains an aspiration more than a fully evidenced operational reality [21] [41].

3.2 Data security, breach exposure, and access control

Privacy concerns remain a barrier to acceptance, and several papers call for stronger data-protection frameworks, clearer privacy safeguards, and optional or better-controlled data-sharing mechanisms [18] [20]. Concrete reported risks include unauthorized administrative access, insider misuse, external attackers, and weak incident handling if encryption, access control, and breach reporting are not robustly implemented [22] [23]. Federated identity-management environments also carry vulnerabilities linked to heterogeneous devices and protocols, not just databases or apps [42].

3.3 Auditability, transparency, and accountability gaps

The evidence repeatedly notes thin accountability structures and underexplored auditing/access-control validation [19] [43]. Several papers propose blockchain-based or auditable architectures specifically to improve traceability, immutable logging, and access-history recording, which implies that existing systems are perceived as insufficiently transparent [3] [30] [44].

3.4 Policy and regulatory adequacy

A national-level review suggests that ABDM's current data-management policies and consent framework are useful but still insufficient without stronger data-protection legislation and clearer data-usage rights [20]. The literature also highlights the need for explicit retention periods, archival strategies, and secure deletion rules; absent these, privacy and compliance risks increase [19].

Taken together, these findings suggest that **governance quality may be as important as system architecture** for long-term acceptance. **Confidence level: Medium** - This is an inference grounded in repeated concerns about trust, accountability, and legal adequacy [18] [19] [20].

Confidence level: High - Privacy, consent, security, and accountability concerns recur across policy, legal, and technical sources [18] [20] [21] [22] [23].

4. The Central Contradiction: Rapid Scale-Up with Weak Local Use

Nationally, ABDM has reported very large scale: by mid-2023, hundreds of millions of beneficiary registrations and linked health records, plus large numbers of registered facilities and health professionals [9]. Yet local and facility studies still document low awareness, weak provider participation, low Scan and Share adoption, and poor practical use in routine settings [1] [2] [6].

This is the most important synthesis point in the evidence. Registration growth demonstrates reach, but not necessarily meaningful use, continuity of records, clinical workflow integration, or user trust [1] [9]. Inferred: ABHA/ABDM currently appears stronger as a **nationally scalable infrastructure layer** than as a uniformly embedded routine-care workflow. **Confidence level: Medium** - This is a synthesis across rollout metrics and local studies [6] [9].

5. Evidence Gaps

The largest empirical gap is the lack of quantified failure-rate data. The supplied studies do not provide robust operational measures for incomplete registration, OTP failure, duplicate identity creation, or failed health-record linkage [24] [25] [26] [27]. Similarly, the literature does not offer strong empirical comparisons showing that particular standards such as HL7 FHIR, SNOMED, or ICD have reliably solved exchange problems in ABDM deployments [17] [35] [36] [37].

This means current conclusions are strongest on **barrier patterns** and weaker on **measured technical failure rates**.

Confidence level: High - The gap is explicitly stated in the supplied evidence [17] [24] [25].

6. Priority Fixes Suggested by the Evidence

6.1 Improve awareness and assisted use

Targeted communication, digital health literacy initiatives, and practical registration support are repeatedly recommended, especially for users with low literacy or limited app familiarity [1] [3] [4] [34].

6.2 Reduce provider burden

ABHA/ABDM workflows are more likely to stick if they reduce, rather than add to, OPD friction. Training, staffing support, and incentives for providers appear important [4] [6].

6.3 Address rural and public-sector infrastructure gaps

Connectivity, smartphone access, and local organizational capacity need focused strengthening in underserved settings [3] [6] [8] [9] [10].

6.4 Strengthen governance and trust

The literature supports stronger consent validation, audit trails, access controls, breach reporting, and retention/deletion rules [19] [20] [21] [23].

6.5 Test interoperability in real service pathways

Hospitals, clinics, insurers, and claims workflows need real-world interoperability evaluations, not only architecture-level aspirations [14] [16] [17] [32] [39].

Confidence level: High - These actions are directly aligned with the most repeated barriers and recommendations in the evidence [1] [3] [6] [34].

Conclusion

The evidence indicates that the core challenges of ABHA/ABDM are **awareness deficits, digital literacy barriers, provider workflow burden, unequal infrastructure, interoperability weakness, and unresolved privacy-consent-accountability concerns** [1] [2] [6] [12] [13] [22]. The strongest overall pattern is a gap between **central platform expansion** and **meaningful, equitable, routine use on the ground** [2] [9].

If implementation improves, it is likely to come less from identity creation alone and more from better workflow integration, frontline support, trust-building governance, and realistic interoperability testing across actual care and payment pathways [6] [14] [32] [34].

Overall conclusion confidence: High - The conclusion reflects the dominant and recurring themes across the supplied evidence base [1] [2] [6] [9] [12].

References

1. Ranjan, A., Singh, G., Singh, H., Singh, M. (2026) Adoption, digital health literacy, and patient satisfaction of Ayushman Bharat Digital Mission: an analytical cross-sectional study among outpatient department attendees. *BMC Health Services Research*. https://doi.org/10.1186/s12913-026-14314-7
2. Annadurai, K., Soundararajan, N. (2025) Effective Implementation of Ayushman Bharat Health Account Mobile Application among Patients with Chronic Diseases in Selected Government Health Centers of Chengalpattu District, Tamil Nadu: An Operational Research. *Journal of Datta Meghe Institute of Medical Sciences University*. https://doi.org/10.4103/jdmimsu.jdmimsu_255_25
3. Katke, K. (2025) Breaking Barriers: A Strategic Approach to Ayushman Bharat's Digital Mission Success. *2025 IEEE International Conference on Distributed Ledger Technologies, ICDLT 2025*. https://doi.org/10.1109/ICDLT66400.2025.11466969
4. Kamath, R., Banu, M., Shet, N., (...), Kamath, S. (2025) Awareness of and Challenges in Utilizing the Ayushman Bharat Digital Mission for Healthcare Delivery: Qualitative Insights from University Students in Coastal Karnataka in India. *Healthcare (Switzerland)*. https://doi.org/10.3390/healthcare13040382
5. Aravind, A.P., Soundappan, K. (2024) Perception towards electronic health records & uptake of digital health IDs among the urban residents in northern India: A mixed methods study. *Indian Journal of Medical Research*. https://doi.org/10.25259/ijmr_664_23
6. Khanna, A., Kumar, A., Rajeshwari, B.S. (2025) Advancing Digital Health: Strategies for Implementation and Management. *Proceedings of the 3rd International Conference on Intelligent and Innovative Technologies in Computing, Electrical and Electronics, IITCEE 2025*. https://doi.org/10.1109/IITCEE64140.2025.10915449
7. Purohit, N., Kaur, M., Kshirsagar, S., (...), Prinja, S. (2025) Enablers and Barriers to Work Performance: A Mixed-methods Assessment of Ayushman Bharat—Health and Wellness Centres in Punjab State of India. *Journal of Health Management*. https://doi.org/10.1177/09720634251344734

8. Samudyatha, U., Kosambiya, J., Madhukumar, S. (2023) Community medicine in ayushman bharat digital mission: The hidden cornerstone. *Indian Journal of Community Medicine*. https://doi.org/10.4103/ijcm.ijcm_343_22

9. Mishra, U.S., Yadav, S., Joe, W. (2024) The Ayushman Bharat Digital Mission of India: An Assessment. *Health Systems and Reform*. https://doi.org/10.1080/23288604.2024.2392290

10. Aravind, A.P., Nangia, R., Thakur, J.S. (2022) Health and Wellness Centres as a strategic choice to manage noncommunicable diseases and universal health coverage. *International Journal of Noncommunicable Diseases*. https://doi.org/10.4103/jncd.jncd_41_22

11. Jacob, T., Kumar, P., Ansari, M.W.F., (...), Swati, I.A. (2024) A CROSS-SECTIONAL STUDY ON IMPLEMENTATION OF E-SANJEEVANI SERVICES IN RURAL AREAS OF KALABURAGI DISTRICT. *Asian Journal of Pharmaceutical and Clinical Research*. https://doi.org/10.22159/ajpcr.2024v17i9.52327

12. Bouzillé, G., Westerlynck, R., Défossez, G., (...), Cuggia, M. (2017) Sharing health big data for research - A design by use cases: The INSHARE platform approach. *Studies in Health Technology and Informatics*. https://doi.org/10.3233/978-1-61499-830-3-303

13. Adegoke, K., Adegoke, A., Dawodu, D., (...), Singh, M. (2025) Interoperability as a Catalyst for Digital Health and Therapeutics: A Scoping Review of Emerging Technologies and Standards (2015–2025). *International Journal of Environmental Research and Public Health*. https://doi.org/10.3390/ijerph22101535

14. Sunita, Sharma, S., Sharma, A., (...), Sharma, A. (2025) Interoperability and Data Exchange in Blockchain Healthcare. *Blockchain for Healthcare Data Management: A New Approach to Security and Privacy*. https://doi.org/10.4324/9781003529910-6

15. Sicília, M.-A., Serrano-Balazote, P. (2013) Interoperability in healthcare information systems: Standards, management, and technology. *Interoperability in Healthcare Information Systems: Standards, Management, and Technology*. https://doi.org/10.4018/978-1-4666-3000-0

16. Mishra, G., Khan, S., Kormiltsõn, A. (2026) Achieving Interoperability in Healthcare Organizations Through Enterprise Tools. *Empowering Healthcare through AI and Blockchain*. https://doi.org/10.1002/9781394261833.ch7

17. Faujdar, D.S., Singh, T., Kaur, M., (...), Kumar, R. (2021) Stakeholders' perceptions of the implementation of a patient-centric digital health application for primary healthcare in india. *Healthcare Informatics Research*. https://doi.org/10.4258/HIR.2021.27.4.315

18. Kamath, Rajesh, Banu, Muneera, Shet, Nagaraj, (...), Kamath, Sagarika (2025) Awareness of and Challenges in Utilizing the Ayushman Bharat Digital Mission for Healthcare Delivery: Qualitative Insights from University Students in Coastal Karnataka in India. *Healthcare*. https://doi.org/10.3390/healthcare13040382

19. Alkhatib, Ramez, Gaede, Karoline I. (2024) Data Management in Biobanking: Strategies, Challenges, and Future Directions. *BioTech*. https://doi.org/10.3390/biotech13030034

20. Mantri, Manisha, Sunder, Gaur, Kadam, Sanjay, Abhyankar, Aditya (2024) A perspective on digital health platform design and its implementation at national level. *Frontiers in Digital Health*. https://doi.org/10.3389/fdgth.2024.1260855

21. https://www.sciencedirect.com/science/article/pii/S1435565520000670

22. Pham, A., Edelson, M., Nouri, A., Kuo, T.-T. (2024) Distributed management of patient data-sharing informed consents for clinical research. *Computers in Biology and Medicine*. https://doi.org/10.1016/j.compbiomed.2024.108956

23. Gupta, A., Singh, H., Sancheti, R., (...), Rangarajan, K. (2025) Legalities, Ethics and Frameworks for Healthcare AI in India. *Academic Radiology*. https://doi.org/10.1016/j.acra.2025.06.029

24. Chugh, Yashika, Sharma, Shuchita, Guinness, Lorna, (...), Prinja, Shankar (2024) Establishing national hospital costing systems: insights from the qualitative assessment of cost surveillance pilot in Indian hospitals. *BMJ Open*. https://doi.org/10.1136/bmjopen-2023-082965

25. Thorakkattil, Shabeer Ali, Sridhar, Sathvik Belagodu, Abdulsalim, Suhaj, (...), Unnikrishnan, Mazhuvanchery Kesavan (2025) Clinical Decision Support Systems in Indian Healthcare Settings: Benefits, Barriers, and Future Implications. *Healthcare*. https://doi.org/10.3390/healthcare13172220

26. Kamath, Rajesh, Banu, Muneera, Shet, Nagaraj, (...), Kamath, Sagarika (2025) Awareness of and Challenges in Utilizing the Ayushman Bharat Digital Mission for Healthcare Delivery: Qualitative Insights from University Students in Coastal Karnataka in India. *Healthcare*. https://doi.org/10.3390/healthcare13040382

27. https://www.sciencedirect.com/science/article/pii/S1748263124000790

28. Pai, M.M.M., Ganiga, R., Pai, R.M., Sinha, R.K. (2021) Standard electronic health record (EHR) framework for Indian healthcare system. *Health Services and Outcomes Research Methodology*. https://doi.org/10.1007/s10742-020-00238-0

29. Singh, A., Singh, A., Bhattacharya, S. (2025) Two Decades of Health Initiatives in India (2003–2023): A Bibliometric Analysis. *Indian Journal of Community Medicine*. https://doi.org/10.4103/ijcm.ijcm_395_24

30. Mukherjee, A., Halder, R., Chandra, J., Shrivastava, S. (2023) HealthChain: A Blockchain-aided Federated Healthcare Management System. *2023 IEEE International Conference on Blockchain and Cryptocurrency, ICBC 2023*. https://doi.org/10.1109/ICBC56567.2023.10174916

31. Hazra, S., Singh Bora, K.S. (2025) Capitalization of digital healthcare: The cornerstone of emerging medical practices. *Intelligent Pharmacy*. https://doi.org/10.1016/j.ipha.2024.12.002

32. Kedia, N., Saxena, S. (2025) Navigating Financial Sustainability in India's Private Healthcare Under Ayushman Bharat: Challenges, Opportunities, and Global Comparisons. *Hospital Topics*. https://doi.org/10.1080/00185868.2025.2541627

33. Paliwal, S., Parveen, S., Singh, O., (...), Ahmad, J. (2023) The Role of Ayushman Bharat Health Account (ABHA) in Telehealth: A New Frontier of Smart Healthcare Delivery in India. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-031-47451-4_28

34. Pandey, A., Kumar, A., Agarwal, N., (...), Kansal, S. (2025) Community engagement for healthcare delivery without incentive: sustainable or not for Universal Health Coverage?. *Indian Journal of Community Health*. https://doi.org/10.47203/IJCH.2025.v37i03.019

35. Anand, G., Sadhna, D. (2023) Electronic health record interoperability using FHIR and blockchain: A bibliometric analysis and future perspective. *Perspectives in Clinical Research*. https://doi.org/10.4103/picr.picr_272_22

36. Kasyapa, M.S.B., Vanmathi, C. (2023) A Privacy Protection Mechanism for Indian Health Care Data Exchange Using Blockchain. *2023 Innovations in Power and Advanced Computing Technologies, i-PACT 2023*. https://doi.org/10.1109/I-PACT58649.2023.10434770

37. Bhargava, M., Mahi, S., Rao, V. (2025) A study on Electronic Health Records (EHR) in India: Security challenges, initiatives and blockchain integration. *Computational Methods in Science and Technology - Proceedings of the 4th International Conference on Computational Methods in Science and Technology, ICCMST 2024*. https://doi.org/10.1201/9781003561651-43

38. Thorakkattil, S.A., Sridhar, S.B., Abdulsalim, S., (...), Unnikrishnan, M.K. (2025) Clinical Decision Support Systems in Indian Healthcare Settings: Benefits, Barriers, and Future Implications. *Healthcare (Switzerland)*. https://doi.org/10.3390/healthcare13172220

39. Priyadharshini, P., Priya, M., Nilani, J., (...), Kapilesh, B. (2026) A Dual Coding FHIR-Compliant EMR Framework for Integrative AYUSH and Modern Medicine with Hardware-Enhanced Clinical Support. *2026 4th International Conference on Artificial Intelligence and Machine Learning Applications: Healthcare and Internet of Things, AIMLA 2026*. https://doi.org/10.1109/AIMLA67915.2026.11522425

40. Suhaib, M., Bhardwaj, N.D., Singh, B.P., (...), Khan, S. (2025) Evaluating Claims Under Ayushman Bharat Pradhan Mantri-Jan Arogya Yojna at a Government Hospital, Uttar Pradesh, India. *Journal of Health Management*. https://doi.org/10.1177/09720634251362287

41. Fareed, Muhammad, Fatima, Madeeha, Uddin, Jamal, (...), Sattar, Muhammad Awais (2025) A systematic review of ethical considerations of large language models in healthcare and medicine. *Frontiers in Digital Health*. https://doi.org/10.3389/fdgth.2025.1653631

42. Huda, Shamsul, Islam, Md. Rezaul, Abawajy, Jemal, (...), Ahmad, Shafiq (2024) A Cyber Risk Assessment Approach to Federated Identity Management Framework-Based Digital Healthcare System. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s24165282

43. Ullah, F., He, J., Zhu, N., (...), Dev, S. (2024) Blockchain-enabled EHR access auditing: Enhancing healthcare data security. *Heliyon*. https://doi.org/10.1016/j.heliyon.2024.e34407

44. https://www.sciencedirect.com/science/article/pii/S1936645025000725