

PROJECT 2

Your submission should include:

Section 1 – Setup Amazon Q Business

The image displays two screenshots from the AWS Management Console. The top screenshot shows the Amazon Q Business 'Applications' page. It features a blue header with a notification about data security. Below this, there's a 'How it works' section with three cards: 'Create generative AI application', 'Enhance application - optional', and 'Customize web experience - optional'. The 'Applications (1)' table lists one application, 'CareerCoachAssistant', with a status of 'Created succ' and a URL. The bottom screenshot shows the IAM Identity Center 'Groups' page for the 'CareerCoaches' group. It includes a 'Did you know?' tip, a 'General Information' section, and a 'Users in this group (2)' table. The table lists two users, 'career.coach.one' and 'career.coach.two', both with an 'Enabled' status and email addresses from 'vocareum.com'.

Amazon Q Business Applications

Q Business applications may securely transmit data across Regions within your geography for processing. For more information, access [Amazon Q Business Documentation](#).

How it works

- Create generative AI application**
Name your application, grant access, and experience how Q can accelerate your team's productivity.
- Enhance application - optional**
Connect to data sources, configure guardrails, plugins, Q App controls, and more.
- Customize web experience - optional**
Customize the end-user web experience and verify readiness to share.

Applications (1)

Name	Applica...	Index t...	Index n...	Creatio...	User ac...	Web ex...	Web experience URL
CareerCoachAssistant	Created succ	Native	CareerCoa...	Oct 12, 2...	Authentic...	Deployed su	https://7f8hbhd.chat.qbusiness.us-west-2.on.aws/

IAM Identity Center

Managing instance
QBusiness-SSO-Instance

Dashboard
Users
Groups
Settings

Application assignments
Applications

Related consoles
[AWS Organizations](#)
[IAM](#)

Did you know?
You can assign permissions to a group through either the [AWS accounts](#) link or the [Applications](#) link in the navigation panel. [Learn more](#)

CareerCoaches


General Information

Users Applications

Users in this group (2)
Workforce users in this group inherit permissions to the AWS accounts and Identity Center enabled applications that are assigned to this group.


Find users by username or display name

Username	Display name	Status	Email
career.coach.one	Career Coach One	Enabled	qbusiness@vocareum.com
career.coach.two	Career Coach Two	Enabled	qbusiness_2@vocareum.com




Section 2 – Create Application


Task 1 – Setup a basic application




• Step 1.1 – Create a basic application




- Step 1.2 – Add input cards for CV and Job profile uploads




- Step 1.3 – Add output card for Skill gap analysis



- Step 1.4 – Add output card for training recommendation




- Step 1.5 – Verify the application




Task 2 – Customize the application

- Step 2.1 – Add output card for schedule



- Step 2.2 – Add input card for Recommendation by Coach



Section 3 – Enhance your application

Task 3 – Use the existing data source to query course catalog information

- Step 3.1 – Access the already uploaded PDF course catalog in Amazon Q Business.

aws Search [Alt+S]

United States (Oregon) Account ID: 8530-9192-4250
voclabs/user4343801-bcafc044-b8d6-420e-a1c9-e...

Amazon Q Business > Applications > CareerCoachAssistant > Data sources > Add data source > Add files

☐ **Audio files**
Process, extract and index content from the supported audio files.
Supported format: .mp3, .wav, .m4a, .flac, .ogg

☐ **Video files**
Process, extract and index content from the supported video files.
Supported format: .mp4, .mov, .m4v

Uploaded Documents

Q

Name	Type	Size	Indexing type	Status	Details
Medicine-Course-Catalog-C.pdf	pdf	7.28 MiB	Default indexing	Success	-
Medicine-Course-Catalog-B.pdf	pdf	7.99 MiB	Default indexing	Success	-
Medicine-Course-Catalog-A.pdf	pdf	12.6 MiB	Default indexing	Success	-
Additional-Course-Catalog-B.pdf	pdf	780.34 KiB	Default indexing	Success	-
Additional-Course-Catalog-A.pdf	pdf	128.22 KiB	Default indexing	Success	-

Back Upload Done

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

• Step 3.2 – Verify that your queries retrieve training recommendations from this source.

Career Coach Assistant Create Amazon Q App

Chat Library Apps Feedback Info Log out

Using the course catalog you have indexed, list 5 training courses relevant to the skills in the CV and Job Description.

Based on the course catalog information, here are 5 relevant training courses for skill development:

1. Introduction to Database Systems - This course covers database system fundamentals, data models, database design using ER diagrams and UML, relational database models, and transaction processing, which are essential skills for data management. [1]
2. Data Mining and Warehousing - This course teaches data warehousing concepts including dimensional modeling, fact tables, OLAP objects, business intelligence, and ETL technologies. [1]
3. Software Engineering - This course focuses on software development lifecycle, requirements analysis, modeling using standard tools and techniques, and effective team-building for quality software project development. [1]

Company knowledge General knowledge ⓘ

Ask a followup question

☒ Plugins Advanced search ☐

Amazon Q Business uses generative AI. You may need to verify responses for accuracy. AWS Responsible AI Policy [1]

aws

• Step 3.3 – Confirm that results from the course catalog are integrated seamlessly with other data sources.



1. Design and Analysis of Algorithms (CSD319) - A major core course offered by the School of Engineering's Computer Science and Engineering department. [1]
2. Introduction to Database Systems (CSD317) - A major core course from the Computer Science and Engineering department requiring CSD102/201 as prerequisites. [1]
3. Data Mining and Warehousing (CSD455) - A course offered by the School of Engineering's Computer Science and Engineering department. [1]
4. Tai Chi and Qigong for Prevention and Treatment of Chronic Conditions - Advanced Level (SCSK 588) - A core course focusing on creating treatment plans using Tai Chi and Qigong. [2]
5. Eastern Arts For Step 1 (SCSK 589) - A course consisting of 20 hours of workshop training on ZOOM. [2]
6. Narrative Medicine (SCSK 584) - A one-credit extracurricular course that uses components like close readings of fiction, clinical case studies, and reflective essays. [2]
7. Yoga & Meditation as Integrated Medicine-Advanced Level (SCSK 585) - A selective with 10 hours of workshop trainings on ZOOM. [2]
8. 3D Visualization techniques course - A course teaching basics of creating 3D visualizations using open source technology. [2]
9. Chemistry (CHEM) - A required course at SUNY Downstate Health Sciences University College of Medicine that includes General/Inorganic Chemistry and Organic Chemistry with labs. [3]
10. A course covering Transaction Management, Concurrency Control, and Recovery techniques for database systems. [1]



Advanced search 

Amazon Q Business uses generative AI. You may need to verify responses for accuracy. [AWS Responsible AI Policy](#)

Section 4 – Tap into additional course catalog

Task 4 – Add another data source

- Step 4.1 – Create an Amazon S3 bucket and upload a static course catalog.

Create bucket [Info](#)

Buckets are containers for data stored in S3.

General configuration

AWS Region
US West (Oregon) us-west-2

Bucket type [Info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [Info](#)

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: `s3://bucket/prefix`

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☒ **ACLs disabled (recommended)**
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ **ACLs enabled**
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership
Bucket owner enforced

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☒ **Block all public access**
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

- ☒ **Block public access to buckets and objects granted through new access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
- ☒ **Block public access to buckets and objects granted through any access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- ☒ **Block public access to buckets and objects granted through new public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
- ☒ **Block public and cross-account access to buckets and objects through any public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ **Disable**

☐ **Enable**

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☒ Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☒ Block public access to buckets and objects granted through new access control lists (ACLs)

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☒ Block public access to buckets and objects granted through any access control lists (ACLs)

S3 will ignore all ACLs that grant public access to buckets and objects.

☒ Block public access to buckets and objects granted through new public bucket or access point policies

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☒ Block public and cross-account access to buckets and objects through any public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags - optional (0)

You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

[Add new tag](#)

You can add up to 50 tags.

Default encryption [info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [info](#)

Secure your objects with two separate layers of encryption. For details on pricing, see [DSS-E-KMS pricing on the Storage tab of the Amazon S3 pricing page](#).

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

Advanced settings

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#)

[Create bucket](#)

[Amazon S3](#) > Buckets

Successfully created bucket "career4all-course-catalog-han"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

[View details](#)

General purpose buckets

All AWS Regions

Directory buckets

General purpose buckets (1) [info](#)

Buckets are containers for data stored in S3.

Name	AWS Region	Creation date
☐ career4all-course-catalog-han	US West (Oregon) us-west-2	November 14, 2025, 01:29:04 (UTC+05:30)

Account snapshot [info](#)

Updated daily

[View dashboard](#)

Storage Lens provides visibility into storage usage and activity trends.

External access summary - new [info](#)

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

RWS

Search

[Alt+S]

United States (Oregon)

Account ID: 8530-9192-4250
voclabs/user4343801-bcaf044-b8d6-420e-a1c9-e...

Upload succeeded

For more information, see the Files and folders table.

Close

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://career4all-course-catalog-han

Succeeded

5 files, 28.8 MB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (5 total, 28.8 MB)

Find by name

Name	Folder	Type	Size	Status	Error
Additional-Course-Catalog-A...	-	application/pdf	128.2 KB	Succeeded	-
Additional-Course-Catalog-B...	-	application/pdf	780.3 KB	Succeeded	-
Medicine-Course-Catalog-A.p...	Medicine/	application/pdf	12.6 MB	Succeeded	-
Medicine-Course-Catalog-B.p...	Medicine/	application/pdf	8.0 MB	Succeeded	-
Medicine-Course-Catalog-C.p...	Medicine/	application/pdf	7.3 MB	Succeeded	-

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

· Step 4.2 – Sync the data source.

RWS

Search

[Alt+S]

United States (Oregon)

Account ID: 8530-9192-4250
voclabs/user4343801-bcaf044-b8d6-420e-a1c9-e...

Amazon Q Business

Applications

CareerCoachAssistant

Data sources

Add data source

S3V2

Add Amazon S3

info

Provide details so that Amazon Q Business can index your Amazon S3 bucket repository of documents.

Name and description

Data source name

Enter a unique name for this data source within the index that can be easily identified by Amazon Q Business users.

S3CourseCatalog

Description - optional

Add a description to identify this data source. This description will only be visible to Amazon Q Business administrators and can be edited later.

My data source connector for my documents

IAM role

info

IAM role guidance

IAM roles used for applications can't be used for data sources. If you are unsure if an existing role is used for an application, choose "Create a new role" to avoid an error.

IAM role

Amazon Q Business requires an IAM role to access repository credentials and application content.

Choose an option

Data source location

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

AWS  Search [Alt+S]    United States (Oregon) Account ID: 8530-9192-4250 voclabs/user4343801-bcafc044-b8d6-420e-a1c9-e...

Amazon Q Business > Applications > CareerCoachAssistant > Data sources > Add data source > S3V2

Data source location

☒ This AWS account
☐ Other AWS account

Sync scope [Info](#)

Enter the data source location [Info](#)
Locate the S3 bucket where your data is stored.

[Browse S3](#)

Maximum single file size [Info](#)
Set the maximum file size for crawling. Files with size up to 10,240 MB for video files, 2,048 MB for audio files, 500 MB for PDF/Word/PowerPoint documents, and 50 MB for all other supported documents can get indexed. Note that regardless of file type, any file with extracted text exceeding 50 MB won't be indexed. [Learn more about enabling video and audio.](#)

MB
Standard text documents: 50 MB max. If video/audio enabled: videos up to 10,240 MB, audio up to 2,048 MB.

Access control list (ACL) configuration file location - optional [Info](#)
Locate the ACL configuration file.

[Browse S3](#)

► **Metadata files folder location - optional** [Info](#)
Locate the folder that has your metadata JSON.

► **Filter patterns - optional**
Add a pattern to include only certain folders, or to exclude folders, file types or specific files in your repository. All paths are relative to the data source location S3 bucket. You can have a combined total of 100 patterns.

► **Multi-media content configuration - optional**

► **Advanced Settings - optional** [Info](#)

 CloudShell [Feedback](#) © 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

- Step 4.3 – Verify that recommendations are including training from newly added source



List 10 training courses that come specifically from the newly uploaded training catalog documents in the data sources.

Only use information from the documents I uploaded, not general knowledge.



Based on the training catalog documents, here are 10 courses available:

1. Design and Analysis of Algorithms (CSD319) - A major core course offered by the School of Engineering's Computer Science and Engineering department. [1]
2. Introduction to Database Systems (CSD317) - A major core course from the Computer Science and Engineering department requiring CSD102/201 as prerequisites. [1]
3. Data Mining and Warehousing (CSD455) - A course offered by the School of Engineering's Computer Science and Engineering department. [1]
4. Tai Chi and Qigong for Prevention and Treatment of Chronic Conditions - Advanced Level (SCSK 588) - A core course focusing on creating treatment plans using Tai Chi and Qigong. [2]
5. Eastern Arts For Step 1 (SCSK 589) - A course consisting of 20 hours of workshop training on ZOOM. [2]
6. Narrative Medicine (SCSK 584) - A one-credit extracurricular course that uses components like close readings of fiction, clinical case studies, and reflective essays. [2]
7. Yoga & Meditation as Integrated Medicine-Advanced Level (SCSK 585) - A selective with 10 hours of workshop trainings on ZOOM. [2]
8. 3D Visualization techniques course - A course teaching basics of creating 3D visualizations using open source technology. [2]
9. Chemistry (CHEM) - A required course at SUNY Downstate Health Sciences University College of Medicine that includes General/Inorganic Chemistry and Organic Chemistry with labs. [3]
10. A course covering Transaction Management, Concurrency Control, and Recovery techniques for database systems. [1]

^ Events

v Sources



✓ Analyzing your query

Determining Next Steps

✓ Searching your documents

Looking up

Q List 10 training courses from ...

Found passages from 3 documents

1 Addition...atalog-B.pdf

2 Medicine...atalog-B.pdf

3 Medicine...atalog-C.pdf

✓ Generating a response

Company knowledge

General knowledge



Ask a followup question




Plugins

Advanced search



Amazon Q Business uses generative AI. You may need to verify responses for accuracy. [AWS Responsible AI Policy](#)


• Step 4.4 – Setup a daily sync



Section 5 – Enhance security of your application

Task 5 – Restrict Course Access Based on Coach Expertise

- Step 5.1 – Use the existing **CareerCoaches group** in IAM Identity Center that has been set up in your account, allowing you to test access and recommendations as a Career Coach user.



- Step 5.2 – Upload restricted courses files to S3 bucket

Account ID: 8530-9192-4250
vortabz/user4343801-bcafc044-b8d6-420e-a1c9-e...

United States (Oregon)

Upload succeeded
For more information, see the [Files and folders](#) table.

Close

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination
s3://career4all-course-catalog-han

Succeeded

2 files, 703.9 KB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (2 total, 703.9 KB)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
Restricted1.pdf	-	application/pdf	303.7 KB	Succeeded	-
Restricted2.pdf	-	application/pdf	400.2 KB	Succeeded	-

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

· Step 5.3 – Create Access control list (ACL) configuration file and associate with the data source

acl.json

File Edit View

```
{
  "access_control": [
    {
      "principals": ["career.coach.one"],
      "allow": ["S3_OBJECT", "metadata", "document"],
      "paths": [
        "Restricted1.pdf"
      ]
    },
    {
      "principals": ["career.coach.two"],
      "allow": ["S3_OBJECT", "metadata", "document"],
      "paths": [
        "Restricted2.pdf"
      ]
    }
  ]
}
```

Upload succeeded

For more information, see the Files and folders table.

Close

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://career4all-course-catalog-han

Succeeded

1 file, 367.0 B (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 367.0 B)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
acl.json	-	application/json	367.0 B	Succeeded	-

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Amazon Q Business > Applications > CareerCoachAssistant > Data sources > D51 > Update S3

Sync scope [Info](#)

Enter the data source location [Info](#)
 Locate the S3 bucket where your data is stored.
 [Browse S3](#)

Maximum single file size [Info](#)
 Set the maximum file size for crawling. Files with size upto 10,240 MB for video files, 2,048 MB for audio files, 500 MB for PDF/Word/PowerPoint documents, and 50 MB for all other supported documents can get indexed. Note that regardless of file type, any file with extracted text exceeding 30 MB won't be indexed. [Learn more about enabling video and audio.](#)
 MB
 Standard text documents: 50 MB max. If video/audio enabled: videos up to 10,240 MB, audio up to 2,048 MB.

Access control list (ACL) configuration file location - optional [Info](#)
 Locate the ACL configuration file.
 [Browse S3](#)

► **Metadata files folder location - optional** [Info](#)
 Locate the folder that has your metadata JSON.

► **Filter patterns - optional**
 Add a pattern to include only certain folders, or to exclude folders, file types or specific files in your repository. All paths are relative to the data source location S3 bucket. You can have a combined total of 100 patterns.

► **Multi-media content configuration - optional**

Amazon Q Business > Applications > CareerCoachAssistant > Data sources > D51

Sync scope


Data source bucket s3://career4all-course-catalog-han	Account ID 853091924250
Access control list configuration s3://career4all-course-catalog-han/acl.json	Metadata files folder location -
Maximum single file size 50 MB	Document deletion safeguard Off
Multi-media content configuration Text based content	
► Include/Exclude file patterns Include and exclude documents from indexing.	

Sync schedule

Sync run schedule (UTC)
At 08:34 PM

Task 6 – Setup Keyword Blocking

- Step 6.1 – Block specific keywords.



Section 6 – Share your application

Task 7 – Share your app

- Step 7.1 – Share your application with all users in the account.

User access

Manage groups and users with access to the application.

Groups

1

Users

0

Manage user access

1. Screenshot of your final application, showing all the input and output cards.

Apps

Recently used

AI Career Coaching Assistant

Analyses candidate CVs against job...

Chat

Library

Apps

Feedback

Info

Log out

AI Career Coaching Assistant

Analyses candidate CVs against job descriptions to provide skill gap analysis, training recommendations, and...

Add card

Share

File

Upload Candidate CV

Drag and drop to upload or
Browse for files

File size limit is 50MB. File types: pdf, html, xml, xslx, md, csv, xls, xlsx, json, rtf, ppt, pptx, docx, txt.

File

Upload Job Description

Drag and drop to upload or
Browse for files

File size limit is 50MB. File types: pdf, html, xml, xslx, md, csv, xls, xlsx, json, rtf, ppt, pptx, docx, txt.

Text input


Coach Notes (Optional)

Add any specific guidance or context to refine the recommendations


Output

Skill Gap Analysis


Run




2. Screenshot of your data sources, showing the last sync time.




3. Screenshot of the prompt you used for the Skill Gap Analysis Output card.



4. Screenshot of the blocked words.



5. Upload the ACL file you created.

A screenshot of a code editor window with a dark theme. The title bar shows a file icon, the name 'acl.json', and window control buttons (close, maximize, and a plus sign). The menu bar includes 'File', 'Edit', and 'View'. The main text area contains a JSON object representing an ACL. The JSON is formatted with indentation and line breaks. It has a root object with a single key 'access_control' whose value is an array of two objects. Each object has three keys: 'principals' (a string), 'allow' (an array of strings), and 'paths' (an array of strings). The first object corresponds to 'career.coach.one' and 'Restricted1.pdf'. The second object corresponds to 'career.coach.two' and 'Restricted2.pdf'.

```
{
  "access_control": [
    {
      "principals": ["career.coach.one"],
      "allow": ["S3_OBJECT", "metadata", "document"],
      "paths": [
        "Restricted1.pdf"
      ]
    },
    {
      "principals": ["career.coach.two"],
      "allow": ["S3_OBJECT", "metadata", "document"],
      "paths": [
        "Restricted2.pdf"
      ]
    }
  ]
}
```

```
{
  "access_control": [
    {
      "principals": ["career.coach.one"],
      "allow": ["S3_OBJECT", "metadata", "document"],
      "paths": [
        "Restricted1.pdf"
      ]
    },
    {
      "principals": ["career.coach.two"],
      "allow": ["S3_OBJECT", "metadata", "document"],
      "paths": [
```

```
    "Restricted2.pdf"  
  ]  
}  
]  
}
```