Data Glossary

Data Table List:

IOBP2AdvEvent	Adverse Event Form
IOBP2BasalRtChg	IOBP2 Basal Rate Changes CRF
IOBP2BGRuniLetComp	IOBP2 BG Run iLet Completion CRF
IOBP2BGRuniLetInit	IOBP2 BG Run iLet Initiation CRF
IOBP2CGMAssess	IOBP2 CGM Assessment CRF
IOBP2CGMUse	IOBP2 CGM Use CRF
IOBP2CompVisit	IOBP2 Complete the Visit CRF
IOBP2ContDeviceDtTmVer	IOBP2 Control Device Date Time Verification CRF
IOBP2CorrectDose	Correction Doses CRF
IOBP2DeviceBGM	IOBP2 BGM data
IOBP2DeviceCGM	IOBP2 CGM data
IOBP2DeviceCGMAlertSet	IOBP2 CGM alert settings data
IOBP2DeviceDtTmVer	Device Date Time Verification CRF
IOBP2DeviceiLet	IOBP2 iLet data
IOBP2DeviceIssue	Device Issue CRF
IOBP2DeviceKetone	IOBP2 Ketone data
IOBP2DexcomTrain	IOBP2 Dexcom Training CRF
IOBP2DiabDKAEvent	DKA Event Table
IOBP2DiabHypoEvent	Hypoglycemic Event form
IOBP2DiabLocalHbA1c	Local HbA1c form
IOBP2DiabMedHistory	Medical History Updates form
IOBP2DiabScreening	Collects Diabetes Screening Form data
IOBP2DiabSocioEcon	Diabetes Socioeconomic Information form
IOBP2DiabTreatment	Collects Diabetes Treatment Form data

IOBP2DiabUnschedContact	Diabetes unscheduled contact form
IOBP2DiscontiLet	IOBP2 Discontinue iLet CRF
IOBP2eGFR	Protocol IOBP2 eGFR results table
IOBP2EligConfirm	IOBP2 Eligibility Confirmation CRF
IOBP2Eligibility	Protocol IOBP2 Eligibility CRF
IOBP2ExtensionStat	Protocol IOBP2 Extension Status CRF
IOBP2HeightWeight	Protocol IOBP2 Height and Weight CRF
IOBP2iLetRcmndDose	IOBP2 iLet Recommended Doses CRF
IOBP2iLetTrain	IOBP2 iLet Training CRF
IOBP2Insulin	List of all types of insulins for patient
IOBP2ManualInsulinInj	Manual Insulin Injection Form
IOBP2MealDose	IOBP2 Meal Doses
IOBP2MedicalCondition	Medical Condition Form
IOBP2Medication	Medications Form
IOBP2PregMenstrInfo	IOBP2 Pregnancy Menstrual Information CRF.
IOBP2PSBPUOS	Bionic Pancreas User Opinion Survey
IOBP2PSBPUOSParent	Bionic Pancreas User Opinion Survey Parent Report
IOBP2PSClarke	Clarke Hypoglycemia Unawareness survey
IOBP2PSClarkeParent	Clarke Hypoglycemia Unawareness Parent survey
IOBP2PSDiabTech	A survey module for Diabetes Technology Attitudes.
IOBP2PSDTSQcAdult	A survey module for the DTSQ - Adult
IOBP2PSDTSQcParent	A survey module for the DTSQ - Parent
IOBP2PSDTSQcTeen	A survey module for the DTSQ - Teen
IOBP2PSDTSQsAdult	A survey module for the DTSQ - Adult
IOBP2PSDTSQsParent	A survey module for the DTSQ - Parent
IOBP2PSDTSQsTeen	A survey module for the DTSQ - Teen
IOBP2PSEQ5D5L	A survey module for the EQ-5D-5L
IOBP2PSEQ5DY	A survey module for the EQ-5D-Y

IOBP2PSHFSAdultNoPart2	A survey module for the Fear of Hypoglycemia adult HFS No Part II
IOBP2PSHFSChildNoPart2	A survey module for the Fear of Hypoglycemia child CHFS no part II
IOBP2PSHFSParentNoPart2	A survey module for the Fear Hypoglycemia Parent PHFS no part II
IOBP2PSHypoConf	A survey module to evaluate a participant's hypoglycemia confidence
IOBP2PSINSPAdultBase	A survey module for the INSPIRE assessment for adults with T1D for baseline
IOBP2PSINSPAdultPost	A survey module for the INSPIRE assessment for adults with T1D for post intervention
IOBP2PSINSPParentBase	INSPIRE Questionnaire for Parents Baseline
IOBP2PSINSPParentPost	INSPIRE Questionnaire for Parents Post Intervention
IOBP2PSINSPYouthBase	INSPIRE Questionnaire for Youth Baseline
IOBP2PSINSPYouthPost	INSPIRE Questionnaire for Youth Post Intervention
IOBP2PSPAIDCChild	Identifying Problem Areas in Diabetes – Parents of Children (P - PAID-C)
IOBP2PSPAIDTTeen	Identifying Your Problem Areas in Diabetes – Teen Version (PAID-T)
IOBP2PSPastExpAP	Past Experiences with AP Systems Questionnaire table
IOBP2PSPastExpAPParent	Past Experiences with AP Systems - Parent Questionnaire table
IOBP2PSPPAIDCParent	Identifying Problem Areas in Diabetes – Parents of Children (P - PAID-C)
IOBP2PSPPAIDTParent	Identifying Problem Areas in Diabetes – Parents of Teens (P - PAID-T)
IOBP2PST1DDS	A survey module for the Diabetes Distress Scale for T1D
IOBP2PSTransDailyQuest	IOBP2 Transition Daily Questionnaire
IOBP2PSWeeklyQuest	IOBP2 Weekly Questionnaire
IOBP2PSWHO5	A survey module for the WHO Well-Being Index (WHO-5)
IOBP2PtFinalStat	Final Status Form
IOBP2PtRoster	IOBP2 Protocol Roster table
IOBP2RandBaseInfo	IOBP2 Randomization Baseline Information
IOBP2RunInRev	Protocol IOBP2 Run-In Review from
IOBP2VirtVisInfo	Protocol IOBP2 Virtual Visit Information form
IOBP2VisitInfo	Visit Information Form

STASampleResults	Sample results data

Data Table Details:

IOBP2AdvEvent

Description: Adverse Event Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
AENotifiedDt	Date notified of/identified adverse event			
MedicalConditionMM	Medical Condition determined by the Medical Monitor			
AEOnsetDt	Date of onset (or worsening of a pre-existing condition)			
AEPrEnroll	Is the adverse event a worsening of a pre-existing condition present prior to study entry			Yes, No
AENotedStdyVisExam	Was the adverse event an abnormality (or worsening of an existing abnormality) identified on a study visit exam			Yes, No
AEIntensity	Maximum intensity (Severity)			Mild, Moderate, Severe
AERelStdyTrt	Is there a reasonable possibility that the event was caused by a study treatment/study device			Yes, No

AERelStdyTrtUncertain	**Uncertain which treatment/study device caused event**			**1 = Checked**
AERelStdyProc	**Is there a reasonable possibility that the event was caused by a study procedure**			**Yes, No**
AEEffectTrt	**Effect on study treatment/device**			**No change, Discontinued temporarily, Discontinued permanently, Reduced dose, Reduced use frequency/schedule**
AESerious	**Does the event meet criteria for a serious adverse event**			**Yes, No**
AETrt	**Did patient receive treatment for the Adverse Event**			**Yes, No**
AESurg	**Surgery/procedure**			**Yes, No**
AESurgDt	**Date of surgery/procedure**			
AEOthTrt	**Other Treatment of Adverse Event**			**Yes, No**
AEOutcome	**Outcome**			**Ongoing (further improvement / worsening possible), Ongoing, medically stable, Complete Recovery, Recovered with Sequelae, Fatal**
AEResDt	**Date of Recovery (with or without sequelae)**			
AEDeathCause	**Cause of death**			
AEDeathDt	**Date of Death**			
AEDeath	**Criteria Defining Event as Serious Adverse Event:**			**1 = Checked**

	Death			
AEConAnomaly	**Criteria Defining Event as Serious Adverse Event: Congenital Anomaly**			**1 = Checked**
AELifeThreat	**Criteria Defining Event as Serious Adverse Event: Life Threatening**			**1 = Checked**
AEHosp	**Criteria Defining Event as Serious Adverse Event: Hospitalization -- inital or prolonged**			**1 = Checked**
AEDisability	**Criteria Defining Event as Serious Adverse Event: Significant Disability or Incapacity**			**1 = Checked**
AEOther	**Criteria Defining Event as Serious Adverse Event: Other**			**1 = Checked**
Weight	**Weight**	**0**		
WeightMeas	**Weight Measurement**			**lbs, kgs**
WeightNotAvail	**Weight: Not available**			**1 = Checked**
AERelLabData	**Relevant Tests/Laboratory Data**			**Yes, No**
AEOthRelHx	**Other relevant history, including preexisting medical conditions (e.g., allergies, pregnancy, smoking and alcohol use, hepatic/renal dysfunction, etc)**			**Yes, No**
AEMedProd	**Concomitant medical products and therapy dates (exclude treatment of event)**			**Yes, No**
MMAERelStdyTrt	**MM Is there a reasonable possibility that the event was caused by a study treatment/study device**			**Yes, No, Unrelated, Unlikely related, Possibly related, Probably related, Definitely related,**

				Not assessable
MMAESerious	**MM Does the event meet criteria for a serious adverse event**			**Yes, No**
MMUnexpected	**MM Was the event unexpected**			**Yes, No**
AERelStdyDrugDevice	**What is the relationship of the event to study drug/device**			**Unrelated, Unlikely related, Possibly related, Probably related, Definitely related, Not assessable**
AERelStdyDrugDeviceUncertain	**Uncertain which study drug/device is related to event**			**1 = Checked**
MMHospDiscRptObtained	**MM Hospital Discharge Reports Obtained**			**Yes, No, Not Requested, No, Requested Not Obtained**
AERelStdyTrtHighLvl	**If Yes, to which of the following was the adverse event possibly related**			**Study drug (drug effect), Other study treatment, Study device (function), Administration of study drug/device, Prep for the administration of study drug, Study diagnostic procedure, More than one of the above**
AERelStdyTrtWhich	**If related to the study drug/device and the study has more than one study drug or device, please indicate which one or indicate uncertain if you cannot determine**			

AERelStdyDrugDeviceHighLvl	**If possibly, probably or definitely related, to which of the following was the adverse event possibly/probably/definitely related**			**Study drug (drug effect), Other study treatment, Study device (function), Administration of study drug/device, Prep for the administration of study drug, Study diagnostic procedure, More than one of the above**
AERelStdyDrugDeviceWhich	**If related to the study drug/device and the study has more than one study drug or device, please indicate which one or indicate uncertain if you cannot determine**			
MMAERelStdyTrtHighLvl	**MM To which of the following was the adverse event possibly related**			**Study drug (drug effect), Other study treatment, Study device (function), Administration of study drug/device, Prep for the administration of study drug, Study diagnostic procedure, More than one of the above**
MMInitialCmtsDt	**MM Date Initial Comments entered**			
AECCNarrative	**CC description of sites event**			
AECCNarrativeDt	**Date CC description last reviewed**			
AEMedEvent	**Criteria Defining Event as Serious Adverse Event:**			**1 = Checked**

	Significant Medical Event			

IOBP2BasalRtChg

Description: IOBP Basal Rate Changes Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
BasRtChgDt	Basal rate change date			
BasRtChgStHr	Start time: hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
BasRtChgStMin	Start time: minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
BasRtChgStAmPm	Start time: AM/PM			AM, PM
BasRtChgEndHr	End time: hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
BasRtChgEndMin	End time: minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59

BasRtChgEndAmPm	End time: AM/PM			AM, PM
BasRtChgNewRt	New rate	0.01	19.99	

IOBP2BGRuniLetComp

Description: IOBP2 BG Run iLet Completion CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
BGRunCompConfirm	Confirm by checking the boxes below that each of the following was done			1 = Checked

IOBP2BGRuniLetInit

Description: IOBP2 BG Run iLet Initiation CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
BGRunInitConfirm	Confirm by checking the boxes below that each of the following was done			1 = Checked

IOBP2CGMAssess

Description: IOBP2 CGM Assessment CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID				
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
CGMMinUse	Does the participant currently use a Dexcom G6 CGM with at least 85% usage in the last 14 days			Yes, No

IOBP2CGMUse

Description: IOBP2 CGM Use CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
CGMUseDays	Based on participant's self-report, on average how many days per week does the participant use the study CGM	0	7	
CGMUseSkinIrrit	Reason CGM use is less than 6 days per week: Skin irritation			1 = Checked
CGMUseBreak	Reason CGM use is less than 6 days per week: Wanted a break from using it daily			1 = Checked

CGMUseHesitant	**Reason CGM use is less than 6 days per week: Hesitant/uncomfortable using device**			**1 = Checked**
CGMUseUncomfPain	**Reason CGM use is less than 6 days per week: Uncomfortable or painful to wear**			**1 = Checked**
CGMUseAlarms	**Reason CGM use is less than 6 days per week: Alarms too frequently**			**1 = Checked**
CGMUseNotAccurate	**Reason CGM use is less than 6 days per week: Does not provide accurate readings**			**1 = Checked**
CGMUseDiffOperate	**Reason CGM use is less than 6 days per week: Too difficult to operate**			**1 = Checked**
CGMUseTooBusy	**Reason CGM use is less than 6 days per week: Too busy to use it**			**1 = Checked**
CGMUseForget	**Reason CGM use is less than 6 days per week: Forget to use it**			**1 = Checked**
CGMUseNoHelp	**Reason CGM use is less than 6 days per week: Does not provide information that is helpful for diabetes management**			**1 = Checked**
CGMUseTooBig	**Reason CGM use is less than 6 days per week: Too big or interfered with certain clothing or exercise/activity**			**1 = Checked**
CGMUseOth	**Reason CGM use is less than 6 days per week: Other**			**1 = Checked**
CGMUseDisc	**Has the participant discontinued CGM use**			**Yes, No**

IOBP2CompVisit

Description: IOBP2 Complete the Visit CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
DataTrans	Were any of the data for this visit transcribed from another source (e.g., medical record, study visit worksheet) rather than directly entered on the website			Yes, No
DataTransSourceDoc	Were any data transcribed from another source: Source document worksheet			1 = Checked
DataTransSourceEMR	Were any data transcribed from another source: Electronic medical record (EMR)			1 = Checked
DataTransSourcePtChart	Were any data transcribed from another source: Written patient chart			1 = Checked
DataTransSourceTestResult	Were any data transcribed from another source: Test/lab result			1 = Checked
DataTransSourceOth	Were any data transcribed from another source: Other			1 = Checked
KeyDataTrans	Were any of the key data below transcribed			Yes, No, Not Applicable
DataTransHbA1c	Key data transcribed: HbA1c			1 = Checked

DataTransHbA1cSource	Key data transcribed: HbA1c source			CRF worksheet, Electronic medical record (EMR), Written patient chart, Test/Lab result
DataTransPreg	Key data transcribed: Pregnancy test			1 = Checked
DataTransPregSource	Key data transcribed: Pregnancy test source			CRF worksheet, Electronic medical record (EMR), Written patient chart, Test/Lab result, Visual confirmation of test via video conference

IOBP2ContDeviceDtTmVer

Description: IOBP2 Control Device Date Time Verification CRF.

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
DtTm1MinCell	Is the date/time on the insulin pump within 1 minute of a cell phone?			Yes, No
DtTm1MinCellNA	Pump date/time verification NA - participant is an MDI user			1 = Checked
CellDt	Cell phone date			
CellHr	Cell phone hour			1, 2, 3, 4, 5, 6, 7, 8, 9,

				10, 11, 12
CellMin	Cell phone minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
CellAmPm	Cell phone AmPm			AM, PM
PumpDt	Insulin pump date			
PumpHr	Insulin pump hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
PumpMin	Insulin pump minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
PumpAmPm	Insulin pump AmPm			AM, PM

IOBP2CorrectDose

Description: Correction doses CRF table

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
CorrDoseDt	Date of dose			

CorrDoseHr	Time of dose: hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
CorrDoseMin	Time of dose: minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
CorrDoseAmPm	Time of dose: AM/PM			AM, PM
CorrDoseAsRcmnd	Same as the iLet recommendation			Yes, No

IOBP2DeviceBGM

Description: IOBP2 BGM data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Device date and time			
BGMVal	BGM reading			

IOBP2DeviceCGM

Description: IOBP2 CGM data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			

PtID	Participant ID			
DeviceDtTm	Device date and time			
InternalDtTm	Dexcom Internal date and time			
RecordType	Type of data (CGM, Calibration, etc)			
Value	Glucose reading			
Units	Glucose units			
SortOrd	File sort order			

IOBP2DeviceCGMAlertSet

Description: IOBP2 CGM alert settings data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
AlertType	Event (Alert) Subtype			
GlucValue	Glucose Value (mg/dL)			
GlucChgRt	Glucose Rate of Change (mg/dL/min)			
Duration	Duration (hh:mm:ss)			
SortOrd	Index			

IOBP2DeviceDtTmVer

Description: Device Date Time Verification CRF.

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values

RecID	**Unique record ID in table**			
PtID	**Unique patient identifier**			
ParentLoginVisitID	**Unique ID for the Visit**			
Visit	**Visit**			
DtTm1MinCell	**Are the date/time on the ketone meter, iLet and study BGM within 1 minute of a cell phone?**			**Yes, No**
DtTm1MinCellUnk	**Unable to determine if the date/time on the study devices within 1 minute of a cell phone?**			**1 = Checked**
CellDt	**Cell phone date**			
CellHr	**Cell Phone Hour**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**
CellMin	**Cell Phone Minute**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
CellAmPm	**Cell Phone AmPm**			**AM, PM**
BGMDt	**BGM Date**			
BGMHr	**BGM Hour**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**
BGMMin	**BGM Minute**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50,**

				51, 52, 53, 54, 55, 56, 57, 58, 59
BGMAmPm	BGM AmPm			AM, PM
BGMNotAtVis	Participant did not bring BGM to visit			1 = Checked
KetoneMetDt	Ketone Meter Date			
KetoneMetHr	Ketone Meter Hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
KetoneMetMin	Ketone Meter Minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
KetoneMetAmPm	Ketone Meter AmPm			AM, PM
KetoneMetNotAtVis	Participant did not bring Ketone Meter to visit			1 = Checked
iLetDt	iLet Date			
iLetHr	iLet Hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
iLetMin	iLet Minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
iLetAmPm	iLet AmPm			AM, PM
iLetDiscont	iLet: Participant has discontinued use of the			1 = Checked

	device			

IOBP2DeviceiLet

Description: IOBP2 iLet data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
PtWeight	Participant's weight			
UploadIndex	Step number, starting with 0, incremented by 1 for each 5 minutes	0		
DeviceDtTm	Local date and time on the device			
CGMVal	CGM glucose value	0		
BgCal	Contains BG as ###, or BG.CAL as ###.### if both available, or -1 if neither			
BGMVal	BG value	0		
CalibrVal	Calibration value	0		
SiteGbTb	Indicates if infusion site has been changed at that step (100 if yes) plus an indication of a glucagon burst dose size if any was issued (10 = small, 20 = medium, 30 = large) plus basal scaling used (will be 1 if CGM is online and user has option to decrease it when CGM is offline)			
InfSiteChg	Indicates if the infusion site has been changed at that step			

GlucBurst	**Glucagon burst dose size**			
BasalScale	**Basal scaling being used (will always be 1 if CGM is online and the user has option to decrease it within 1, 0.9, 0.8, etc if the CGM is offline)**	**0.0**		
InsDelivAvail	**Insulin delivery channel is available**			
GlucDelivAvail	**Glucagon delivery channel is available**			
BGTarget	**Current target glucose level in mg/dl**			
InsComp	**Computed insulin dose (U) for the current step**	**0.00**		
InsDelivPrev	**Delivered insulin dose (U) of the prior executed step**	**0.00**		
BasalDelivPrev	**Basal component of the delivered insulin dose of the prior executed step**	**0.00**		
BolusDelivPrev	**Bolus component of the delivered insulin dose of the prior executed step**	**0.00**		
MealTimeDose	**Indicates that a meal dose was attempted by user, indicating time of day (10 = beginning, 20 = middle, 30 = end, 40 = sleep times of the day) plus meal size selected (0.3 for snack, 0.6 for less than typical, 1.0 for typical, and 1.3 for more than typical), else 0 if no meal dose**			
MealTimeOfDay	**Time of the day the user selected for issued meal dose at current step**			
MealSize	**Meal size the user selected for an issued meal dose at**			

	the current step			
MealBolus	Issued meal dose (U) for the current step	0.00		
MealBolusDelivPrev	Delivered meal dose (U) of the prior executed step	0.00		
DlyOutput	Daily output: CF (mg/dl/U); four 6h BRs (U/h), MDI (U), 3 main MBs (U)			

IOBP2DeviceIssue

Description: Device Issue Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient ID			
InvDevice	Investigated Device			
DevIssueType	Type of device issue			Device malfunction, Device-related, but not malfunction, User error, Study staff user error, Inadequate instructions / training, Inadequate labeling, Other, Skin reaction
DevIssueOnsetDt	Date problem first occurred/was identified			
DevIssueLocation	Location of Occurrence			Home, Inpatient, Clinic (outpatient), Other
DevIssueFrequency	Frequency			Single Event, Intermittent, Continuous

DevIssueEffect	**Effect on study treatment/device**			**No change, Study device modified/adjusted, Study device replaced, Discontinued temporarily, Discontinued permanently**
DevIssueReplacedDt	**Date replaced or modified device first used by participant (leave empty if not applicable or not yet used by subject)**			
DevIssueAE	**Is the device issue related to an adverse event**			**Yes, No**
DevIssueAELikely	**If no, please describe the likelihood that the device issue could have led to an adverse event**			**Not assessable, Not possible, Unlikely, Possibly, Probably, Certainly**
DevIssueUADE	**Can the device deficiency or issue be classified as an Unanticipated Adverse Device Effect (UADE)**			**Yes, No, Uncertain**
DevIssueAELikelyHypo	**What adverse event could have occurred: Hypoglycemia**			**1 = Checked**
DevIssueAELikelyHyper	**What adverse event could have occurred: Hyperglycemia**			**1 = Checked**
DevIssueAELikelyOth	**What adverse event could have occurred: Other**			**1 = Checked**

IOBP2DeviceKetone

Description: IOBP2 Ketone data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Device date and time			
KetoneVal	Ketone reading			

IOBP2DexcomTrain

Description: Protocol IOBP2 Dexcom Training CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
PersDexcomG6	Does the participant currently use his or her own Dexcom G6			Yes, No
DexcomTrainConfirm	Dexcom training: Confirm by checking the boxes below that each of the following was done			1 = Checked

IOBP2DiabDKAEvent

Description: DKA Event Table

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DKAOccurDt	Date of Event			

DKAOccurDtApprox	**Date of event is approximate**			**1 = Checked**
DKAOccurDtUnk	**Unknown: Date of event**			**1 = Checked**
DKAMetCriteria	**Did event meet study criteria listed above for DKA**			**Definitely, Probably, No, Cant deter**
GlucLevel	**Glucose level**			
GlucLevelUnits	**Glucose Units**			**mg/dL, mmol/L**
GlucLevelUnk	**Unknown: Glucose level**			**1 = Checked**
KetoneResUnk	**Unknown: Ketone Result**			**1 = Checked**
KetoneSerum	**Ketone result: Serum**			
KetoneSerumUnits	**Ketone result: Serum units**			**mg/dL, mmol/L**
KetoneUrine	**Ketone result: Urine**			**Negative, Small, Medium, Large, Extra Large**
HCO3	**HCO3**			
HCO3Unk	**Unknown: HCO3**			**1 = Checked**
pH	**pH**			
pHSample	**pH Sample**			**Arterial blood, Venous**
pHUnk	**Unknown: pH**			**1 = Checked**
BUN	**BUN**			
BUNUnk	**Unknown: BUN**			**1 = Checked**
CerebEdema	**Symptomatic cerebral edema**			**Yes, No, Unknown**
EventCauseStdyDev	**Is there any evidence that a study device (e.g., blood glucose meter and/or HHM) contributed to the event (either device malfunction or improper use by user)**			**Yes, No**
EventCauseNonStdy	**Is there any indication of non-study-device-related factors that contributed to**			**Yes, No**

	the occurrence of the event			
DKAOutcome	Outcome			Fully recovered, Other, Unknown
SensorWear	Was the participant wearing a CGM sensor at the time of the event			Yes, No, Unknown
SensorGluc	CGM sensor glucose reading			
SensorGlucUnits	CGM sensor glucose units			mg/dL, mmol/L
SensorGlucUnk	Unknown: CGM sensor glucose reading			1 = Checked
AutoInsDelivWear	Was the participant wearing an automated insulin delivery system at the time of the event			Yes, No, Unknown
AutoInsDelivMode	If Yes, was the system in auto mode or manual mode			Auto Mode, Manual Mode, Unknown
InvFeelSafeToContinue	Does the investigator believe that the event is unlikely to recur, and that it is safe for the participant to continue to use the assigned therapy			Yes, No

IOBP2DiabHypoEvent

Description: Hypoglycemic Event form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
HypoOccurDt	Date of event			
HypoOccurDtApprox	Date of event is approximate			1 = Checked
HypoOccurDtUnk	Unknown: Date of event			1 = Checked

HypoApproxTm	**Indicate the approximate time of day of the event**			**00:01 - 03:00, 03:01 - 06:00, 06:01 - 09:00, 09:01 - 12:00, 12:01 - 15:00, 15:01 - 18:00, 18:01 - 21:00, 21:01 - 00:00, Unknown**
GlucMeterCk	**Was the glucose level checked on a home blood glucose meter**			**Yes, No, Unknown**
GlucMeterRes	**Glucose result**	**0.00**	**500.00**	
GlucMeterResUnits	**Glucose result units**			**mg/dL, mmol/L**
GlucMeterResUnk	**Unknown: Glucose result**			**1 = Checked**
SensorWear	**Was the participant wearing a CGM sensor at the time of the event**			**Yes, No, Unknown**
SensorGluc	**CGM sensor glucose reading**			
SensorGlucUnits	**CGM sensor glucose units**			**mg/dL, mmol/L**
SensorGlucUnk	**Unknown: CGM sensor glucose reading**			**1 = Checked**
HypoSeizure	**Seizure**			**1 = Checked**
HypoLossCons	**Loss of consciousness**			**1 = Checked**
HypoReqAssist	**Required assistance**			**1 = Checked**
HypoAmbulance	**Ambulance called**			**1 = Checked**
HypoEMT	**EMT assistance**			**1 = Checked**
HypoHthCareProv	**Evaluated or treated by healthcare provider (not EMT)**			**1 = Checked**
GlucGiven	**Was glucagon given**			**Yes, No, Unknown**
HospOrER	**Was the participant hospitalized or treated in the Emergency Room**			**Yes, No, Unknown**
HospERTreatLoc	**Where was the participant treated**			**ICU only, Floor only, ICU and Floor, Emergency Room**

				only, Unknown
HospNumDays	If hospitalized, duration (days)			
HospNumDaysUnk	Unknown: Number of days participant was hospitalized			1 = Checked
EventCauseStdyDev	Is there any evidence that a study device (e.g., blood glucose meter and/or HHM) contributed to the event			Yes, No
EventCauseNonStdy	Is there any indication of non-study device-related factors that contributed to the occurrence of the event			Yes, No
HypoEventOutcome	Outcome			Fully recovered, Other, Unknown
AutoInsDelivWear	Was the participant wearing an automated insulin delivery system at the time of the event			Yes, No, Unknown
AutoInsDelivMode	If Yes, was the system in auto mode or manual mode			Auto Mode, Manual Mode, Unknown

IOBP2DiabLocalHbA1c

Description: Local HbA1c form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
HbA1cNotDone	Local HbA1c not done			1 = Checked

HbA1cTestDt	Date of HbA1c test			
HbA1cTestMeth	Method of testing			DCA point of care, Afinion point of care, Other point of care, Lab, Unknown
HbA1cTestRes	HbA1c results	4.0	15.0	

IOBP2DiabMedHistory

Description: Medical History Updates form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
SHSinceLastVis	Reportable Hypoglycemic event			Yes, No
DKASinceLastVis	Reportable Hyperglycemia or DKA Event			Yes, No
OthAESinceLastVis	Other reportable adverse event or adverse device effect (ADE)			Yes, No
MedCondSinceLastVis	Did the participant report a new medical condition that does not meet the definition of a reportable adverse event and has not previously been recorded on the Medical Conditions Form			Yes, No
DevProbSinceLastVis	Did the participant report having any reportable device problems while using a study			Yes, No

	device since the last contact			
MedSinceLastVis	Did the participant report any changes or new medications since the last contact			Yes, No
InsulinSinceLastVis	Did the participant report any changes in insulin type or insulin delivery method since the last contact			Yes, No

IOBP2DiabScreening

Description: Collects Diabetes Screening Form data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient identifier			
ParentLoginVisitID	Unique ID for the Visit			
Sex	Sex of the participant			
Ethnicity	Ethnicity			Hispanic or Latino, Not Hispanic or Latino, Unknown/not reported
Race	Race			White, Black/African American, Asian, Native Hawaiian/Other Pacific Islander, American Indian/Alaskan Native, More than one race, Unknown/not reported

DiagDt	**Date of Diagnosis**			
DiagDtApprox	**Date of diagnosis of diabetes is Approximate**			**1 = Checked**
DiagDtUnk	**Date of diagnosis of diabetes is Unknown**			**1 = Checked**
DiagAge	**Age at diagnosis**	**0**	**99**	
DiagAgeApprox	**Age at diagnosis is Approximate**			**1 = Checked**
DiagAgeUnk	**Age at diagnosis is Unknown**			**1 = Checked**
SHMostRecent	**Estimate of when most recent severe hypoglycemic event occurred**			**Never, < 3 months ago, 3-<6 months ago, 6-12 months ago, More than 12 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago**
SHNumLast12Months	**Estimated number of severe hypoglycemic events in the last 12 months**			**0, 1, 2, 3, 4, 5-10, >=10**
SHSeizComa	**Estimated number of severe hypoglycemic events involving seizure/coma**			**0, 1, 2, 3, 4, 5-10, >=10**
SHSeizComaLast12Months	**Number of severe hypoglycemic events involving seizure/coma in last 12 months**			**0, 1, 2, 3, 4, 5-10, >=10**
DKAMostRecent	**Estimate of when most recent definite or probable DKA event occurred**			**Never, < 3 months ago, 3-<6 months ago, 6-12 months ago, More than 12 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago**

DKANumLast12Months	**Estimated number of definite or probable DKA events in the last 12 months**			**0, 1, 2, 3, 4, 5-10, >=10**
InsModPump	**Insulin modality: pump**			**1 = Checked**
InsModInjections	**Insulin modality: Injections**			**1 = Checked**
InsModInhaled	**Insulin modality: Inhaled**			**1 = Checked**
InsModNone	**Insulin modality: None**			**1 = Checked**
PumpUse	**How long has participant been using an insulin pump**			**<3 months, 3-<6 months, 6 months-<1 year, 1-<2 years, 2-<5 years, >= 5 years**
PumpType	**Manufacturer of pump**			
PumpTypeUnk	**Manufacturer of pump Unknown**			**1 = Checked**
UnitsInsTotal	**Total daily insulin in units**	**1**	**300**	
UnitsInsUnk	**Total daily insulin in units Unknown**			**1 = Checked**
UnitsInsBasilOrLongAct	**Total daily basal or long acting insulin units**	**1**	**250**	
UnitsInsBasilOrLongActUnk	**Total daily basal or long acting insulin units Unknown**			**1 = Checked**
NumPumpBolusOrShortAct	**Number of boluses, injections, or inhaled doses per day**	**0**	**50**	
NumPumpBolusOrShortActUnk	**Number of boluses, injections, or inhaled doses per day Unknown**			**1 = Checked**
BGTestAvgNumMeter	**Average number of BG tests from meter**	**0**	**30.0**	
BGTestMetDatNotAvail	**Average number of BG tests from meter not available**			**1 = Checked**
BGTestAvgNumPtRep	**Average number of BG tests from participant**	**0**	**30.0**	

BGTestPtRepNotAvail	**Average number of BG tests from participant not available**			**1 = Checked**
CGMUseStat	**Status of CGM use in last month**			**Never, In past, but not current, Current**
CGMUseDur	**How long has the participant been using CGM**			**<3 months, 3-<6 months, 6 months-<1 year, 1-<2 years, 2-<5 years, >= 5 years**
CGMUseDevice	**Which CGM device is being used**			**Abbott, Dexcom, Medtronic, Senseonics**
CGMUseLast1Month	**In the past month, how many days has the participant used the CGM**	**1**	**30**	
CGMUseLast1MonthUnk	**In the past month, how many days has the participant used the CGM Unknown**			**1 = Checked**
PtCurrMed	**Is subject currently taking any medication**			**Yes, No**
SHNumEverB	**Estimated number of severe hypoglycemic events ever (as defined below)**			**0, 1, 2, 3, 4, 5-10, >10**
SHMostRecentB	**Estimate of when most severe hypoglycemic event (as defined below) occurred**			**< 3 months ago, 3-<6 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago**
SHLast12MonthsB	**If <12 months ago, how many events occurred in the last 12 months**			**1, 2, 3, 4, 5-10, >10**
SHSeizComaNumB	**Estimated number of severe hypoglycemic events involving seizure/loss of consciousness ever**			**0, 1, 2, 3, 4, 5-10, >10**

SHSeizComaLast12MonthsB	If 1 or more severe hypoglycemic events involving seizure/loss of consciousness, how many events occurred in the last 12 months			0, 1, 2, 3, 4, 5-10, >10
DKANumEverB	Estimated number of definite or probable DKA events ever (as defined below and including DKA at diagnosis)			0, 1, 2, 3, 4, 5-10, >10
DKAMostRecentB	If 1 or more definite or probable DKA events, estimate of when most recent definite or probable DKA event occurred			< 3 months ago, 3-<6 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago
DKALast12MonthsB	If <12 months ago, how many events occurred in the last 12 months			1, 2, 3, 4, 5-10, >10
BGTestMeterFreq	Frequency of meter download blood glucose tests			per day, per week
BGTestPtRepFreq	Frequency of participant reported blood glucose tests			per day, per week

IOBP2DiabSocioEcon

Description: Diabetes Socioeconomic Information form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
EducationLevel	Education Level			Less than High

				School, High school graduate/diploma/GED, Technical/Vocational, Associate Degree (AA), College Graduate (Bachelor's Degree or Equivalent), Advanced Degree (e.g. Masters, PhD, MD), Unknown, Does not wish to provide, 1st, 2nd, 3rd, or 4th grade, 5th or 6th grade, 7th or 8th grade, 9th grade, 10th grade, 11th grade, 12th grade - no diploma, Some college but no degree, Less than 1st grade, Bachelor's Degree (BS,BA,AB), Master's Degree (MA, MS, MSW, MBA, MPH), Professional Degree (MD, DDS, DVM, LLB, JD), Doctorate Degree (PhD, EdD)
AnnualIncome	**Annual Income**			**Less than $25,000, $25,000 to less than $35,000, $35,000 to less than $50,000, $50,000 to less than $75,000, $75,000 to less than $100,000, $100,000 to less than $200,000, $200,000 or more, Unknown, Does not wish to provide**

InsPrivate	Private Insurance			1 = Checked
InsMedicare	Medicare Insurance			1 = Checked
InsMediGap	MediGap insurance			1 = Checked
InsMedicaid	Medicaid insurance			1 = Checked
InsSCHIP	SCHIP insurance			1 = Checked
InsMilitary	Military health care			1 = Checked
InsIndian	Indian health service plan			1 = Checked
InsState	State sponsored health plan			1 = Checked
InsOtherGov	Other government-sponsored health coverage			1 = Checked
InsSingleService	Single service plan			1 = Checked
InsNoCoverage	No insurance coverage			1 = Checked
InsUnk	Insurance coverage unknown			1 = Checked
InsNoAns	Insurance coverage no answer			1 = Checked

IOBP2DiabTreatment

Description: Collects Diabetes Treatment Form data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient identifier			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
InsModPump	Insulin modality: pump			1 = Checked
InsModInjections	Insulin modality: Injections			1 = Checked
InsModInhaled	Insulin modality: Inhaled			1 = Checked

InsModNone	**Insulin modality: None**			**1 = Checked**
PumpUse	**If Pump, how long has the participant been using an insulin pump**			**<3 months, 3-<6 months, 6 months-<1 year, 1-<2 years, 2-<5 years, >= 5 years**
PumpType	**Manufacturer/model of pump**			
PumpTypeUnk	**Manufacturer/model of pump Unknown**			**1 = Checked**
UnitsInsTotal	**Total daily insulin in units**	**1**	**300**	
UnitsInsUnk	**Total daily insulin in units Unknown**			**1 = Checked**
UnitsInsBasilOrLongAct	**Total daily basal insulin for pump users or long/intermediate acting insulin (including NPH) for injection users, in units**	**1**	**250**	
UnitsInsBasilOrLongActUnk	**Total daily basal or long acting insulin units Unknown**			**1 = Checked**
NumPumpBolusOrShortAct	**Number of boluses per day for pump users, number of injections of short acting insulin per day for injection users, or number of inhaled doses per day for short acting inhaled insulin**	**0**	**50**	
NumPumpBolusOrShortActUnk	**Number of boluses, injections, or inhaled doses per day Unknown**			**1 = Checked**
BGTestAvgNumMeter	**Average number of blood glucose tests from meter**	**0**	**30.0**	
BGTestMetDatNotAvail	**Average number of blood glucose tests from meter not available**			**1 = Checked**
BGTestAvgNumPtRep	**Average number of blood glucose tests from**	**0**	**30.0**	

	participant			
BGTestPtRepNotAvail	Average number of blood glucose tests from participant not available			1 = Checked
BGTestMeterFreq	Frequency of meter download blood glucose tests			per day, per week
BGTestPtRepFreq	Frequency of participant reported blood glucose tests			per day, per week

IOBP2DiabUnschedContact

Description: Diabetes unscheduled contact form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Unique Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
ContType	Contact Type			Clinic visit, Phone call, Email, Text, Home visit, Video chat/Skype
ContReasDevTrain	Reason for Contact: Participant needed additional device training			1 = Checked
ContReasProtTrain	Reason for Contact: Participant needed additional protocol/procedural training			1 = Checked
ContReasDiabMgmt	Reason for Contact: Participant had a question or problem with diabetes management			1 = Checked

ContReasAE	Reason for Contact: Participant had a potential adverse event			1 = Checked
ContReasDevIssue	Reason for Contact: Participant had a potential device deficiency/issue			1 = Checked
ContReasSupplies	Reason for Contact: Participant needed study supplies			1 = Checked
ContReasOth	Reason for Contact: Other			1 = Checked
ContPersPartic	Contact was made with: Participant			1 = Checked
ContPersParent	Contact was made with: Parent/Guardian			1 = Checked
ContPersSpouse	Contact was made with: Spouse or significant other			1 = Checked
ContPersOth	Contact was made with: Other			1 = Checked

IOBP2DiscontiLet

Description: IOBP2 Discontinue iLet CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ILetDiscDt	Date participant permanently discontinued the iLet			
ILetDiscHr	Time participant permanently discontinued the iLet: Hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
ILetDiscMin	Time participant			0, 1, 2, 3, 4, 5, 6, 7, 8,

	permanently discontinued the iLet: Minute			9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
ILetDiscAMPM	Time participant permanently discontinued the iLet: AMPM			AM, PM
ILetTmDiscApprox	Approximate: Time participant permanently discontinued the iLet			1 = Checked
ILetTmDiscUnk	Unknown: Time participant permanently discontinued the iLet			1 = Checked

IOBP2eGFR

Description: Protocol IOBP2 eGFR results table

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
EGFRDt	Date of sample collection			
EGFRResult	eGFR result	0	200	

IOBP2EligConfirm

Description: IOBP2 Eligibility Confirmation CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
EligConfirm	Eligibility and exclusion criteria were reviewed and confirmed that participant is eligible and is a good candidate for the study			1 = Checked

IOBP2Eligibility

Description: Protocol IOBP2 Eligibility CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
EligNoNewNonInsAgent	Willingness not to start any new non-insulin glucose-lowering agent during the course of the trial			1 = Checked
EligParentGuardKnowSH	For participants <18 years old, living with one or more parent/legal guardian knowledgeable about emergency procedures for severe hypoglycemia			1 = Checked

EligPtSafeUseiLet	**Investigator believes that the participant can safely use the iLet and will follow the protocol**			**1 = Checked**
EligDiscGLP1Agonist	**If a GLP-1 agonist or pramlintide is being used, participant must be willing to discontinue use while the iLet BP system is being used, including the randomized trial and extension study**			**1 = Checked**
ExclAbsUnabInformCons	**Exclusion Criteria absent: Unable to provide informed consent (e.g. impaired cognition or judgment)**			**1 = Checked**
ExclAbsUnabComplStdyProc	**Exclusion Criteria absent: Unable to safely comply with study procedures and reporting requirements (e.g. impairment of vision or dexterity that prevents safe operation of the bionic pancreas, impaired memory)**			**1 = Checked**
ExclAbsUnabSpeakReadEng	**Exclusion Criteria absent: Unable to speak and read English**			**1 = Checked**
ExclAbsChngDiabRegimen	**Exclusion Criteria absent: Plan to change usual diabetes regimen in the next 3 months**			**1 = Checked**
ExclAbsUseApidra	**Exclusion Criteria absent: Use of Apidra as the pre-study rapid-acting insulin analog and unwilling to switch to lispro or aspart for the duration of the study**			**1 = Checked**
ExclAbsOthDiabTrial	**Exclusion Criteria absent: Current participation in another diabetes-related**			**1 = Checked**

	clinical trial			
ExclAbsBetaBioRelated	Exclusion Criteria absent: Employed by, family members employed by Beta Bionics, being directly involved in clinical trial, or having a direct supervisor directly involved in conducting the clinical trial, or having a relative who is directly involved in conducting the clinical trial			1 = Checked
EligSrcT1DIns1Yr	Eligibility Source: Clinical diagnosis of T1D for at least one year and using insulin for at least 1 year			Medical record, Investigator judgment, Solely participant/LAR report
EligSrcDiabRegOver3Mon	Eligibility Source: Diabetes managed using the same regimen (either pump or MDI, with or without CGM) for >= 3 months prior to collection of CGM data (either from personal Dexcom G6 device or study-provided G6 device)			Medical record, Investigator judgment, Solely participant/LAR report
EligSrcAge6OrOver	Eligibility Source - Medical Record: Age >= 6 years old			1 = Checked
EligSrcCGMOrBGMinUse	Eligibility Source: Current use of a CGM, or if not a CGM user, at least 3 blood glucose meter tests daily on average over the last 4 weeks (according to judgment of investigator if meter is not available)			Medical record, Investigator judgment, Solely participant/LAR report
EligSrcNotPregBreastfd	Eligibility Source - Medical Record: Not currently pregnant or breast feeding, does not plan to become pregnant in the next 3			1 = Checked

	months and is not sexually active without use of contraception			
EligSrceGFR	**Eligibility Source - Medical Record: Less than 18 years of age OR eGFR >=30mL/min**			**1 = Checked**
ExclAbsNonFDALOOP	**Exclusion Criteria absent: Current use of non-FDA approved closed-loop or hybrid closed-loop insulin delivery system**			**1 = Checked**
ExclAbsHemoglob	**Exclusion Criteria absent: Known hemoglobinopathy (sickle cell trait is not an exclusion)**			**1 = Checked**
ExclAbsSFPancr	**Exclusion Criteria absent: History of cystic fibrosis, pancreatitis, or other pancreatic disease, including pancreatic tumor or insulinoma, or history of complete pancreatectomy**			**1 = Checked**
ExclAbsElectricImplant	**Exclusion Criteria absent: Electrically powered implants (e.g. cochlear implants, neurostimulators) that might be susceptible to RF interference**			**1 = Checked**
ExclAbsAdhesAllergy	**Exclusion Criteria absent: Established history of allergy or severe reaction to adhesive or tape that must be used in the study**			**1 = Checked**
ExclAbsSGLT2Inhib	**Exclusion Criteria absent: Current use of SGLT2 inhibitors or a sulfonylurea drug (use more than 3 months prior to enrollment is acceptable)**			**1 = Checked**

ExclAbsRenFailDialys	Exclusion Criteria absent: Renal failure on dialysis			1 = Checked
ExclAbsMedCond	Exclusion Criteria absent: Presence of a medical condition or use of a medication that, in the judgment of the investigator, clinical protocol chair, or medical monitor, could compromise the results of the study or the safety of the participant			1 = Checked

IOBP2ExtensionStat

Description: Protocol IOBP2 Extension Status CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ContToExtension	Will participant continue to extension phase			Yes, No

IOBP2HeightWeight

Description: Protocol IOBP2 Height and Weight CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			

Visit	Visit			
Weight	Weight			
WeightUnits	Weight units			lbs, kg
WeightUnk	Weight not measured			1 = Checked
WeightAssessBy	Weight: How was measurement assessed			By participant outside of clinic, By study personnel in clinic
WeightAssessDt	Weight: Date measurement was assessed			
Height	Height			
HeightUnits	Height units			in, cm
HeightUnk	Height not measured			1 = Checked
HeightAssessBy	Height: How was measurement assessed			By participant outside of clinic, By study personnel in clinic
HeightAssessDt	Height: Date measurement was assessed			

IOBP2iLetRcmndDose

Description: IOBP2 iLet Recommended Doses CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
TotalInsUnts	Long acting insulin dose: total units per day	0	200	
AmDoseIns	Long acting insulin dose: AM dose	0	200	

PmDoseIns	**Long acting insulin dose: PM/Bedtime dose**	**0**	**200**	
BasalRt12amTo6am	**Pump basal rate units/hr: 12am to 6am**	**0.0**	**7.7**	
BasalRt6amTo12pm	**Pump basal rates units/hr: 6am to 12pm**	**0.0**	**7.7**	
BasalRt12pmTo6pm	**Pump basal rates units/hr: 12pm to 6pm**	**0.0**	**7.7**	
BasalRt6pmTo12am	**Pump basal rate units/hr: 6pm to 12am**	**0.0**	**7.7**	
CorrectFact	**Correction factor: Take 1 unit of rapid-acting insulin for every mg/dL above 120 mg/dL**	**0**	**200**	
BkstLessDose	**Meal time insulin: breakfast less than usual**	**0.0**	**12.8**	
BkstUsualDose	**Meal time insulin: breakfast usual**	**0.0**	**25.5**	
BkstMoreDose	**Meal time insulin: breakfast more than usual**	**0.0**	**38.3**	
LunchLessDose	**Meal time insulin: lunch less than usual**	**0.0**	**12.8**	
LunchUsualDose	**Meal time insulin: lunch usual**	**0.0**	**25.5**	
LunchMoreDose	**Meal time insulin: lunch more than usual**	**0.0**	**38.3**	
DinnerLessDose	**Meal time insulin: dinner less than usual**	**0.0**	**12.8**	
DinnerUsualDose	**Meal time insulin: dinner usual**	**0.0**	**25.5**	
DinnerMoreDose	**Meal time insulin: dinner more than usual**	**0.0**	**38.3**	

IOBP2iLetTrain

Description: Protocol IOBP2 iLet Training CRF

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Unique Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
iLetConfirm	Confirm by checking the boxes below that each of the following was done			1 = Checked
DexTransSerNumNA	Serial number of the Dexcom transmitter provided: N/A (participant using his or her own transmitter)			1 = Checked

IOBP2Insulin

Description: List of all types of insulins for patient

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient ID			
InsulinName	Insulin name			
InsRoute	Route			Pump, Injection, Inhaled
InsInjectionFreq	If injection or inhaled, what is the usual frequency of injections or inhaled per day			1, 2, 3, 4, 5, 6, 7, 8, 9, Unknown
InsTypeStart	Start Date of Insulin Type			In use at time of enrollment, Started after enrollment, Unknown

InsTypeStartDt	If started after enrollment, start date			
InsTypeStartUnknown	If started after enrollment, start date: Unknown			1 = Checked
InsTypeStopDt	Stop Date of Insulin Type (if permanently discontinued during the study)			
InsTypeStopUnknown	Stop Date of Insulin Type: Unknown			1 = Checked
InsTypeStartEstimate	If started after enrollment, start date: Estimated			1 = Checked
InsTypeStopEstimate	Stop Date of Insulin Type: Estimated			1 = Checked

IOBP2ManualInsulinInj

Description: Manual Insulin Injection Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant identifier			
InsInjDt	Insulin Injection date			
InsInjHr	Insulin Injection hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
InsInjMin	Insulin Injection minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59

InsInjAMPM	Insulin Injection AMPM			AM, PM
InsInjTimeApprox	Insulin Injection: Time is approximate			1 = Checked
InsInjAmt	Insulin Injection amount			
InsInjAmtApprox	Insulin Injection Amount: Amount is approximate			1 = Checked

IOBP2MealDose

Description: IOBP2 Meal Doses

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
MealDoseDt	Meal dose date			
MealDoseHr	Meal dose time: hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MealDoseMin	Meal dose time: minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
MealDoseAmPm	Meal dose time: AM/PM			AM, PM
MealDoseType	Meal dose type			Main meal, Snack
MealDoseAnnounceTm	How would you have announced this on the iLet			Breakfast, Lunch, Dinner, Would not have announced
MealDoseAnnounceAmt	If announced, what would			Less than usual,

	you have entered as the size			Usual, More than usual
FollowRecDose	Did you follow the iLet recommended dose			Yes, No

IOBP2MedicalCondition

Description: Medical Condition Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
MedicalCondition	Medical Condition			
MedCondPreStart	Medical condition present prior to study enrollment			Yes, No
MedCondPreStartCat	If present prior to enrollment, approximate duration (prior to enrollment)			<=30 days, >30 days to < 3 months, 3 months to < 6 months, 6 months to < 1 year, 1 year to < 5 years, 5 years to < 10 years, >=10 years, Unknown
MedCondPreStartTreat	If present prior to enrollment, was the medical condition treated with medication			Current, Past, Never
MedCondDiagDt	If condition started after enrollment, date of diagnosis			
MedCondDiagDtApprox	Date of diagnosis is approximate			1 = Checked
MedCondDiagDtUnk	Date of diagnosis is unknown			1 = Checked

MedCondTrt	If condition started after enrollment, treatment of the medical condition			None, Medication, Surgery, Medication and Surgery, Dietary Management, Other
MedCondResDt	Recovery Date			
MedCondResDtApprox	Recovery date of medical condition is approximate			1 = Checked
MedCondStatus	Medical condition status			Ongoing (further improvement / worsening possible), Ongoing, medically stable, Complete Recovery, Recovered with Sequelae
MedCondDiagMonth	If condition started after enrollment, month of diagnosis			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MedCondDiagYear	If condition started after enrollment, year of diagnosis			
MedCondCurrTreatMed	Current treatment with medications			Yes, No

IOBP2Medication

Description: Medications Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
MedDose	Dose per administration			
MedUnit	Dose per administration unit			aerosol, ampules, capsules, cream, dl, elixir, g, gal, gtt-drops, IU, kg, L, lbs, M, mcg, meq, mg,

				mL, Ointment, pills, pt, puff, ounces, qt, tablet, tbs, tsp, ul, units, vials
MedDoseUnk	**Dose per administration is unknown**			**1 = Checked**
MedRoute	**Route**			**PO, SC, Topical - ocular, Gtt, Intravitreal, IV, IM, Oral Inhalation, Topical - skin, Nasal, Other, Topical, ID, PR, Vaginal, Transurethral, Sublingual, Peribulbar, Intra-articular, Retrobulbar, Transdermal, Subconjunctival, Subtenons, Intrauterine, Epidural, Gastrostomy tube, Intracavernous**
MedLocSide	**If treatment is for eye or ear, which was treated with medication**			**Right, Left, Both**
MedFreqType	**Frequency**			**Fixed Regimen, As Needed, One Time Treatment**
MedFreqNum	**Frequency number**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50**
MedFreqPer	**Frequency period**			**Day, Week, Month,**

				Year
MedFreqUnk	Medication frequency is unknown			1 = Checked
MedInd	Indication			Prior to enrollment, New, Prevention
MedicalCondition1	Medical Condition 1			
AdvEvent1	Adverse Event 1			
MedStartTrtCat	Start date of treatment category			On treatment at time of enrollment, Treatment started after enrollment
MedStartDt	If treatment started after enrollment/randomization, Medication Start Date			
MedStartDtApprox	Medication Start Date is approximate			1 = Checked
MedStopDt	Medication Stop Date			
MedStopDtApprox	Medication Stop Date is approximate			1 = Checked
MedOngoing	Medication is ongoing			1 = Checked
MedStartPreEnrRange	If on treatment at time of enrollment, Medication Start Range			<=30 days, >30 days to < 3 months, 3 months to < 6 months, 6 months to < 1 year, 1 year to < 5 years, 5 years to < 10 years, >=10 years, Unknown
MedStartMonth	If treatment started after enrollment, Medication Start Month			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MedStartYear	If treatment started after enrollment, Medication Start Year			
MedStopMonth	Medication stop Month			1, 2, 3, 4, 5, 6, 7, 8, 9,

				10, 11, 12
MedStopYear	Medication stop Year			
MedStopDtUnk	Medication stop date unknown			1 = Checked
ParentLogInIDPreExisting	PreExisting Condition			
MedStartDtUnk	Medication start date unknown			1 = Checked
MedCondNotReqd	Condition not required to be reported on medical condition form			1 = Checked
PreExistCondNotReqd	Condition not required to be reported on pre-existing condition form			1 = Checked
DrugName	Medication name			
AdvEventNotReqd	Condition not required to be reported on adverse event form			1 = Checked
MedicalCondition2	Medical Condition 2			
ParentLogInIDPreExisting2	PreExisting Condition			
AdvEvent2	Adverse Event 2			

IOBP2PregMenstrInfo

Description: Protocol IOBP2 Pregnancy Menstrual Information CRF.

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
PregTstNotDone	Pregnancy test not done			1 = Checked

PregTstNotDoneReas	Pregnancy test not done reason			Participant is male, Surgically sterile, Post-menopausal, Pre-pubertal, Other
PregTstDt	Date of pregnancy test			
PregTstResult	Pregnancy test result			Positive, Negative
PregTstType	Test type performed			Urine, Blood
PregTstMaterial	Test materials used			OTC Kit, Local Lab
PregTstExpDt	Date OTC test expires			
LastMenstrDt	First day of last menstrual period			
LastMenstrDtApprox	Approximate: First day of last menstrual period			1 = Checked
LastMenstrDtNA	Not Applicable: First day of last menstrual period			1 = Checked
PregTstLoc	Location of test completion			In clinic, Home
PregTstKitInfoUnk	Kit information not available			1 = Checked
PregTstIDNA	Identity of clinic personnel who performed test procedure - Not applicable (test was performed at home by participant)			1 = Checked

IOBP2PSBPUOS

Description: Bionic Pancreas User Opinion Survey

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			

SurveyVisit	**Survey Visit**			
BPUOSDailyHassle	**It caused me too many hassles in my daily life**			
BPUOSSensChg	**It was a big bother having to change sensors and pump sites**			
BPUOSPeacMind	**I had greater peace of mind while wearing the device**			
BPUOSFoodChoice	**I felt much freer with my food choices**			
BPUOSDoThings	**I felt freer to do the things I wanted to do**			
BPUOSLessThink	**I spent much less time thinking about my diabetes**			
BPUOSWorryLessBG	**I was less worried about my blood sugars**			
BPUOSWorryLessIns	**I was less worried about how my insulin was working**			
BPUOSMoreFree	**I felt like I had more freedom to live my life**			
BPUOSIntrusive	**The bionic pancreas was more intrusive than my typical method of diabetes care**			
BPUOSRespTmLowBG	**I was bothered by how long it took for the device to respond to low blood sugars**			
BPUOSRespTmHighBG	**I was bothered by how long it took the device to respond to high blood sugars**			
BPUOSNoComfDiabCare	**I was never entirely comfortable with allowing the device to take over my diabetes care**			
BPUOSHardToTrust	**I found it hard to trust that the bionic pancreas could**			

	control my blood sugars			
BPUOSLessBurden	**I felt less burdened in managing diabetes while I was using the bionic pancreas than I do when using my typical method of diabetes care**			
BPUOSSleepTrouble	**I had trouble sleeping well while wearing it**			
BPUOSMoreTime	**The device allowed me to have more time to devote to other areas of my life**			
BPUOSThinkTooMuch	**Wearing the device made me think about diabetes too much**			
BPUOSTaughtThings	**It taught me things about my diabetes that I didn't know before**			
BPUOSPreventLowBG	**It helped to prevent low blood sugars from happening**			
BPUOSManyBugs	**It had too many "glitches" and "bugs"**			
BPUOSHelpRelax	**It helped me to relax, knowing that unwanted changes in blood sugar would be addressed automatically**			
BPUOSUncomfortWear	**I found the device uncomfortable to wear**			
BPUOSMoreTrouble	**Using the device was more trouble than it was worth**			
BPUOSPreventBGProbs	**It helped to prevent blood sugar problems from happening**			
BPUOSWorryLessLowBG	**It helped me worry less about low blood sugars**			

BPUOSWorryLessHighBG	It helped me worry less about high blood sugars			
BPUOSKeepUsing	When this study is over, I would very much like to keep using this device			
BPUOSChallengeDev	I often challenged the device with food and exercise to see how it would react			
BPUOSDevRespConf	I felt confident that the device would respond well to a high or low			
BPUOSTrustDev	By the end of the study, I trusted the device to manage my blood glucose			
BPUOSRecommend	I would strongly recommend the bionic pancreas to everyone with type 1 diabetes			
BPUOSSleepWorryLow	I never stopped worrying about having a low while sleeping			
BPUOSAnnoyAlarm	I found the alarms to be really annoying			
BPUOSHardGiveUpDev	It would be hard to give up the device once the study is over			

IOBP2PSBPUOSParent

Description: Bionic Pancreas User Opinion Survey Parent Report

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			

SurveyName	**Survey Name**			
SurveyVisit	**SurveyVisit**			
BPUOSParentDailyHassle	**It caused my family too many hassles in our daily lives**			
BPUOSParentSensChg	**It was a big bother having to change sensors and pump sites**			
BPUOSParentPeacMind	**I had greater peace of mind while my child was wearing the device**			
BPUOSParentFoodChoice	**I felt much freer with my child's food choices**			
BPUOSParentDoThings	**I felt freer to allow my child to do the things they wanted to do**			
BPUOSParentLessThink	**I spent much less time thinking about my child's diabetes**			
BPUOSParentWorryLessBG	**I was less worried about my child's blood sugars**			
BPUOSParentWorryLessIns	**I was less worried about how my child's insulin was working**			
BPUOSParentMoreFree	**I felt like my child had more freedom to live their life**			
BPUOSParentIntrusive	**The bionic pancreas was more intrusive than my child's typical method of diabetes care**			
BPUOSParentRespTmLowBG	**I was bothered by how long it took for the device to respond to my child's low blood sugars**			
BPUOSParentRespTmHighBG	**I was bothered by how long it took the device to respond to my child's high blood**			

	sugars			
BPUOSParentNoComfDiabCare	**I was never entirely comfortable with allowing the device to take over my child's diabetes care**			
BPUOSParentHardToTrust	**I found it hard to trust that the bionic pancreas could control my child's blood sugars**			
BPUOSParentLessBurden	**I felt less burdened in managing my child's diabetes while they were using the bionic pancreas than I do when using my child's typical method of diabetes care**			
BPUOSParentSleepTrouble	**I had trouble sleeping well while my child was wearing the bionic pancreas**			
BPUOSParentMoreTime	**The device allowed me to have more time to devote to other areas of my life**			
BPUOSParentThinkTooMuch	**Having my child wear the device made me think about diabetes too much**			
BPUOSParentTaughtThings	**It taught me things about my child's diabetes that I didn't know before**			
BPUOSParentPreventLowBG	**It helped to prevent low blood sugars from happening**			
BPUOSParentManyBugs	**It had too many "glitches" and "bugs"**			
BPUOSParentHelpRelax	**It helped me to relax, knowing that unwanted changes in blood sugar would be addressed automatically**			

BPUOSParentUncomfortWear	**My child found the device uncomfortable to wear**			
BPUOSParentMoreTrouble	**Using the device was more trouble than it was worth**			
BPUOSParentPreventBGProbs	**It helped to prevent blood sugar problems from happening**			
BPUOSParentWorryLessLowBG	**It helped me worry less about low blood sugars**			
BPUOSParentWorryLessHighBG	**It helped me worry less about high blood sugars**			
BPUOSParentKeepUsing	**When this study is over, I would very much like my child to keep using this device**			
BPUOSParentChallengeDev	**We often challenged the device with food and exercise to see how it would react**			
BPUOSParentDevRespConf	**I felt confident that the device would respond well to a high or low**			
BPUOSParentTrustDev	**By the end of the study, I trusted the device to manage my child's blood glucose**			
BPUOSParentRecommend	**I would strongly recommend the bionic pancreas to everyone with type 1 diabetes**			
BPUOSParentSleepWorryLow	**I never stopped worrying about my child having a low while sleeping**			
BPUOSParentAnnoyAlarm	**I found the alarms to be really annoying**			
BPUOSParentHardGiveUpDev	**It would be hard to give up the device once the study is**			

	over			

IOBP2PSClarke

Description: Clarke Hypoglycemia Unawareness survey

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
ClarkeLowBGSymp	Check the category that best describes you			Always have symptoms, Sometimes have symptoms, No longer have symptoms
ClarkeSympLostLowBG	Have you lost some of the symptoms that used to occur when your blood sugar was low			Yes, No
ClarkeModerateHypo	In the past six months how often have you had moderate hypoglycemia episodes			Never, Once or twice, Every other month, Once a month, More than once a month
ClarkeSevereHypo	In the past year how often have you had severe hypoglycemic episodes			Never, 1 time, 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 11 times, 12 or more times
ClarkeLowBGLastMon	How often in the last month have you had readings <70			Never, 1 to 3 times, 1 time/week, 2 to 3

	mg/dL with symptoms			times/week, 4 to 5 times/week, Almost daily
ClarkeLowBGNoSymp	How often in the last month have you had readings <70 mg/dL without any symptoms			Never, 1 to 3 times, 1 time/week, 2 to 3 times/week, 4 to 5 times/week, Almost daily
ClarkeLowBGFeelSymp	How low does your blood sugar need to go before you feel symptoms			60-69 mg/dL, 50-59 mg/dL, 40-49 mg/dL, <40 mg/dL
ClarkeLowBGSenseSymp	To what extent can you tell by your symptoms that your blood sugar is low			Never, Rarely, Sometimes, Often, Always
ClarkeScore	Clarke survey score			

IOBP2PSClarkeParent

Description: Clarke Hypoglycemia Unawareness Parent survey

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
ClarkeParentLowBGSymp	Check the category that best describes your child			Always have symptoms, Sometimes have symptoms, No longer have symptoms
ClarkeParentSympLostLowBG	Has your child lost some of the symptoms that used to occur when his/her blood			Yes, No

	sugar was low			
ClarkeParentModerateHypo	In the past six months how often has your child had moderate hypoglycemia episodes			Never, Once or twice, Every other month, Once a month, More than once a month
ClarkeParentSevereHypo	In the past year how often has your child had severe hypoglycemic episodes			Never, 1 time, 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 11 times, 12 or more times
ClarkeParentLowBGLastMon	How often in the last month has your child had readings <70 mg/dL with symptoms			Never, 1 to 3 times, 1 time/week, 2 to 3 times/week, 4 to 5 times/week, Almost daily
ClarkeParentLowBGNOSymp	How often in the last month have your child had readings <70 mg/dL without any symptoms			Never, 1 to 3 times, 1 time/week, 2 to 3 times/week, 4 to 5 times/week, Almost daily
ClarkeParentLowBGFeelSymp	How low does your child's blood sugar need to go before s/he feels symptoms			60-69 mg/dL, 50-59 mg/dL, 40-49 mg/dL, <40 mg/dL
ClarkeParentLowBGSenseSymp	To what extent can your child tell by his/her symptoms that his/her blood sugar is low			Never, Rarely, Sometimes, Often, Always
ClarkeParentScore	Clarke survey score			

IOBP2PSDiabTech

Description: A survey module for Diabetes Technology Attitudes.

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
DiabTechBetterLife	Diabetes technology has made my life better			1, 2, 3, 4, 5
DiabTechEasierLife	Diabetes technology has made my life easier			1, 2, 3, 4, 5
DiabTechBetterHealth	Diabetes technology has made my health better			1, 2, 3, 4, 5
DiabTechMoreGood	Diabetes technology does more good than bad			1, 2, 3, 4, 5
DiabTechLucky	I am lucky to live in a time with so much diabetes technology			1, 2, 3, 4, 5

IOBP2PSDTSQcAdult

Description: A survey module for the DTSQ - Adult

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for DTSQ questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
DTSQcAdultTrtSatisfact	Current treatment satisfaction			3, 2, 1, 0, -1, -2, -3
DTSQcAdultHighBG	Frequency of recent unacceptably high blood			3, 2, 1, 0, -1, -2, -3

	sugars			
DTSQcAdultLowBG	Frequency of recent unacceptably low blood sugars			3, 2, 1, 0, -1, -2, -3
DTSQcAdultTrtConven	Convenience of recent treatment			3, 2, 1, 0, -1, -2, -3
DTSQcAdultTrtFlex	Flexibility of recent treatment			3, 2, 1, 0, -1, -2, -3
DTSQcAdultDiabKnowSatisf	Satisfaction with understanding your diabetes			3, 2, 1, 0, -1, -2, -3
DTSQcAdultTrtRecomnd	Likelihood of recommending current treatment			3, 2, 1, 0, -1, -2, -3
DTSQcAdultTrtCont	Satisfied to continue present form of treatment			3, 2, 1, 0, -1, -2, -3

IOBP2PSDTSQcParent

Description: A survey module for the DTSQ - Parent

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for DTSQ questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
DTSQcParentTrtSatisfact	Satisfaction with child's current treatment			3, 2, 1, 0, -1, -2, -3
DTSQcParentDiabControl	Control of child's diabetes lately			3, 2, 1, 0, -1, -2, -3
DTSQcParentHighBG	How often child's blood sugars too high lately			3, 2, 1, 0, -1, -2, -3

DTSQcParentLowBG	How often child's blood sugars too low lately			3, 2, 1, 0, -1, -2, -3
DTSQcParentTrtEasyDiff	Ease of difficulty of child's diabetes treatment			3, 2, 1, 0, -1, -2, -3
DTSQcParentTrtFlex	Flexibility of child's diabetes treatment			3, 2, 1, 0, -1, -2, -3
DTSQcParentSchoolSatisf	Satisfaction with child's diabetes treatment during *preschool/ school/ college day			3, 2, 1, 0, -1, -2, -3
DTSQcParentNoSchool	Child does not attend preschool, school or college			1 = Checked
DTSQcParentLikesDoing	Satisfaction with diabetes treatment effect on what child likes doing			3, 2, 1, 0, -1, -2, -3
DTSQcParentFamLife	' Satisfaction with child's treatment effect on family life			3, 2, 1, 0, -1, -2, -3
DTSQcParentOwnLife	' Satisfaction with child's treatment effect on your lIfe			3, 2, 1, 0, -1, -2, -3
DTSQcParentTrtUnderstand	' Satisfaction with understanding of child's treatment			3, 2, 1, 0, -1, -2, -3
DTSQcParentDiscomfPain	Child bothered by discomfort or pain from present treatment			3, 2, 1, 0, -1, -2, -3
DTSQcParentSupport	Satisfaction with support from nurses, doctors and dietitians in treating your child's diabetes			3, 2, 1, 0, -1, -2, -3
DTSQcParentTrtCont	Satisfied to continue child's present form of treatment			3, 2, 1, 0, -1, -2, -3

IOBP2PSDTSQcTeen

Description: A survey module for the DTSQ - Teen

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for DTSQ questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
DTSQcTeenTrtSatisfact	Satisfaction with current treatment			3, 2, 1, 0, -1, -2, -3
DTSQcTeenDiabControl	How well controlled diabetes has been lately			3, 2, 1, 0, -1, -2, -3
DTSQcTeenHighBG	How often blood sugars have been too high lately			3, 2, 1, 0, -1, -2, -3
DTSQcTeenLowBG	How often blood sugars have been too low lately			3, 2, 1, 0, -1, -2, -3
DTSQcTeenTrtEasyDiff	Ease or difficulty of diabetes treatment			3, 2, 1, 0, -1, -2, -3
DTSQcTeenTrtFlex	Flexibility of diabetes treatment			3, 2, 1, 0, -1, -2, -3
DTSQcTeenSchoolSatisf	Satisfaction of diabetes treatment during the school/college day			3, 2, 1, 0, -1, -2, -3
DTSQcTeenLikeDoing	Satisfaction of diabetes treatment effect on what you like doing			3, 2, 1, 0, -1, -2, -3
DTSQcTeenTrtUnderstand	Satisfaction with understanding of diabetes treatment			3, 2, 1, 0, -1, -2, -3
DTSQcTeenDiscomfPain	Bothered by discomfort or pain of present treatment			3, 2, 1, 0, -1, -2, -3
DTSQcTeenSupport	Satisfaction with support from nurses, doctors and dietitians in treating your			3, 2, 1, 0, -1, -2, -3

	diabetes			
DTSQcTeenTrtCont	Satisfaction with continuing with present form of treatment			3, 2, 1, 0, -1, -2, -3

IOBP2PSDTSQsAdult

Description: A survey module for the DTSQ - Adult

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for DTSQ questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
DTSQsAdultTrtSatisfact	Satisfaction with current treatment			6, 5, 4, 3, 2, 1, 0
DTSQsAdultHighBG	Frequency of recent unacceptably high blood sugars			6, 5, 4, 3, 2, 1, 0
DTSQsAdultLowBG	Frequency of recent unacceptably low blood sugars			6, 5, 4, 3, 2, 1, 0
DTSQsAdultTrtConven	Convenience of treatment			6, 5, 4, 3, 2, 1, 0
DTSQsAdultTrtFlex	Flexibility of treatment			6, 5, 4, 3, 2, 1, 0
DTSQsAdultDiabKnowSatisf	Satisfaction with understanding of your diabetes			6, 5, 4, 3, 2, 1, 0
DTSQsAdultTrtRecomnd	Likelihood of recommending present treatment to someone with your kind of diabetes			6, 5, 4, 3, 2, 1, 0

DTSQsAdultTrtCont	Satisfaction to continue with your present form of treatment			6, 5, 4, 3, 2, 1, 0

IOBP2PSDTSQsParent

Description: A survey module for the DTSQ - Parent

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for DTSQ questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
DTSQsParentTrtSatisfact	Satisfaction with child's current treatment			6, 5, 4, 3, 2, 1, 0
DTSQsParentDiabControl	How controlled child's diabetes has been lately			6, 5, 4, 3, 2, 1, 0
DTSQsParentHighBG	Frequency of child's high blood sugars lately			6, 5, 4, 3, 2, 1, 0
DTSQsParentLowBG	Frequency of child's low blood sugars lately			6, 5, 4, 3, 2, 1, 0
DTSQsParentTrtEasyDiff	Ease or difficulty of child's diabetes treatment			6, 5, 4, 3, 2, 1, 0
DTSQsParentTrtFlex	Flexibility of child's diabetes treatment			6, 5, 4, 3, 2, 1, 0
DTSQsParentSchoolSatisf	Satisfaction with child's diabetes treatment during the *preschool/ school/ college day			6, 5, 4, 3, 2, 1, 0
DTSQsParentNoSchool	Child does not attend preschool, school or college			1 = Checked

DTSQsParentLikesDoing	Satisfaction with diabetes treatment effect on what your child likes doing			6, 5, 4, 3, 2, 1, 0
DTSQsParentFamLife	Satisfaction of child's treatment effect on family life			6, 5, 4, 3, 2, 1, 0
DTSQsParentOwnLife	Satisfaction of child's treatment effect on your own life			6, 5, 4, 3, 2, 1, 0
DTSQsParentTrtUnderstand	Satisfaction with understanding of child's treatment			6, 5, 4, 3, 2, 1, 0
DTSQsParentDiscomfPain	How bothered is your child by discomfort or pain involved in present treatment			6, 5, 4, 3, 2, 1, 0
DTSQsParentSupport	Satisfaction with support from nurses, doctors and dietitians in treating your child's diabetes			6, 5, 4, 3, 2, 1, 0
DTSQsParentTrtCont	Satisfaction to continue with present form of treatment			6, 5, 4, 3, 2, 1, 0

IOBP2PSDTSQsTeen

Description: A survey module for the DTSQ - Teen

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for DTSQ questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			

DTSQsTeenTrtSatisfact	**Satisfaction with your current treatment**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenDiabControl	**How controlled diabetes has been lately**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenHighBG	**Frequency of high blood sugars lately**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenLowBG	**Frequency of low blood sugars lately**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenTrtEasyDiff	**Ease or difficulty of diabetes treatment**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenTrtFlex	**Flexibility of diabetes treatment**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenSchoolSatisf	**Satisfaction with diabetes treatment during the school/college day**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenLikeDoing	**Satisfaction with diabetes treatment effect on what you like doing**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenTrtUnderstand	**Satisfaction with understanding of treatment**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenDiscomfPain	**Bothered by discomfort or pain involved in present treatment**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenSupport	**Satisfaction with support from nurses, doctors and dietitians in treating diabetes**			**6, 5, 4, 3, 2, 1, 0**
DTSQsTeenTrtCont	**Satisfaction to continue with present form of treatment**			**6, 5, 4, 3, 2, 1, 0**

IOBP2PSEQ5D5L

Description: A survey module for the EQ-5D-5L

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for EQ5D questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
EQ5D5LMobility	Issues walking			1, 2, 3, 4, 5
EQ5D5LSelfCare	Problems washing or dressing themselves			1, 2, 3, 4, 5
EQ5D5LUsualActiv	Problems doing usual activities			1, 2, 3, 4, 5
EQ5D5LPainDiscomf	Experience any pain or discomfort			1, 2, 3, 4, 5
EQ5D5LAnxDepres	Experience any anxiousness or depression			1, 2, 3, 4, 5
EQ5D5LHealthToday	Your health today, with 0 meaning worst health and 100 meaning best health	0	100	

IOBP2PSEQ5DY

Description: A survey module for the EQ-5D-Y

Data Source: Case Report Form

Note: Abbreviated field descriptions are provided for EQ5D questionnaires that vary from actual question

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
EQ5DYMobility	Issues walking			1, 2, 3

EQ5DYSelfCare	Problems washing or dressing themselves			1, 2, 3
EQ5DYUsualActiv	Problems doing usual activities			1, 2, 3
EQ5DYPainDiscomf	Experience any pain or discomfort			1, 2, 3
EQ5DYWorriedSad	Experience any feelings of being worried, sad, or unhappy			1, 2, 3
EQ5DYHealthToday	Your health today, with 0 meaning worst health and 100 meaning best health	0	100	

IOBP2PSHFSAdultNoPart2

Description: A survey module for the Fear of Hypoglycemia adult HFS No Part II

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
HFSAdultLargeSnk	Ate large snacks			0, 1, 2, 3, 4
HFSAdultBGAbov150	Tried to keep my blood sugar above 150			0, 1, 2, 3, 4
HFSAdultRedInsLowBG	Reduced my insulin when my blood sugar was low			0, 1, 2, 3, 4
HFSAdultMeas6OrMore	Measured my blood sugar six or more times a day			0, 1, 2, 3, 4
HFSAdultOutWSomeone	Made sure I had someone with me when I go out			0, 1, 2, 3, 4
HFSAdultLimitTravel	Limited my out of town			0, 1, 2, 3, 4

	travel			
HFSAdultLimitDriving	**Limited my driving (car, truck or bicycle)**			**0, 1, 2, 3, 4**
HFSAdultAvoidVisits	**Avoided visiting friends**			**0, 1, 2, 3, 4**
HFSAdultStayHome	**Stayed at home more than I liked**			**0, 1, 2, 3, 4**
HFSAdultLimitPhysAct	**Limited my exercise/physical activity**			**0, 1, 2, 3, 4**
HFSAdultOthersAround	**Made sure there were other people around**			**0, 1, 2, 3, 4**
HFSAdultAvoidSex	**Avoided sex**			**0, 1, 2, 3, 4**
HFSAdultSocialHighBG	**Kept my blood sugar higher than usual in social situations**			**0, 1, 2, 3, 4**
HFSAdultTasksHighBG	**Kept my blood sugar higher than usual when doing important tasks**			**0, 1, 2, 3, 4**
HFSAdultCheckOnMe	**Had people check on me several times during the day or night**			**0, 1, 2, 3, 4**
HFSAdultNotRecLowBG	**Not recognizing/realizing I was having low blood sugar**			**0, 1, 2, 3, 4**
HFSAdultNoFoodLowBG	**Not having food, fruit, or juice available**			**0, 1, 2, 3, 4**
HFSAdultPassOutPublic	**Passing out in public**			**0, 1, 2, 3, 4**
HFSAdultEmbarrass	**Embarrassing myself or my friends in a social situation**			**0, 1, 2, 3, 4**
HFSAdultHypoAlone	**Having a hypoglycemic episode while alone**			**0, 1, 2, 3, 4**
HFSAdultLookStupid	**Appearing stupid or drunk**			**0, 1, 2, 3, 4**
HFSAdultLoseCntrl	**Losing control**			**0, 1, 2, 3, 4**
HFSAdultNoHelp	**No one being around to help me during a hypoglycemic episode**			**0, 1, 2, 3, 4**

HFSAdultHypoDriving	Having a hypoglycemic episode while driving			0, 1, 2, 3, 4
HFSAdultMistake	Making a mistake or having an accident			0, 1, 2, 3, 4
HFSAdultBadEval	Getting a bad evaluation or being criticized			0, 1, 2, 3, 4
HFSAdultDiffThinkResp	Difficulty thinking clearly when responsible for others			0, 1, 2, 3, 4
HFSAdultDizzy	Feeling lightheaded or dizzy			0, 1, 2, 3, 4
HFSAdultAccidInj	Accidently injuring myself or others			0, 1, 2, 3, 4
HFSAdultPermInj	Permanent injury or damage to my health or body			0, 1, 2, 3, 4
HFSAdultLowBGInterfer	Low blood sugar interfering with important things I was doing			0, 1, 2, 3, 4
HFSAdultHypoSleep	Becoming hypoglycemic during sleep			0, 1, 2, 3, 4
HFSAdultUpsetDiff	Getting emotionally upset and difficult to deal with			0, 1, 2, 3, 4

IOBP2PSHFSChildNoPart2

Description: A survey module for the Fear of Hypoglycemia child CHFS no part II

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
HFSChildLargeSnk	Eat large snacks at bedtime			0, 1, 2, 3, 4

HFSChildNotAloneLowBG	**Try not to be by myself when my sugar is likely to be low**			**0, 1, 2, 3, 4**
HFSChildKeepHighBG	**Keep blood sugars a little high to be on the safe side**			**0, 1, 2, 3, 4**
HFSChildAloneHighBG	**Keep blood sugar higher when I will be alone for awhile**			**0, 1, 2, 3, 4**
HFSChildEatLowBG	**Eat something as soon as I feel the first sign of low blood sugar**			**0, 1, 2, 3, 4**
HFSChildLessInsLowBG	**Take less insulin when I think my blood sugar might get too low**			**0, 1, 2, 3, 4**
HFSChildAwayHighBG	**Keep my blood sugar higher when I am going to be away from home**			**0, 1, 2, 3, 4**
HFSChildCarryFood	**Carry some kind of sugar, drink, or food with me**			**0, 1, 2, 3, 4**
HFSChildNoExerLowBG	**Try not to do a lot of exercise when I think my sugar is low**			**0, 1, 2, 3, 4**
HFSChildAwayOftCheckBG	**Check my blood sugar often when I go away from home**			**0, 1, 2, 3, 4**
HFSChildNotRecLowBG	**Not recognizing that my blood sugar is low**			**0, 1, 2, 3, 4**
HFSChildNoFoodLowBG	**Not having food, fruit, or juice with me when my blood when my blood sugar gets low**			**0, 1, 2, 3, 4**
HFSChildDizzyPublic	**Feeling dizzy or passing out in public because of low blood sugar**			**0, 1, 2, 3, 4**
HFSChildSleepLowBG	**Having a low blood sugar while asleep**			**0, 1, 2, 3, 4**
HFSChildEmbarrass	**Embarrassing myself**			**0, 1, 2, 3, 4**

	because of low blood sugar			
HFSChildAloneLowBG	Having low blood sugar while I am by myself			0, 1, 2, 3, 4
HFSChildLookStupid	Looking "stupid" or clumsy in front of other people			0, 1, 2, 3, 4
HFSChildLoseCntrl	Losing control because of low blood sugar			0, 1, 2, 3, 4
HFSChildNoHelp	No one being around to help me during a low			0, 1, 2, 3, 4
HFSChildMistakeSchool	Making a mistake or having an accident at school			0, 1, 2, 3, 4
HFSChildSchoolTrouble	Getting in trouble at school because of something that happens when my sugar is low			0, 1, 2, 3, 4
HFSChildSeizure	Having seizures			0, 1, 2, 3, 4
HFSChildComplLowBG	Getting long term complications from low blood sugar			0, 1, 2, 3, 4
HFSChildDizzyLowBG	Feeling dizzy or woozy when my blood sugar is low			0, 1, 2, 3, 4
HFSChildHaveLowBG	Having a low blood sugar			0, 1, 2, 3, 4

IOBP2PSHFSParentNoPart2

Description: A survey module for the Fear Hypoglycemia Parent PHFS no part II

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			

HFSParentLargeSnk	**Have my child eat large snacks at bedtime**			**0, 1, 2, 3, 4**
HFSParentNotAloneLowBG	**Avoid having my child being alone when his/her sugar is likely to be low**			**0, 1, 2, 3, 4**
HFSParentKeepHighBG	**Allow my child's blood sugar to be a little high to be on the safe side**			**0, 1, 2, 3, 4**
HFSParentAloneHighBG	**Keep my child's sugar higher when he/she will be alone for awhile**			**0, 1, 2, 3, 4**
HFSParentEatLowBG	**Have my child eat something as soon as he/she feels the first sign of low blood sugar**			**0, 1, 2, 3, 4**
HFSParentLessInsLowBG	**Reduce my child's insulin when I think his/her sugar is too low**			**0, 1, 2, 3, 4**
HFSParentAwayHighBG	**Keep my child's blood sugar higher when he/she plans to be away from me for awhile**			**0, 1, 2, 3, 4**
HFSParentCarrySugar	**Have my child carry fast-acting sugar**			**0, 1, 2, 3, 4**
HFSParentNoExerLowBG	**Have my child avoid a lot of exercise when I think his/her sugar is low**			**0, 1, 2, 3, 4**
HFSParentAwayOftCheckBG	**Check my child's sugar often when he/she plans to go on an outing**			**0, 1, 2, 3, 4**
HFSParentNightCheckBG	**Get up in the middle of the night to check on my child blood sugar levels**			**0, 1, 2, 3, 4**
HFSParentNotRecLowBG	**Child not recognizing/realizing that he/she is having a low**			**0, 1, 2, 3, 4**
HFSParentNoFoodLowBG	**Child not having food, fruit, or juice with him/her**			**0, 1, 2, 3, 4**

HFSParentDizzyPublic	**Child feeling dizzy or passing out in public**			**0, 1, 2, 3, 4**
HFSParentSleepLowBG	**Child having a low while asleep**			**0, 1, 2, 3, 4**
HFSParentEmbarrass	**Child embarrassing self or friends/family in a social situation**			**0, 1, 2, 3, 4**
HFSParentAloneLowBG	**Child having a low while alone**			**0, 1, 2, 3, 4**
HFSParentLookStupid	**Child appearing to be "stupid" or clumsy**			**0, 1, 2, 3, 4**
HFSParentLoseCntrl	**Child losing control of behavior due to low blood sugar**			**0, 1, 2, 3, 4**
HFSParentNoHelp	**No one being around to help my child during a low**			**0, 1, 2, 3, 4**
HFSParentMistakeSchool	**Child making a mistake or having an accident at school**			**0, 1, 2, 3, 4**
HFSParentSchoolBadEval	**Child getting a bad evaluation at school because of something that happens when his/her sugar is low**			**0, 1, 2, 3, 4**
HFSParentSeizure	**Child having seizures or convulsions**			**0, 1, 2, 3, 4**
HFSParentComplLowBG	**Child developing long term complications from frequent low blood sugar**			**0, 1, 2, 3, 4**
HFSParentFaint	**Child feeling light-headed or faint**			**0, 1, 2, 3, 4**
HFSParentHaveLowBG	**Child having a low**			**0, 1, 2, 3, 4**

IOBP2PSHypoConf

Description: A survey module to evaluate a participant's hypoglycemia confidence

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
HypoConfExer	When you are exercising			1, 2, 3, 4
HypoConfSleep	When you are sleeping			1, 2, 3, 4
HypoConfDrive	When you are driving			1, 2, 3, 4
HypoConfSocial	When you are in social situations			1, 2, 3, 4
HypoConfAlone	When you are alone			1, 2, 3, 4
HypoConfAvoidProb	How confident are you that you can avoid serious problems due to hypoglycemia			1, 2, 3, 4
HypoConfRespToHypo	How confident are you that you can catch and respond to hypoglycemia before your blood sugars get too low			1, 2, 3, 4
HypoConfDoThings	How confident are you that you can continue to do the things you really want to do in your life, despite the risks of hypoglycemia			1, 2, 3, 4
HypoConfPartnerConf	If you have a spouse or partner: What is your best guess about how confident your spouse or partner feels about your ability to avoid serious problems due to hypoglycemia			1, 2, 3, 4, 999

IOBP2PSINSPAdultBase

Description: A survey module for the INSPIRE assessment for adults with T1D for baseline

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
INSPAdultBaseMoreHope	I will be more hopeful about my future with use of automated insulin delivery (AID)			4, 3, 2, 1, 0, 999
INSPAdultBaseWorryLess	I will worry less about diabetes with AID			4, 3, 2, 1, 0, 999
INSPAdultBaseRedConcern	AID will reduce my family's concerns about my diabetes			4, 3, 2, 1, 0, 999
INSPAdultBaseEasierDo	AID will make it easier for me do the things that I want to do without diabetes getting in the way			4, 3, 2, 1, 0, 999
INSPAdultBaseDecrLowBG	AID will decrease how often I have low glucose levels			4, 3, 2, 1, 0, 999
INSPAdultBaseDecrHighBG	AID will decrease how often I have high glucose levels			4, 3, 2, 1, 0, 999
INSPAdultBaseStayTarg	AID will help me stay in my target range more often			4, 3, 2, 1, 0, 999
INSPAdultBaseImprA1c	AID will improve my A1c to target level			4, 3, 2, 1, 0, 999
INSPAdultBaseEasyEat	AID will make it easy to eat when I want			4, 3, 2, 1, 0, 999
INSPAdultBaseEasyExer	AID will make it easy to exercise when I want			4, 3, 2, 1, 0, 999
INSPAdultBaseManSchWrk	AID will make managing			4, 3, 2, 1, 0, 999

	diabetes easy when I am at work or school			
INSPAdultBaseManSocLife	AID will make managing diabetes easy when it comes to my social life/being with friends			4, 3, 2, 1, 0, 999
INSPAdultBaseManSickDay	AID will help me manage sick days			4, 3, 2, 1, 0, 999
INSPAdultBaseSleepBet	AID will help me sleep better			4, 3, 2, 1, 0, 999
INSPAdultBaseFewONLows	I believe that I will have fewer lows during the night with AID			4, 3, 2, 1, 0, 999
INSPAdultBaseImprQOL	AID will improve my overall quality of life			4, 3, 2, 1, 0, 999
INSPAdultBaseImprFamQOL	AID will improve my family's overall quality of life			4, 3, 2, 1, 0, 999
INSPAdultBaseDriving	AID will make managing diabetes easy when driving (for those who drive) or when traveling			4, 3, 2, 1, 0, 999
INSPAdultBaseSexLife	AID will help me manage diabetes when it comes to my sex life			4, 3, 2, 1, 0, 999
INSPAdultBaseAlcohol	AID will help me manage diabetes when I choose to drink alcohol			4, 3, 2, 1, 0, 999
INSPAdultBasePregnant	AID will help me if I am pregnant			4, 3, 2, 1, 0, 999
INSPAdultBaseRedLTComp	AID will reduce my risk of long term complications			4, 3, 2, 1, 0, 999

IOBP2PSINSPAdultPost

Description: A survey module for the INSPIRE assessment for adults with T1D for post intervention

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
INSPAdultPostMoreHope	I was more hopeful about my future when using automated insulin delivery (AID)			4, 3, 2, 1, 0, 999
INSPAdultPostWorryLess	I worried less about diabetes with AID			4, 3, 2, 1, 0, 999
INSPAdultPostRedConcern	AID reduced my family's concerns about my diabetes			4, 3, 2, 1, 0, 999
INSPAdultPostEasierDo	AID made it easier for me do the things that I wanted to do without diabetes getting in the way			4, 3, 2, 1, 0, 999
INSPAdultPostDecrLowBG	AID decreased how often I had low glucose levels			4, 3, 2, 1, 0, 999
INSPAdultPostDecrHighBG	AID decreased how often I had high glucose levels			4, 3, 2, 1, 0, 999
INSPAdultPostStayTarg	AID helped me stay in my target range more often			4, 3, 2, 1, 0, 999
INSPAdultPostImprA1c	AID improved my A1c to target level			4, 3, 2, 1, 0, 999
INSPAdultPostEasyEat	AID made it easier to eat when I wanted to			4, 3, 2, 1, 0, 999
INSPAdultPostEasyExer	AID made it easier to exercise when I wanted to			4, 3, 2, 1, 0, 999
INSPAdultPostManSchWrk	AID made managing diabetes easier when I was at work or school			4, 3, 2, 1, 0, 999
INSPAdultPostManSocLife	AID made managing diabetes easier when it came to my social life/being			4, 3, 2, 1, 0, 999

	with friends			
INSPAdultPostManSickDay	AID helped me manage sick days			4, 3, 2, 1, 0, 999
INSPAdultPostSleepBet	AID helped me sleep better			4, 3, 2, 1, 0, 999
INSPAdultPostFewONLows	AID helped me have fewer hypos during the night			4, 3, 2, 1, 0, 999
INSPAdultPostImprQOL	AID improved my overall quality of life			4, 3, 2, 1, 0, 999
INSPAdultPostImprFamQOL	AID improved my family's overall quality of life			4, 3, 2, 1, 0, 999
INSPAdultPostDriving	AID made managing diabetes easier when driving (for those who drive) or when travelling			4, 3, 2, 1, 0, 999
INSPAdultPostSexLife	AID helped me manage diabetes when it came to my sex life			4, 3, 2, 1, 0, 999
INSPAdultPostAlcohol	AID helped me manage my diabetes when I drank alcohol			4, 3, 2, 1, 0, 999
INSPAdultPostPregnant	AID helped me when I was pregnant			4, 3, 2, 1, 0, 999
INSPAdultPostRedLTComp	AID reduced my risk of long-term complications			4, 3, 2, 1, 0, 999

IOBP2PSINSPParentBase

Description: INSPIRE Questionnaire for Parents Baseline

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			

SurveyName	**Survey name**			
SurveyVisit	**Visit for which a survey is to be entered**			
INSPParentBaseMoreHope	**I will be more hopeful about my child's future with use of automated insulin delivery (AID).**			**4, 3, 2, 1, 0, 999**
INSPParentBaseWorryLess	**I will worry less about diabetes with AID.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseRedConcern	**AID will reduce my family's concerns about my child's diabetes.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseEasierDo	**AID will make it easier for my child to do what they want to do without diabetes getting in the way.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseDecrLowBG	**AID will decrease how often my child has low glucose levels.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseDecrHighBG	**AID will decrease how often my child has high glucose levels.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseStayTarg	**AID will help my child stay in his/her target range more often.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseImprA1c	**AID will improve my child's A1c to target level.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseEasyEat	**AID will make it easy to eat when my child wants.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseEasyExer	**AID will make it easy to exercise when my child wants.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseManSchWrk	**AID will make managing diabetes easy when my child is at school or work.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseManSocLife	**AID will make managing diabetes easy when it comes**			**4, 3, 2, 1, 0, 999**

	to my child's social life/being with friends.			
INSPParentBaseManSickDay	AID will help me manage my child's sick days.			4, 3, 2, 1, 0, 999
INSPParentBaseSleepBet	AID will help me sleep better.			4, 3, 2, 1, 0, 999
INSPParentBaseFewONLows	I believe that my child will have fewer lows during the night with AID.			4, 3, 2, 1, 0, 999
INSPParentBaseImprQOL	AID will improve my overall quality of life.			4, 3, 2, 1, 0, 999
INSPParentBaseImprFamQOL	AID will improve my family's overall quality of life.			4, 3, 2, 1, 0, 999
INSPParentBaseDriving	AID will make managing diabetes easy when my child is driving (for those who drive) or when traveling.			4, 3, 2, 1, 0, 999
INSPParentBaseAlcohol	AID will help my child manage diabetes if she/he chooses to drink alcohol.			4, 3, 2, 1, 0, 999
INSPParentBasePregnant	AID will help my child manage diabetes if pregnant.			4, 3, 2, 1, 0, 999
INSPParentBaseRedLTComp	AID will reduce my child's risk of long term complications.			4, 3, 2, 1, 0, 999

IOBP2PSINSPParentPost

Description: INSPIRE Questionnaire for Parents Post Intervention

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			

PtID	**Participant ID**			
SurveyName	**Survey name**			
SurveyVisit	**Visit for which a survey is to be entered**			
INSPParentPostMoreHope	**I was more hopeful about my child's future with use of automated insulin delivery (AID).**			**4, 3, 2, 1, 0, 999**
INSPParentPostWorryLess	**I worried less about diabetes with AID.**			**4, 3, 2, 1, 0, 999**
INSPParentPostRedConcern	**AID reduced my family's concerns about my child's diabetes.**			**4, 3, 2, 1, 0, 999**
INSPParentPostEasierDo	**AID made it easier for me to do the things I wanted to do without diabetes getting in the way.**			**4, 3, 2, 1, 0, 999**
INSPParentPostDecrLowBG	**AID decreased how often my child had low glucose levels.**			**4, 3, 2, 1, 0, 999**
INSPParentPostDecrHighBG	**AID decreased how often my child had high glucose levels.**			**4, 3, 2, 1, 0, 999**
INSPParentPostStayTarg	**AID helped my child stay in his/her target glucose range more often.**			**4, 3, 2, 1, 0, 999**
INSPParentPostImprA1c	**AID improved my child's A1c to target level.**			**4, 3, 2, 1, 0, 999**
INSPParentPostEasyEat	**AID made it easier to eat when my child wanted to**			**4, 3, 2, 1, 0, 999**
INSPParentPostEasyExer	**AID made it easier to exercise when my child wanted to.**			**4, 3, 2, 1, 0, 999**
INSPParentPostManSchWrk	**AID made managing diabetes easier when my child was at work or school.**			**4, 3, 2, 1, 0, 999**
INSPParentPostManSocLife	**AID made managing diabetes easier when it**			**4, 3, 2, 1, 0, 999**

	came to my child's social life/being with friends.			
INSPParentPostManSickDay	AID helped me manage my child's sick days.			4, 3, 2, 1, 0, 999
INSPParentPostSleepBet	AID helped me sleep better.			4, 3, 2, 1, 0, 999
INSPParentPostFewONLows	My child had fewer lows during the night with AID.			4, 3, 2, 1, 0, 999
INSPParentPostImprQOL	AID improved my overall quality of life			4, 3, 2, 1, 0, 999
INSPParentPostImprFamQOL	AID improved my family's overall quality of life.			4, 3, 2, 1, 0, 999
INSPParentPostDriving	AID made managing diabetes easier when my child was driving (for those who drive) or when traveling.			4, 3, 2, 1, 0, 999
INSPParentPostAlcohol	AID helped my child manage diabetes when they chose to drink alcohol			4, 3, 2, 1, 0, 999
INSPParentPostPregnant	AID helped my child manage diabetes when pregnant.			4, 3, 2, 1, 0, 999
INSPParentPostRedLTComp	AID reduced my child's risk of long term complications.			4, 3, 2, 1, 0, 999

IOBP2PSINSPYouthBase

Description: INSPIRE Questionnaire for Youth Baseline

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			

SurveyVisit	**Visit for which a survey is to be entered**			
INSPYouthBaseMoreHope	**I will be more hopeful about my future with use of automated insulin delivery (AID).**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseWorryLess	**I will worry less about diabetes with AID.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseRedConcern	**AID will reduce my family's concerns about my diabetes.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseEasierDo	**AID will make it easier for me to do the things that I want to do without diabetes getting in the way.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseDecrLowBG	**AID will decrease how often I have low glucose levels.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseDecrHighBG	**AID will decrease how often I have high glucose levels.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseStayTarg	**AID will help me stay in my target glucose range more often.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseImprA1c	**AID will improve my A1c to target level.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseEasyEat	**AID will make it easy to eat when I want.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseEasyExer	**AID will make it easy to exercise when I want.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseManSchWrk	**AID will make managing diabetes easy when I am at school or work.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseManSocLife	**AID will make managing diabetes easy when I am with my friends.**			**4, 3, 2, 1, 0, 999**
INSPYouthBaseManSickDay	**AID will help me manage sick days.**			**4, 3, 2, 1, 0, 999**

INSPYouthBaseSleepBet	AID will help me sleep better.			4, 3, 2, 1, 0, 999
INSPYouthBaseFewONLows	I believe that I will have fewer lows during the night with AID.			4, 3, 2, 1, 0, 999
INSPYouthBaseImprQOL	AID will improve my overall quality of life.			4, 3, 2, 1, 0, 999
INSPYouthBaseImprFamQOL	AID will improve my family's overall quality of life.			4, 3, 2, 1, 0, 999

IOBP2PSINSPYouthPost

Description: INSPIRE Questionnaire for Youth Post Intervention

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
INSPYouthPostMoreHope	I was more hopeful about my future when using automated insulin delivery (AID).			4, 3, 2, 1, 0, 999
INSPYouthPostWorryLess	I worried less about diabetes with the AID.			4, 3, 2, 1, 0, 999
INSPYouthPostRedConcern	AID reduced my family's concerns about my diabetes.			4, 3, 2, 1, 0, 999
INSPYouthPostEasierDo	AID made it easier for me do the things that I wanted to do without diabetes getting in the way.			4, 3, 2, 1, 0, 999
INSPYouthPostDecrLowBG	AID decreased how often I			4, 3, 2, 1, 0, 999

	had low glucose levels.			
INSPYouthPostDecrHighBG	AID decreased how often I had high glucose levels.			4, 3, 2, 1, 0, 999
INSPYouthPostStayTarg	AID helped me stay in my target glucose range more often.			4, 3, 2, 1, 0, 999
INSPYouthPostImprA1c	AID improved my A1c to target level.			4, 3, 2, 1, 0, 999
INSPYouthPostEasyEat	AID made it easier to eat when I wanted to.			4, 3, 2, 1, 0, 999
INSPYouthPostEasyExer	AID made it easier to exercise when I wanted to.			4, 3, 2, 1, 0, 999
INSPYouthPostManSchWrk	AID made managing diabetes easier when I was at work or school.			4, 3, 2, 1, 0, 999
INSPYouthPostManSocLife	AID made managing diabetes easier when it came to my social life/being with friends.			4, 3, 2, 1, 0, 999
INSPYouthPostManSickDay	AID helped me manage sick days.			4, 3, 2, 1, 0, 999
INSPYouthPostSleepBet	AID helped me sleep better.			4, 3, 2, 1, 0, 999
INSPYouthPostFewONLows	I had fewer lows during the night with AID.			4, 3, 2, 1, 0, 999
INSPYouthPostImprQOL	AID improved my overall quality of life.			4, 3, 2, 1, 0, 999
INSPYouthPostImprFamQOL	AID improved my family's overall quality of life.			4, 3, 2, 1, 0, 999

IOBP2PSPAIDCChild

Description: Identifying Problem Areas in Diabetes – Parents of Children (P - PAID-C)

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
PAIDCSad	Feeling sad when I think about having diabetes.			1, 2, 3, 4, 5, 6
PAIDCStressed	Feeling stressed-out by what I have to do every day for my diabetes.			1, 2, 3, 4, 5, 6
PAIDCAngry	Feeling angry when I think about having diabetes.			1, 2, 3, 4, 5, 6
PAIDCTiredCare	Feeling sick and tired of always trying to take care of my diabetes			1, 2, 3, 4, 5, 6
PAIDCNagAboutFoodBG	Feeling that my friends or family keep nagging me about food or about checking blood sugars.			1, 2, 3, 4, 5, 6
PAIDCParentNoTrust	Feeling like my parents don't trust me to care for my diabetes.			1, 2, 3, 4, 5, 6
PAIDCMustBePerfect	Feeling I must be perfect in caring for my diabetes.			1, 2, 3, 4, 5, 6
PAIDCBGUpDownTryHard	Feeling that my blood sugars keep going up and down, no matter how hard I try.			1, 2, 3, 4, 5, 6
PAIDCBlamedForBG	Feeling like my parents blame me for blood sugar numbers they don't like.			1, 2, 3, 4, 5, 6
PAIDCNoUnderstand	Feeling that my friends or family don't understand how hard it is to live with diabetes.			1, 2, 3, 4, 5, 6

PAIDCParentsWorry	Feeling like my parents worry about bad things happening to me.			1, 2, 3, 4, 5, 6

IOBP2PSPAIDTTeen

Description: Identifying Your Problem Areas in Diabetes – Teen Version (PAID-T)

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
PAIDTSad	Feeling sad when I think about having and living with diabetes.			1, 2, 3, 4, 5, 6
PAIDTOverhwelm	Feeling overwhelmed by my diabetes regimen.			1, 2, 3, 4, 5, 6
PAIDTAngry	Feeling angry when I think about having and living with diabetes.			1, 2, 3, 4, 5, 6
PAIDTBurnedOut	Feeling "burned-out" by the constant effort to manage diabetes.			1, 2, 3, 4, 5, 6
PAIDTNotCheckBGEnough	Feeling that I am not checking my blood sugars often enough.			1, 2, 3, 4, 5, 6
PAIDTNotMotivated	Not feeling motivated to keep up with my daily diabetes tasks.			1, 2, 3, 4, 5, 6
PAIDTDiabPolice	Feeling that my friends or family act like "diabetes police" (e.g. nag about			1, 2, 3, 4, 5, 6

	eating properly, checking blood sugars, not trying hard enough).			
PAIDTParentNoTrust	Feeling like my parents don't trust me to care for my diabetes.			1, 2, 3, 4, 5, 6
PAIDTSkipBGCks	Missing or skipping blood sugar checks.			1, 2, 3, 4, 5, 6
PAIDTFailRegimen	Feeling that I am often failing with my diabetes regimen.			1, 2, 3, 4, 5, 6
PAIDTBlamedforBG	Feeling like my parents blame me for blood sugar numbers they don't like.			1, 2, 3, 4, 5, 6
PAIDTNoUnderstand	Feeling that my friends or family don't understand how difficult living with diabetes can be.			1, 2, 3, 4, 5, 6
PAIDTInWayOfFun	Worrying that diabetes gets in the way of having fun and being with my friends.			1, 2, 3, 4, 5, 6
PAIDTParentsWorry	Feeling like my parents worry about complications too much.			1, 2, 3, 4, 5, 6

IOBP2PSPastExpAP

Description: Past Experiences with AP Systems Questionnaire table

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			

SurveyVisit	**Survey visit**			
PastExpAPPastUse	**Have you used other "artificial pancreas" automated insulin delivery systems before, besides the iLet bionic pancreas?**			**Yes, No**
PastExpAPUseTandBasIQ	**Other artificial pancreas systems used: Tandem Basal IQ**			**1 = Checked**
PastExpAPUseTandCntrIQ	**Other artificial pancreas systems used: Tandem Control IQ**			**1 = Checked**
PastExpAPUseDIYLoop	**Other artificial pancreas systems used: A non-FDA approved, "do-it-yourself" closed loop system**			**1 = Checked**
PastExpAPUseMedtr670G	**Other artificial pancreas systems used: Medtronic 670G**			**1 = Checked**
PastExpAPUseMedtr640G	**Other artificial pancreas systems used: Medtronic 640G**			**1 = Checked**
PastExpAPUseMedtr630G	**Other artificial pancreas systems used: Medtronic 630G**			**1 = Checked**
PastExpAPUseMedtr530G	**Other artificial pancreas systems used: Medtronic 530G**			**1 = Checked**
PastExpAPUseOth	**Other artificial pancreas systems used: Other**			**1 = Checked**
PastExpAPMostRec	**Which system have you used most recently?**			**Tandem Basal IQ, Tandem Control IQ, DIY closed loop system, Medtronic 670G, Medtronic 640G, Medtronic 630G, Medtronic 530G, Other**

PastExpAPiLetComp	How did the iLet bionic pancreas compare to the other artificial pancreas system you used most recently?			Much better, Better, The same, Worse, Much worse
PastExpAPPrefer	Would you prefer to use the artificial pancreas system you used most recently or the iLet bionic pancreas?			Other AP system, Bionic Pancreas, Neither

IOBP2PSPastExpAPParent

Description: Past Experiences with AP Systems - Parent Questionnaire table

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
PastExpAPParentPastUse	Has your child used other "artificial pancreas" automated insulin delivery systems before, besides the iLet bionic pancreas?			Yes, No
PastExpAPParentUseTandBasIQ	Other artificial pancreas systems used: Tandem Basal IQ			1 = Checked
PastExpAPParentUseTandCntrIQ	Other artificial pancreas systems used: Tandem Control IQ			1 = Checked
PastExpAPParentUseDIYLoop	Other artificial pancreas systems used: A non-FDA approved, "do-it-yourself" closed loop system			1 = Checked

PastExpAPParentUseMedtr670G	Other artificial pancreas systems used: Medtronic 670G			1 = Checked
PastExpAPParentUseMedtr640G	Other artificial pancreas systems used: Medtronic 640G			1 = Checked
PastExpAPParentUseMedtr630G	Other artificial pancreas systems used: Medtronic 630G			1 = Checked
PastExpAPParentUseMedtr530G	Other artificial pancreas systems used: Medtronic 530G			1 = Checked
PastExpAPParentUseOth	Other artificial pancreas systems used: Other			1 = Checked
PastExpAPParentMostRec	Which system has your child used most recently?			Tandem Basal IQ, Tandem Control IQ, DIY closed loop system, Medtronic 670G, Medtronic 640G, Medtronic 630G, Medtronic 530G, Other
PastExpAPParentiLetComp	How did the iLet bionic pancreas compare to the other artificial pancreas system your child used most recently?			Much better, Better, The same, Worse, Much worse
PastExpAPParentPrefer	Would you prefer your child used the artificial pancreas system they have used most recently or the iLet bionic pancreas?			Other AP system, Bionic Pancreas, Neither

IOBP2PSPPAIDCParent

Description: Identifying Problem Areas in Diabetes – Parents of Children (P - PAID-C)

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Visit for which a survey is to be entered			
PPAIDCSad	Feeling sad when I think about my child having and living with diabetes.			1, 2, 3, 4, 5, 6
PPAIDCOverwhelm	Feeling overwhelmed by my child's diabetes regimen.			1, 2, 3, 4, 5, 6
PPAIDCAngry	Feeling angry when I think about my child having and living with diabetes.			1, 2, 3, 4, 5, 6
PPAIDCConcernFood	Feeling constantly concerned about food and eating.			1, 2, 3, 4, 5, 6
PPAIDCWorryFuture	Worrying about the future and the possibility of my child developing serious complications.			1, 2, 3, 4, 5, 6
PPAIDCUpsetOffTrack	Feeling upset when my child's diabetes management is "off track."			1, 2, 3, 4, 5, 6
PPAIDCBurnedOut	Feeling "burned-out" by the constant effort to manage my child's diabetes.			1, 2, 3, 4, 5, 6
PPAIDCNotCheckBG	Feeling that my child does not check blood sugars often enough			1, 2, 3, 4, 5, 6
PPAIDCDefeated	Feeling discouraged or defeated when I see high blood sugar results on my child's meter.			1, 2, 3, 4, 5, 6
PPAIDCDiabPolice	Feeling that I act like the "diabetes police" (e.g. nag about eating properly,			1, 2, 3, 4, 5, 6

	checking blood sugars, not trying hard enough).			
PPAIDCCannotTrust	Feeling that I cannot trust my child to care for their diabetes.			1, 2, 3, 4, 5, 6
PPAIDCMustBePerfect	Feeling I must be perfect in managing my child's diabetes regimen.			1, 2, 3, 4, 5, 6
PPAIDCWorryBGCks	Worrying that my child will miss or skip blood sugar checks.			1, 2, 3, 4, 5, 6
PPAIDCBGSwing	Feeling that my child's blood sugars often swinging wildly.			1, 2, 3, 4, 5, 6
PPAIDCOftenFail	Feeling that I am often failing with managing my child's diabetes regimen.			1, 2, 3, 4, 5, 6
PPAIDCWorryTooMuch	Feeling like I worry about complications for my child too much.			1, 2, 3, 4, 5, 6

IOBP2PSPPAIDTParent

Description: Identifying Problem Areas in Diabetes – Parents of Teens (P - PAID-T)

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Visit for which a survey is to be entered			
PPAIDTSad	Feeling sad when I think about my child having and living with diabetes.			1, 2, 3, 4, 5, 6

PPAIDTOverwhelm	**Feeling overwhelmed by my child's diabetes regimen.**			**1, 2, 3, 4, 5, 6**
PPAIDTAngry	**Feeling angry when I think about my child having and living with diabetes.**			**1, 2, 3, 4, 5, 6**
PPAIDTConcernFood	**Feeling constantly concerned about food and eating.**			**1, 2, 3, 4, 5, 6**
PPAIDTWorryFuture	**Worrying about the future and the possibility of my child developing serious complications.**			**1, 2, 3, 4, 5, 6**
PPAIDTUpsetOffTrack	**Feeling upset when my child's diabetes management is "off track."**			**1, 2, 3, 4, 5, 6**
PPAIDTBurnedOut	**Feeling "burned-out" by the constant effort to manage my child's diabetes.**			**1, 2, 3, 4, 5, 6**
PPAIDTNotCheckBG	**Feeling that my child does not check blood sugars often enough**			**1, 2, 3, 4, 5, 6**
PPAIDTDefeated	**Feeling discouraged or defeated when I see high blood sugar results on my child's meter.**			**1, 2, 3, 4, 5, 6**
PPAIDTDiabPolice	**Feeling that I act like the "diabetes police" (e.g. nag about eating properly, checking blood sugars, not trying hard enough).**			**1, 2, 3, 4, 5, 6**
PPAIDTCannotTrust	**Feeling that I cannot trust my child to care for their diabetes.**			**1, 2, 3, 4, 5, 6**
PPAIDTWorryBGCks	**Worrying that my child will miss or skip blood sugar checks.**			**1, 2, 3, 4, 5, 6**
PPAIDTBGSwing	**Feeling that my child's blood sugars often swinging wildly.**			**1, 2, 3, 4, 5, 6**

PPAIDTOftenFail	Feeling that I am often failing with managing my child's diabetes regimen.			1, 2, 3, 4, 5, 6
PPAIDTWorryTooMuch	Feeling like I worry about complications for my child too much.			1, 2, 3, 4, 5, 6

IOBP2PST1DDS

Description: A survey module for the Diabetes Distress Scale for T1D

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
T1DDSNotSkilled	Feeling that I am not as skilled at managing diabetes as I should be			1, 2, 3, 4, 5, 6
T1DDSNotCarefulEat	Feeling that I don't eat as carefully as I probably should			1, 2, 3, 4, 5, 6
T1DDSDontNoticHypo	Feeling that I don't notice the warning signs of hypoglycemia as well as I used to			1, 2, 3, 4, 5, 6
T1DDSTreatDiff	Feeling that people treat me differently when they find out I have diabetes			1, 2, 3, 4, 5, 6
T1DDSDiscHighBG	Feeling discouraged when I see high blood glucose numbers that I can't explain			1, 2, 3, 4, 5, 6
T1DDSFamBigDeal	Feeling that my family and friends make a bigger deal			1, 2, 3, 4, 5, 6

	out of diabetes than they should			
T1DDSCantTellDoc	**Feeling that I can't tell my diabetes doctor what is really on my mind**			**1, 2, 3, 4, 5, 6**
T1DDSNotEnoughIns	**Feeling that I am not taking as much insulin as I should**			**1, 2, 3, 4, 5, 6**
T1DDSTooMuchEquip	**Feeling that there is too much diabetes equipment and stuff I must always have with me**			**1, 2, 3, 4, 5, 6**
T1DDSHideDiab	**Feeling like I have to hide my diabetes from other people**			**1, 2, 3, 4, 5, 6**
T1DDSFamHypoWorry	**Feeling that my friends and family worry more about hypoglycemia than I want them to**			**1, 2, 3, 4, 5, 6**
T1DDSBGCheckNotOft	**Feeling that I don't check my blood glucose level as often as I probably should**			**1, 2, 3, 4, 5, 6**
T1DDSLongTermCompl	**Feeling worried that I will develop serious long-term complications, no matter how hard I try**			**1, 2, 3, 4, 5, 6**
T1DDSNoHelpDoc	**Feeling that I don't get help I really need from my diabetes doctor about managing diabetes**			**1, 2, 3, 4, 5, 6**
T1DDSSerHypoSleep	**Feeling frightened that I could have a serious hypoglycemic event when I'm asleep**			**1, 2, 3, 4, 5, 6**
T1DDSFoodContrLife	**Feeling that thoughts about food and eating control my life**			**1, 2, 3, 4, 5, 6**
T1DDSFamTreatSick	**Feeling that my friends or family treat me as if I were more fragile or sicker than I**			**1, 2, 3, 4, 5, 6**

	really am			
T1DDSDocDoesntUnderstand	**Feeling that my diabetes doctor doesn't really understand what it's like to have diabetes**			**1, 2, 3, 4, 5, 6**
T1DDSLessAttractEmploy	**Feeling concerned that diabetes may make me less attractive to employers**			**1, 2, 3, 4, 5, 6**
T1DDSFamDiabPolice	**Feeling that my friends or family act like "diabetes police" (bother me too much)**			**1, 2, 3, 4, 5, 6**
T1DDSPerfectDiabMgmt	**Feeling that I've got to be perfect with my diabetes management**			**1, 2, 3, 4, 5, 6**
T1DDSSerHypoDriving	**Feeling frightened that I could have a serious hypoglycemic event while driving**			**1, 2, 3, 4, 5, 6**
T1DDSEatOutOfControl	**Feeling that my eating is out of control**			**1, 2, 3, 4, 5, 6**
T1DDSPplThinkLess	**Feeling that people will think less of me if they knew I had diabetes**			**1, 2, 3, 4, 5, 6**
T1DDSNotGoodEnough	**Feeling that people will think less of me if they knew I had diabetes no matter how hard I try with my diabetes, it will never be good enough**			**1, 2, 3, 4, 5, 6**
T1DDSDocDosntKnow	**Feeling that my diabetes doctor doesn't know enough about diabetes and diabetes care**			**1, 2, 3, 4, 5, 6**
T1DDSNotSafeSerHypo	**Feeling that I can't ever be safe from the possibility of a serious hypoglycemic event**			**1, 2, 3, 4, 5, 6**

T1DDSDiabNotEnoughAttent	Feeling that I don't give my diabetes as much attention as I probably should			1, 2, 3, 4, 5, 6

IOBP2PSTransDailyQuest

Description: IOBP2 Transition Daily Questionnaire

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey Visit			
DlySurvComplBy	Please indicate who is completing these questions.			Participant only, Participant with help of caregiver
DlySurvLowBG	How many times in the last 24 hours did you experience what you would consider a low blood sugar?			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, >10
DlySurvLowBGCarbTimes	How many times in the last 24 hours did you take carbohydrates to treat a low blood sugar?			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, >10
DlySurvLowBGHelp	How many times in the last 24 hours did you have a low blood sugar that required help from another individual because you could not treat yourself (because of confusion or loss of consciousness)?			0, 1, >1
DlySurvLowBGCarbGrams	Estimate the total amount of grams of carbohydrates you were given to treat these	0	100	

	low blood sugars.			
DlySurvLowBGOtherTrt	Were you given anything other than carbohydrates to treat these low blood sugars?			Yes, No

IOBP2PSWeeklyQuest

Description: IOBP2 Weekly Questionniare

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Survey visit			
WkSurvComplBy	Please indicate who is completing these questions			Participant only, Participant with help of caregiver
WkSurvLowBG	How many times in the last 24 hours did you experience what you would consider a low blood sugar			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, >10
WkSurvLowBGCarbTimes	How many times in the last 24 hours did you take carbohydrates to treat a low blood sugar			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, >10
WkSurvLowBGHelp	How many times did you have a low blood sugar that required help from another individual because you could not treat yourself			0, 1, >1
WkSurvLowBGCarbGrams	Estimate the total amount of grams of carbohydrates you were given to treat these	0	100	

	low blood sugars.			
WkSurvLowBGOtherTrt	Were you given anything other than carbohydrates to treat these low blood sugars			Yes, No

IOBP2PSWHO5

Description: A survey module for the WHO Well-Being Index (WHO-5)

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey Name			
SurveyVisit	Survey Visit			
WHOCheer	I have felt cheerful and in good spirits			5, 4, 3, 2, 1, 0
WHOCalm	I have felt calm and relaxed			5, 4, 3, 2, 1, 0
WHOVigor	I have felt active and vigorous			5, 4, 3, 2, 1, 0
WHORest	I woke up feeling fresh and rested			5, 4, 3, 2, 1, 0
WHOLifeInterest	My daily life has been filled with things that interest me			5, 4, 3, 2, 1, 0

IOBP2PtFinalStat

Description: Final Status Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			

PtID	**Participant ID**			
PtFinalStatusReason	**Reason participant's participation in the Study has ended**			**ID obtained in error, Participant does not meet screening eligibility, Lost to follow up, Requests to withdraw not in writing, Requests to withdraw in writing, Site withdraws participant, Death, Participant has completed the study**
PtWithdrawAE	**Reason for participant/parent withdrawal: Adverse event**			**1 = Checked**
PtWithdrawChgDr	**Reason for participant/parent withdrawal: Changed doctor**			**1 = Checked**
PtWithdrawNoStdyTrt	**Reason for participant/parent withdrawal: Does not want study treatment**			**1 = Checked**
PtWithdrawFin	**Reason for participant/parent withdrawal: Finances**			**1 = Checked**
PtWithdrawChgIns	**Reason for participant/parent withdrawal: Changed insurance**			**1 = Checked**
PtWithdrawMoved	**Reason for participant/parent withdrawal: Moved**			**1 = Checked**
PtWithdrawOthTrtReq	**Reason for participant/parent withdrawal: Other treatment requested**			**1 = Checked**
PtWithdrawPoorHealth	**Reason for participant/parent**			**1 = Checked**

	withdrawal: Poor health			
PtWithdrawPoorOut	Reason for participant/parent withdrawal: Poor outcome			1 = Checked
PtWithdrawSched	Reason for participant/parent withdrawal: Scheduling/availability issues			1 = Checked
PtWithdrawTravDiff	Reason for participant/parent withdrawal: Travel difficulty			1 = Checked
PtWithdrawVisLen	Reason for participant/parent withdrawal: Visit too lengthy			1 = Checked
PtWithdrawUnk	Reason for participant/parent withdrawal: Unknown			1 = Checked
PtWithdrawOth	Reason for participant/parent withdrawal: Other			1 = Checked
WithdrawDt	Date of Withdrawal			
DeathDt	Date of Death			
NoOngoingAE	Affirm that there are no ongoing adverse events			1 = Checked

IOBP2PtRoster

Description: IOBP2 Protocol Roster table

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			

SiteID	Site ID			
EnrollDt	Date participant enrolled in the study			
RandDt	Date participant was randomized			
VisitSchedStartDt	Visit scheduled start date for study visits			
TrtGroup	Treatment group			
AgeAsofEnrollDt	Age at Enrollment			Rounded Age, "90 or older"
RCTPtStatus	Participant's status in RCT study			
TransRandDt	Transition randomization date			
TransTrtGroup	Transition treatment group			

IOBP2RandBaseInfo

Description: IOBP2 Randomization Baseline Information

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
SHMostRec	Estimate of when most recent severe hypoglycemic event occurred prior to randomization			Never, < 3 months ago, 3-<6 months ago, >=6 months ago
DKAMostRec	Estimate of when most recent definite or probable DKA event occurred prior to randomization			Never, < 3 months ago, 3-<6 months ago, >=6 months ago

DiabTrt	**Insulin Modality at Time of Randomization Visit**			**Multiple daily injections, Conventional pump without automation, Patch pump, Tandem Basal IQ, Tandem Control IQ, Medtronic 670G using automode, Medtronic 670G/770G using automode**
TotDlyIns	**Total daily insulin in units**			
TotDlyInsUnk	**Unknown: Total daily insulin in units**			**1 = Checked**
TotDlyBasOrLongIns	**Total daily basal insulin for pump users or long/intermediate acting insulin (including NPH) for injection users, in units**			
TotDlyBasOrLongInsUnk	**Unknown: Total daily basal insulin for pump users or long/intermediate acting insulin (including NPH) for injection users, in units**			**1 = Checked**
DlyBolShortInhNbr	**Number of boluses per day for pump users, number of injections of short acting insulin per day for injection users, or number of inhaled doses per day for short acting inhaled insulin**			
DlyBolShortInhNbrUnk	**Unknown: Number of boluses per day for pump users, number of injections of short acting insulin per day for injection users, or number of inhaled doses per day for short acting inhaled insulin**			**1 = Checked**

CGMType	Which CGM device type was being used at time of randomization			None, Abbott, Dexcom, Medtronic, Senseonics

IOBP2RunInRev

Description: Protocol IOBP2 Run-In Review from

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
CGMMinUse	Has the CGM been used for at least 14 days with at least 85% of CGM values during the last 14 days of CGM wear			Yes, No
PtRunInStat	Indicate status of the participant			Participant will repeat CGM use, Participant will be dropped, Participant will repeat blinded CGM use

IOBP2VirtVisInfo

Description: Protocol IOBP2 Virtual Visit Information form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			

ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
VisitVirt	Was the visit completed virtually?			Yes, No
VisitVirtFormat	Format of the virtual visit			Video only, Telephone only, Partial video and partial telephone, Other
PtA1cSampKitShipDt	Date HbA1c sample kit shipped to participant for virtual visit			
PtA1cSampCollectDt	Date participant collected HbA1c sample for virtual visit			

IOBP2VisitInfo

Description: Visit Information Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
Visit	Visit			
VisitDt	Visit Date			
OutOfWin	Visit was completed out of window			1 = Checked
OutOfWinReason	Reason visit was completed out of window			COVID-19 pandemic, Bad weather, Travel difficulty, Financial issue, Poor health, Personal issue, Work

				issue, Subject on vacation, Visits too lengthy, Investigator away, Clinic appointment not available, Site forgot to schedule, Difficulty contacting subject, Poor outcome, Good outcome, Adverse event, Unknown, Other
VisitMiss	Visit was missed			1 = Checked
VisitMissReason	Reason visit was missed			COVID-19 pandemic, Bad weather, Travel difficulty, Financial issue, Poor health, Personal issue, Work issue, Subject on vacation, Visits too lengthy, Investigator away, Clinic appointment not available, Site forgot to schedule, Difficulty contacting subject, Poor outcome, Good outcome, Adverse event, Unknown, Other
VisitVirtual	Visit was completed virtually (e.g., by phone or Internet)			1 = Checked

STASampleResults

Description: Sample results data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
Visit	Visit			
CollectionDt	Sample collection date			
AnalysisDt	Date analysis ran by the lab			
ResultName	Name of the result			
Value	Result value			
Units	Units			
STAResultStatus	Result status			Canceled, Complete