PEDAP Protocol – Public Dataset

Link to public website: https://public.jaeb.org/datasets/diabetes

Protocol details: see full protocol PDF, included with this dataset

Manuscripts:

Primary: https://www.nejm.org/doi/full/10.1056/NEJMoa2210834

Patient-Reported Outcomes (PROs): https://pubmed.ncbi.nlm.nih.gov/38278493/

Table of Contents – Data Files, sorted by Source, then Data File Name

Change History:

#	Date of Release:	Note
1	**2024-04-16**	Original release
2	**2024-09-20**	Revision to add Sleep and Exercise Activity (mode) transitions
3	**2024-09-25**	Correction to erroneous participant identifiers introduced in version 2
4	**2025-04-10**	Correction to include complete basal rate information for entire study period (Main Phase and Extension Phase)
5	**2025-05-12**	Removal of duplicate and other unusable/inappropriate points from basal insulin table

Data Table List:

Data from Study Devices:	
PEDAPDexcomClarityCalibration	**CGM Calibration Data from Dexcom Clarity**
PEDAPDexcomClarityCGM	**CGM Data from Dexcom Clarity**
PEDAPKetone	**Ketone Data from Precision Xtra meter**
PEDAPOtherCGM	**CGM Data from sources other than Dexcom Clarity**
PEDAPTandemBASALDELIVERY	**Event logged on pump with commanded basal insulin rate at each basal delivery interval**
PEDAPTandemBOLUSDELIVERED	**Event logged on pump when delivery of an insulin bolus**

	(Standard, Extended, or Automatic) is completed
PEDAPTandemCGMDataGXB	Event logged on pump when a CGM value is obtained from a connected Dexcom CGM transmitter
PEDAPTandemUserModeChange	Event logged on pump when user switches between Normal, Exercise, and Sleep activity modes
Data from Central Laboratory:	
STASampleResults	Central Lab HbA1c sample results data
Data from Case Report Forms (CRFs):	
PEDAPAdvEvent	Adverse Event Form
PEDAPCGMRunInReview	Information about participants who completed a CGM Run-In period
PEDAPDeviceIssue	Device Issue Form
PEDAPDiabDKAEvent	Events involving hyperglycemia or ketosis for which additional information was collected
PEDAPDiabHypoEvent	Events involving hypoglycemia for which additional information was collected
PEDAPDiabMedHistory	Medical History Updates form
PEDAPDiabPhysExam	Diabetes Physical Exam Form data
PEDAPDiabScreening	Diabetes Screening Form data
PEDAPDiabSocioEcon	Diabetes Socioeconomic Information form
PEDAPDiabUnschedContact	Diabetes unscheduled contact form
PEDAPFollowUpCTV	Additional participant information obtained upon completion of Follow-Up visits
PEDAPInsulin	List of all types of insulins for participant
PEDAPInsulinDeliveryDetails	Insulin Delivery Details form
PEDAPMealExerciseLog	Meal/Exercise Challenge log form
PEDAPMedicalCondition	Medical Condition Form

PEDAPMedication	Medications Form
PEDAPPtFinalStat	Final Status Form
PEDAPScreeningCTV	Additional participant information obtained upon completion of the Screening process
PEDAPTraining	Study Device Training forms
PEDAPVisitInfo	Visit Information Form
PtRoster	Participant Roster
Data from Participant Questionnaires (PROs):	
PEDAPPSHypoConfParent	Hypoglycemia Confidence Survey - Parent
PEDAPPSHypoFearParent	Fear of Hypoglycemia Survey - Parent
PEDAPPSINSPParentBase	INSPIRE Questionnaire for Parents Baseline
PEDAPPSINSPParentPost	INSPIRE Questionnaire for Parents Post Intervention
PEDAPPSPedInvParent	Pediatric Inventory for Parents Survey
PEDAPPSPedsQLParTod	Pediatric Quality of Live Survey - Parent of Toddler (age 2-4)
PEDAPPSPedsQLParYC	Pediatric Quality of Live Survey - Parent of Young Child (age 5 - 7)
PEDAPPSPSQIParent	Pittsburgh Sleep Quality Index Survey - Parent
PEDAPPSSystemUsability	System Usability Scale

Data Table Details:

PEDAPDexcomClarityCalibration

Description: CGM Calibration Data from Dexcom Clarity

Data Source: Dexcom G6 CGM device system

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Datetime of CGM calibration event			
EventSubType	Not Used			
SourceDeviceID	Device/app that captured CGM reading from transmitter			ANDROID G6, IPHONE G6, Dexcom G6 Receiver
CalibrationValue	Glucose value, in mg/dL, announced to the CGM for calibration			

PEDAPDexcomClarityCGM

Description: CGM Data from Dexcom Clarity

Data Source: Dexcom G6 CGM device system

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Datetime of CGM reading			
EventSubType	Flag to indicate if CGM reading is outside of the 40-400 mg/dL range			HIGH, LOW
SourceDeviceID	Device/app that captured CGM reading from transmitter			ANDROID G6, IPHONE G6, Dexcom G6 Receiver
CGM	Value of CGM reading, in mg/dL; 39 indicates a below-range reading (<40), while 401 indicates an above-range reading (>400)	39	401	
TransmitterTime	Timestamp of CGM reading, in seconds, with respect to activation of transmitter			

PEDAPKetone

Description: Ketone Data from Precision Xtra meter

Data Source: Precision Xtra blood ketone meter device

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Datetime of ketone measurement			
Ketone	Blood ketone value, in mmol/L			

PEDAPOtherCGM

Description: CGM Data from sources other than Dexcom Clarity

Data Source: Dexcom CGM readings obtained through a non-Clarity source, such as t:connect or Tidepool, due to lack of availability from Clarity

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Datetime of CGM reading			
CGM	Value of CGM reading, in mg/dL; 401 indicates an above-range reading (>400)	40	401	

PEDAPTandemBASALDELIVERY

Description: Event logged on pump with commanded basal insulin rate at each basal delivery interval

Data Source: Tandem t:slim X2 Insulin Pump with Control-IQ technology

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
DeviceDtTm	Datetime of commanded basal delivery rate			
BasalRate	Basal insulin delivery rate, in U/hr			

PEDAPTandemBOLUSDELIVERED

Description: Event logged on pump when delivery of an insulin bolus (Standard, Extended, or Automatic) is completed

Data Source: Tandem t:slim X2 Insulin Pump with Control-IQ technology

Field_Name	Description	Min	Max	Possible_Values
PtID	Participant ID			
RecID	Unique record ID in table			
BolusID	Bolus event ID logged on pump			
DeviceDtTm	Datetime of completion of bolus insulin delivery by pump			
BolusAmount	Size of completed bolus, in U of insulin			
CarbAmount	Grams of carbohydrate announced to pump in association with bolus event			
BolusType	Type of bolus			Automatic, Extended, Standard
Duration	For Extended bolus events, requested bolus duration in minutes			
ExtendedBolusPortion	For Extended bolus events, flag differentiating the immediate "Now" portion of the bolus (if any) from the extended portion ("Later")			Now, Later

PEDAPTandemCGMDataGXB

Description: Event logged on pump when a CGM value is obtained from a connected Dexcom CGM transmitter

Data Source: Tandem t:slim X2 Insulin Pump with Control-IQ technology

Field_Name	Description	Min	Max	Possible_Values
PtID	Participant ID			
RecID	Unique record ID in table			
DeviceDtTm	Datetime of CGM reading			
CGMValue	Value of CGM reading, in mg/dL; 0 indicates a below-range reading (<40) or above-range reading (>400)	0	400	
HighLowIndicator	Flag indicating presence of an in-range reading (0), below-range reading (2), or above-range reading (1)			0, 1, 2

PEDAPTandemUserModeChange

Description: Event logged on pump when user switches between Normal, Exercise, and Sleep activity modes

Data Source: Tandem t:slim X2 Insulin Pump with Control-IQ technology

Field_Name	Description	Min	Max	Possible_Values
PtID	Participant ID			
RecID	Unique record ID in table			
DeviceDtTm	Datetime of User mode change			
CurrentMode	User mode that the user is activating			Normal, Sleep, Exercise
PreviousMode	User mode that was active prior to the user's current mode change			Normal, Sleep, Exercise

STASampleResults

Description: Central Lab HbA1c sample results data

Data Source: Central Laboratory

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
Visit	Visit			
AnalysisDt	Date analysis ran by the lab			
ResultName	Name of the result			
Value	Result value			
Units	Units			
STAResultStatus	Result status			Canceled, Complete

PEDAPAdvEvent

Description: Adverse Event Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
AENotifiedDt	Date notified of/identified adverse event			
MedicalCondition	Medical Condition			
MedicalConditionMM	Medical Condition determined by the Medical Monitor			
AdverseEventType	If ocular event, select eye			OD = Right Eye, OS = Left Eye
AEOnsetDt	Date of onset (or worsening of a pre-existing condition)			
AEPrEnroll	Is the adverse event a worsening of a pre-existing condition present prior to study entry			Yes, No
AENotedStdyVisExam	Was the adverse event an abnormality (or worsening of an existing abnormality) identified on a study visit exam			Yes, No
AEIntensity	Maximum intensity (Severity)			Mild, Moderate, Severe

AERelStdyTrt	**Is there a reasonable possibility that the event was caused by a study treatment/study device**			**Yes, No**
AERelStdyTrtUncertain	**Uncertain which treatment/study device caused event**			**1 = Checked**
AERelStdyProc	**Is there a reasonable possibility that the event was caused by a study procedure**			**Yes, No**
AEEffectTrt	**Effect on study treatment/device**			**No change, Discontinued temporarily, Discontinued permanently, Reduced dose, Reduced use frequency/schedule**
AESerious	**Does the event meet criteria for a serious adverse event**			**Yes, No**
AETrt	**Did patient receive treatment for the Adverse Event**			**Yes, No**
AESurg	**Surgery/procedure**			**Yes, No**
AESurgDt	**Date of surgery/procedure**			
AEMedsList	**If yes, list medications here**			
AEOthTrt	**Other Treatment of Adverse Event**			**Yes, No**

AEOutcome	**Outcome**			**Ongoing (further improvement / worsening possible), Ongoing, medically stable, Complete Recovery, Recovered with Sequelae, Fatal**
AEResDt	**Date of Recovery (with or without sequelae)**			
AEDeathCause	**Cause of death**			
AEDeathDt	**Date of Death**			
AEDeath	**Criteria Defining Event as Serious Adverse Event: Death**			**1 = Checked**
AEConAnomaly	**Criteria Defining Event as Serious Adverse Event: Congenital Anomaly**			**1 = Checked**
AELifeThreat	**Criteria Defining Event as Serious Adverse Event: Life Threatening**			**1 = Checked**
AEHosp	**Criteria Defining Event as Serious Adverse Event: Hospitalization -- inital or prolonged**			**1 = Checked**
AEDisability	**Criteria Defining Event as Serious Adverse Event: Significant Disability or Incapacity**			**1 = Checked**
AEOther	**Criteria Defining Event as Serious Adverse Event: Other**			**1 = Checked**

Weight	**Weight**	**0**		
WeightMeas	**Weight Measurement**			**lbs, kgs**
WeightNotAvail	**Weight: Not available**			**1 = Checked**
AERelLabData	**Relevant Tests/Laboratory Data**			**Yes, No**
AEOthRelHx	**Other relevant history, including preexisting medical conditions (e.g., allergies, pregnancy, smoking and alcohol use, hepatic/renal dysfunction, etc)**			**Yes, No**
AEMedProd	**Concomitant medical products and therapy dates (exclude treatment of event)**			**Yes, No**
MMAERelStdyTrt	**MM Is there a reasonable possibility that the event was caused by a study treatment/study device**			**Yes, No, Unrelated, Unlikely related, Possibly related, Probably related, Definitely related, Not assessable**
MMAESerious	**MM Does the event meet criteria for a serious adverse event**			**Yes, No**
MMUnexpected	**MM Was the event unexpected**			**Yes, No**
AERelStdyDrugDevice	**What is the relationship of the event to study drug/device**			**Unrelated, Unlikely related, Possibly related, Probably related, Definitely related, Not assessable**

AERelStdyDrugDeviceUncertain	**Uncertain which study drug/device is related to event**			**1 = Checked**
MMHospDiscRptObtained	**MM Hospital Discharge Reports Obtained**			**Yes, No, Not Requested, No, Requested Not Obtained**
AERelStdyTrtHighLvl	**If Yes, to which of the following was the adverse event possibly related**			**Study drug (drug effect), Other study treatment, Study device (function), Administration of study drug/device, Prep for the administration of study drug, Study diagnostic procedure, More than one of the above**
AERelStdyTrtWhich	**If related to the study drug/device and the study has more than one study drug or device, please indicate which one or indicate uncertain if you cannot determine**			
AERelStdyDrugDeviceHighLvl	**If possibly, probably or definitely related, to which of the following was the adverse event possibly/probably/definitely related**			**Study drug (drug effect), Other study treatment, Study device (function), Administration of study drug/device, Prep for the**

				administration of study drug, Study diagnostic procedure, More than one of the above
AERelStdyDrugDeviceWhich	**If related to the study drug/device and the study has more than one study drug or device, please indicate which one or indicate uncertain if you cannot determine**			
MMAERelStdyTrtHighLvl	**MM To which of the following was the adverse event possibly related**			**Study drug (drug effect), Other study treatment, Study device (function), Administration of study drug/device, Prep for the administration of study drug, Study diagnostic procedure, More than one of the above**
MMInitialCmtsDt	**MM Date Initial Comments entered**			
AECCNarrative	**CC description of sites event**			
AECCNarrativeDt	**Date CC description last reviewed**			
AEMedEvent	**Criteria Defining Event as Serious Adverse Event:**			**1 = Checked**

	Significant Medical Event			
AENCILevel	**Level of Severity (based on National Cancer Institute)**			**Grade 1, Grade 2, Grade 3, Grade 4, Grade 5**

PEDAPCGMRunInReview

Description: Information about participants who completed a CGM Run-In period

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID in tblLogin			
Visit	Visit			
CGMUsed11Days	Was the minimum required 11 days of sensor use out of 14 days of home use obtained, based on CGM data download and review			Yes, No
NeedMoreRunIn	Does the participant require another two-week Run-in period			Yes, No
NeedMoreRunInCGM	Insufficient study CGM use			1 = Checked
SkinReaction	Did the participant experience a skin reaction in the area where the CGM sensor was worn			Yes, No
SkinReactionRedness	Skin reaction: check all that apply: Redness			1 = Checked
SkinReactionSwelling	Skin reaction: check all that apply: Swelling			1 = Checked
SkinReactionPain	Skin reaction: check all that apply: Pain			1 = Checked

SkinReactionBruising	**Skin reaction: check all that apply: Bruising**			**1 = Checked**

PEDAPDeviceIssue

Description: Device Issue Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
InvDevice	Investigated Device			
DevSerialNumber	Serial number			
DevSerialNumberNone	No serial number information			Unknown, N/A
DevIssueType	Type of device issue			Device malfunction, Device-related, but not malfunction, User error, Study staff user error, Inadequate instructions / training, Inadequate labeling, Other, Skin reaction
DevIssueOnsetDt	Date problem first occurred/was identified			
DevIssueLocation	Location of Occurrence			Home, Inpatient, Clinic (outpatient), Other
DevIssueFrequency	Frequency			Single Event, Intermittent,

				Continuous
DevIssueEffect	**Effect on study treatment/device**			**No change, Study device modified/adjusted, Study device replaced, Discontinued temporarily, Discontinued permanently**
DevIssueReplacedDt	**Date replaced or modified device first used by participant (leave empty if not applicable or not yet used by subject)**			
DevIssueAE	**Is the device issue related to an adverse event**			**Yes, No**
DevIssueAELikely	**If no, please describe the likelihood that the device issue could have led to an adverse event**			**Yes, No, Not assessable, Not possible, Unlikely, Possibly, Probably, Certainly**
DevIssueUADE	**Can the device deficiency or issue be classified as an Unanticipated Adverse Device Effect (UADE)**			**Yes, No, Uncertain**
DevIssueAELikelyHypo	**What adverse event could have occurred: Hypoglycemia**			**1 = Checked**
DevIssueAELikelyHyper	**What adverse event could have occurred: Hyperglycemia**			**1 = Checked**
DevIssueAELikelyOth	**What adverse event could**			**1 = Checked**

	have occurred: Other			
DevIssueCCNarrative	**CC description of sites issue**			
CRFFuncClass	**Code for the CRF functional classification**			
DevIssueCCNarrativeDt	**Date CC description last reviewed**			
ParentLoginIDAdvEvent	**Adverse Event**			

PEDAPDiabDKAEvent

Description: Events involving hyperglycemia or ketosis for which additional information was collected

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
DKAOccurDt	Date of Event			
DKAOccurDtApprox	Date of event is approximate			1 = Checked
DKAOccurDtUnk	Unknown: Date of event			1 = Checked
DKAMetCriteria	Did event meet study criteria for DKA			Definitely, Probably, No, Cant deter
GlucLevel	Glucose level			
GlucLevelUnits	Glucose Units			mg/dL, mmol/L
GlucLevelUnk	Unknown: Glucose level			1 = Checked
KetoneResUnk	Unknown: Ketone Result			1 = Checked
KetoneSerum	Ketone result: Serum			
KetoneSerumUnits	Ketone result: Serum units			mg/dL, mmol/L
KetoneUrine	Ketone result: Urine			Negative, Small, Medium, Large, Extra Large
HCO3	HCO3			
HCO3Unk	Unknown: HCO3			1 = Checked
pH	pH			

pHSample	**pH Sample**			**Arterial blood, Venous**
pHUnk	**Unknown: pH**			**1 = Checked**
BUN	**BUN**			
BUNUnk	**Unknown: BUN**			**1 = Checked**
CerebEdema	**Symptomatic cerebral edema**			**Yes, No, Unknown**
EventCauseStdyDev	**Is there any evidence that a study device (e.g., blood glucose meter and/or HHM) contributed to the event (either device malfunction or improper use by user)**			**Yes, No**
EventCauseNonStdy	**Is there any indication of non-study-device-related factors that contributed to the occurrence of the event**			**Yes, No**
DKAOutcome	**Outcome**			**Fully recovered, Other, Unknown**
SensorWear	**Was the participant wearing a CGM sensor at the time of the event**			**Yes, No, Unknown**
SensorGluc	**CGM sensor glucose reading**			
SensorGlucUnits	**CGM sensor glucose units**			**mg/dL, mmol/L**
SensorGlucUnk	**Unknown: CGM sensor glucose reading**			**1 = Checked**
AutoInsDelivWear	**Was the participant wearing an automated insulin delivery system at**			**Yes, No, Unknown**

	the time of the event			
AutoInsDelivMode	**If Yes, was the system in auto mode or manual mode**			**Auto Mode, Manual Mode, Unknown**
InvFeelSafeToContinue	**Does the investigator believe that the event is unlikely to recur, and that it is safe for the participant to continue to use the assigned therapy**			**Yes, No**
ParentLoginIDAdvEvent	**Adverse Event**			

PEDAPDiabHypoEvent

Description: Events involving hypoglycemia for which additional information was collected

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
HypoOccurDt	Date of event			
HypoOccurDtApprox	Date of event is approximate			1 = Checked
HypoOccurDtUnk	Unknown: Date of event			1 = Checked
HypoApproxTm	Indicate the approximate time of day of the event			00:01 - 03:00, 03:01 - 06:00, 06:01 - 09:00, 09:01 - 12:00, 12:01 - 15:00, 15:01 - 18:00, 18:01 - 21:00, 21:01 - 00:00, Unknown
GlucMeterCk	Was the glucose level checked on a home blood glucose meter			Yes, No, Unknown
GlucMeterRes	Glucose result	0.00	500.00	
GlucMeterResUnits	Glucose result units			mg/dL, mmol/L
GlucMeterResUnk	Unknown: Glucose result			1 = Checked
SensorWear	Was the participant wearing a CGM sensor at			Yes, No, Unknown

	the time of the event			
SensorGluc	**CGM sensor glucose reading**			
SensorGlucUnits	**CGM sensor glucose units**			**mg/dL, mmol/L**
SensorGlucUnk	**Unknown: CGM sensor glucose reading**			**1 = Checked**
HypoSeizure	**Seizure**			**1 = Checked**
HypoLossCons	**Loss of consciousness**			**1 = Checked**
HypoReqAssist	**Required assistance**			**1 = Checked**
HypoAmbulance	**Ambulance called**			**1 = Checked**
HypoEMT	**EMT assistance**			**1 = Checked**
HypoHthCareProv	**Evaluated or treated by healthcare provider (not EMT)**			**1 = Checked**
GlucGiven	**Was glucagon given**			**Yes, No, Unknown**
HospOrER	**Was the participant hospitalized or treated in the Emergency Room**			**Yes, No, Unknown**
HospERTreatLoc	**Where was the participant treated**			**ICU only, Floor only, ICU and Floor, Emergency Room only, Unknown**
HospNumDays	**If hospitalized, duration (days)**			
HospNumDaysUnk	**Unknown: Number of days participant was hospitalized**			**1 = Checked**
EventCauseStdyDev	**Is there any evidence that a study device (e.g., blood glucose meter and/or**			**Yes, No**

	HHM) contributed to the event			
EventCauseNonStdy	**Is there any indication of non-study device-related factors that contributed to the occurrence of the event**			**Yes, No**
HypoEventOutcome	**Outcome**			**Fully recovered, Other, Unknown**
AutoInsDelivWear	**Was the participant wearing an automated insulin delivery system at the time of the event**			**Yes, No, Unknown**
AutoInsDelivMode	**If Yes, was the system in auto mode or manual mode**			**Auto Mode, Manual Mode, Unknown**
InvFeelSafeToContinue	**Does the investigator believe that the event is unlikely to recur, and that it is safe for the participant to continue to use the assigned therapy**			**Yes, No**
ParentLoginIDAdvEvent	**Adverse Event**			

PEDAPDiabMedHistory

Description: Medical History Updates form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
Visit	Visit			
SHSinceLastVis	Reportable Hypoglycemic event			Yes, No
DKASinceLastVis	Reportable Hyperglycemia or DKA Event			Yes, No
OthAESinceLastVis	Other reportable adverse event or adverse device effect (ADE)			Yes, No
MedCondSinceLastVis	Did the participant report a new medical condition that does not meet the definition of a reportable adverse event and has not previously been recorded on the Medical Conditions Form			Yes, No
DevProbSinceLastVis	Did the participant report having any reportable device problems while using a study device since the last contact			Yes, No
MedSinceLastVis	Did the participant report any changes or new			Yes, No

	medications since the last contact			
InsulinSinceLastVis	**Did the participant report any changes in insulin type or insulin delivery method since the last contact**			**Yes, No**

PEDAPDiabPhysExam

Description: Diabetes Physical Exam Form data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient identifier			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
Visit	Visit			
PhysExamNotDone	No physical exam performed			1 = Checked
Weight	Weight	1		
WeightUnits	Weight units			lbs, kg
WeightUnk	Weight not measured			1 = Checked
Height	Height	1		
HeightUnits	Height units			in, cm
HeightUnk	Height not measured			1 = Checked
BldPrSys	Blood pressure systolic	60	300	
BldPrDia	Blood pressure diastolic	30	160	
BldPrUnk	Blood pressure not measured			1 = Checked
PEHeartRt	Heart rate bpm	40	170	
PEHeartRtUnk	Heart rate not measured			1 = Checked
Temp	Temperature	34.0	106.0	
TempUnits	Temperature units			Celsius, Fahrenheit
TempUnk	Temperature not			1 = Checked

	measured			
FingStkBG	**Fingerstick blood glucose result**	**0.0**		
FingStkBGUnits	**Fingerstick blood glucose result units**			**mg/dL, mmol/L**
FingStkBGUnk	**Fingerstick blood glucose not measured**			**1 = Checked**
PEAbnormal	**Were any clinically significant abnormalities found**			**Yes, No**
PhysExamPerf	**Was a physical exam performed**			**Yes, No**
WaistCirc	**Waist circumference**			
WaistCircUnits	**Waist circumference units**			**in, cm**
WaistCircNotDone	**Waist circumference not measured**			**1 = Checked**

PEDAPDiabScreening

Description: Diabetes Screening Form data

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient identifier			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
EligCritMet	Eligibility criteria has been met by the participant			1 = Checked
ExclCritAbsent	Exclusion criteria is absent for the participant			1 = Checked
Sex	Sex of the participant			
Ethnicity	Ethnicity			Hispanic or Latino, Not Hispanic or Latino, Unknown/not reported
Race	Race			White, Black/African American, Asian, Native Hawaiian/Other Pacific Islander, American Indian/Alaskan Native, More than one race, Unknown/not reported
DiagDt	Date of Diagnosis			

DiagDtApprox	**Date of diagnosis of diabetes is Approximate**			**1 = Checked**
DiagDtUnk	**Date of diagnosis of diabetes is Unknown**			**1 = Checked**
DiagAge	**Age at diagnosis**	**0**	**99**	
DiagAgeApprox	**Age at diagnosis is Approximate**			**1 = Checked**
DiagAgeUnk	**Age at diagnosis is Unknown**			**1 = Checked**
SHMostRecent	**Estimate of when most recent severe hypoglycemic event occurred**			**Never, < 3 months ago, 3-<6 months ago, 6-12 months ago, More than 12 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago**
SHNumLast12Months	**Estimated number of severe hypoglycemic events in the last 12 months**			**0, 1, 2, 3, 4, 5-10, >=10**
SHSeizComa	**Estimated number of severe hypoglycemic events involving seizure/coma**			**0, 1, 2, 3, 4, 5-10, >=10**
SHSeizComaLast12Months	**Number of severe hypoglycemic events involving seizure/coma in last 12 months**			**0, 1, 2, 3, 4, 5-10, >=10**
DKAMostRecent	**Estimate of when most recent definite or probable DKA event**			**Never, < 3 months ago, 3-<6 months ago, 6-12 months**

	occurred			ago, More than 12 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago
DKANumLast12Months	Estimated number of definite or probable DKA events in the last 12 months			0, 1, 2, 3, 4, 5-10, >=10
InsModPump	Insulin modality: pump			1 = Checked
InsModInjections	Insulin modality: Injections			1 = Checked
InsModInhaled	Insulin modality: Inhaled			1 = Checked
InsModNone	Insulin modality: None			1 = Checked
PumpUse	How long has participant been using an insulin pump			<3 months, 3-<6 months, 6 months-<1 year, 1-<2 years, 2-<5 years, >= 5 years
PumpType	Manufacturer of pump			
PumpTypeUnk	Manufacturer of pump Unknown			1 = Checked
UnitsInsTotal	Total daily insulin in units	1	300	
UnitsInsUnk	Total daily insulin in units Unknown			1 = Checked
UnitsInsBasilOrLongAct	Total daily basal or long acting insulin units	1	250	
UnitsInsBasilOrLongActUnk	Total daily basal or long acting insulin units Unknown			1 = Checked

NumPumpBolusOrShortAct	**Number of boluses, injections, or inhaled doses per day**	**0**	**50**	
NumPumpBolusOrShortActUnk	**Number of boluses, injections, or inhaled doses per day Unknown**			**1 = Checked**
BGTestAvgNumMeter	**Average number of BG tests from meter**	**0**	**30**	
BGTestMetDatNotAvail	**Average number of BG tests from meter not available**			**1 = Checked**
BGTestAvgNumPtRep	**Average number of BG tests from participant**	**0**	**30**	
BGTestPtRepNotAvail	**Average number of BG tests from participant not available**			**1 = Checked**
CGMUseStat	**Status of CGM use in last month**			**Never, In past, but not current, Current**
CGMUseDur	**How long has the participant been using CGM**			**<3 months, 3-<6 months, 6 months-<1 year, 1-<2 years, 2-<5 years, >= 5 years**
CGMUseDevice	**Which CGM device is being used**			**Abbott, Dexcom, Medtronic, Senseonics**
CGMUseLast1Month	**In the past month, how many days has the participant used the CGM**	**1**	**30**	
CGMUseLast1MonthUnk	**In the past month, how many days has the participant used the CGM**			**1 = Checked**

	Unknown			
PhysExamNotDone	**No physical exam performed**			**1 = Checked**
Weight	**Weight**	**1**		
WeightUnits	**Weight units**			**lbs, kg**
WeightUnk	**Weight not measured**			**1 = Checked**
Height	**Height**	**1**		
HeightUnits	**Height units**			**in, cm**
HeightUnk	**Height not measured**			**1 = Checked**
BldPrSys	**Blood pressure systolic**	**60**	**300**	
BldPrDia	**Blood pressure diastolic**	**30**	**160**	
BldPrUnk	**Blood pressure not measured**			**1 = Checked**
PEAbnormal	**Were any clinically significant abnormalities found**			**Yes, No**
PreExistMedCond	**Does subject have any pre-existing medical conditions other than T1D**			**Yes, No**
PtCurrMed	**Is subject currently taking any medication**			**Yes, No**
SHNumEverB	**Estimated number of severe hypoglycemic events ever (as defined below)**			**0, 1, 2, 3, 4, 5-10, >10**
SHMostRecentB	**Estimate of when most severe hypoglycemic event (as defined below) occurred**			**< 3 months ago, 3-<6 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10**

				years ago
SHLast12MonthsB	If <12 months ago, how many events occurred in the last 12 months			1, 2, 3, 4, 5-10, >10
SHSeizComaNumB	Estimated number of severe hypoglycemic events involving seizure/loss of consciousness ever			0, 1, 2, 3, 4, 5-10, >10
SHSeizComaLast12MonthsB	If 1 or more severe hypoglycemic events involving seizure/loss of consciousness, how many events occurred in the last 12 months			0, 1, 2, 3, 4, 5-10, >10
DKANumEverB	Estimated number of definite or probable DKA events ever (as defined below and including DKA at diagnosis)			0, 1, 2, 3, 4, 5-10, >10
DKAMostRecentB	If 1 or more definite or probable DKA events, estimate of when most recent definite or probable DKA event occurred			< 3 months ago, 3-<6 months ago, 6-<12 months ago, 1-<5 years ago, 5-<10 years ago, >=10 years ago
DKALast12MonthsB	If <12 months ago, how many events occurred in the last 12 months			1, 2, 3, 4, 5-10, >10
BGTestMeterFreq	Frequency of meter download blood glucose tests			per day, per week
BGTestPtRepFreq	Frequency of participant reported blood glucose			per day, per week

	tests			

PEDAPDiabSocioEcon

Description: Diabetes Socioeconomic Information form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogin			
EducationLevel	Education Level			Less than High School, High school graduate/diploma/ GED, Technical/Vocational, Associate Degree (AA), College Graduate (Bachelor's Degree or Equivalent), Advanced Degree (e.g. Masters, PhD, MD), Unknown, Does not wish to provide, Less than 1st grade, 1st, 2nd, 3rd, or 4th grade, 5th or 6th grade, 7th or 8th grade, 9th grade, 10th grade, 11th grade, 12th grade - no diploma, Some college but no degree, Bachelor's Degree (BS,BA,AB),

				Master's Degree (MA, MS, MSW, MBA, MPH), Professional Degree (MD, DDS, DVM, LLB, JD), Doctorate Degree (PhD, EdD)
AnnualIncome	**Annual Income**			**Less than $25,000, $25,000 to less than $35,000, $35,000 to less than $50,000, $50,000 to less than $75,000, $75,000 to less than $100,000, $100,000 to less than $200,000, $200,000 or more, Unknown, Does not wish to provide**
InsPrivate	**Private Insurance**			**1 = Checked**
InsMedicare	**Medicare Insurance**			**1 = Checked**
InsMediGap	**MediGap insurance**			**1 = Checked**
InsMedicaid	**Medicaid insurance**			**1 = Checked**
InsSCHIP	**SCHIP insurance**			**1 = Checked**
InsMilitary	**Military health care**			**1 = Checked**
InsIndian	**Indian health service plan**			**1 = Checked**
InsState	**State sponsered health plan**			**1 = Checked**
InsOtherGov	**Other government-sponsored health**			**1 = Checked**

	coverage			
InsSingleService	**Single service plan**			**1 = Checked**
InsNoCoverage	**No insurance coverage**			**1 = Checked**
InsUnk	**Insurance coverage unknown**			**1 = Checked**
InsNoAns	**Insurance coverage no answer**			**1 = Checked**

PEDAPDiabUnschedContact

Description: Diabetes unscheduled contact form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Unique Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID From tblLogin			
ContType	Contact Type			Clinic visit, Phone call, Email, Text, Home visit, Video chat/Skype
ContPers	Contact was made with			Participant, Parent/Guardian, Spouse or significant other, Other
ContReasDevTrain	Reason for Contact: Participant needed additional device training			1 = Checked
ContReasProtTrain	Reason for Contact: Participant needed additional protocol/procedural training			1 = Checked
ContReasDiabMgmt	Reason for Contact: Participant had a question or problem with diabetes management			1 = Checked
ContReasAE	Reason for Contact: Participant had a potential			1 = Checked

	adverse event			
ContReasDevIssue	**Reason for Contact: Participant had a potential device deficiency/issue**			**1 = Checked**
ContReasSupplies	**Reason for Contact: Participant needed study supplies**			**1 = Checked**
ContReasOth	**Reason for Contact: Other**			**1 = Checked**
ContPersPartic	**Contact was made with: Participant**			**1 = Checked**
ContPersParent	**Contact was made with: Parent/Guardian**			**1 = Checked**
ContPersSpouse	**Contact was made with: Spouse or significant other**			**1 = Checked**
ContPersOth	**Contact was made with: Other**			**1 = Checked**

PEDAPFollowUpCTV

Description: Additional participant information obtained upon completion of Follow-Up visits

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID in tblLogin			
Visit	Visit			
CGMUploaded	Was the participant's CGM data uploaded by the participant at home for clinician review of CGM data			Yes, No
CGMUploadedDt	If Yes, enter the date the participant last uploaded data			
DLCGMReceiver	Indicate which devices were downloaded: Study CGM receiver			1 = Checked
DLStudyPump	Indicate which devices were downloaded: Study Insulin Pump			1 = Checked
DLPersonalPump	Indicate which devices were downloaded: Personal pump			1 = Checked
DLBGMeter	Indicate which devices were downloaded: Study blood glucose meter			1 = Checked
DLKetoneMeter	Indicate which devices			1 = Checked

	were downloaded: Study blood ketone meter			
DLNoDeviceData	Indicate which devices were downloaded: No device data downloaded in clinic			1 = Checked
DLExpectedNotObtained	If an expected download was not obtained, please provide details			
QuestionsAboutStudyDevices	Did the participant have any questions or concerns about using any of the study devices			Yes, No
SuppliesAssigned	Were study supplies assigned to the participant through inventory tracking during this visit			Yes, No
ContinuingToExtension	Will the participant continue to the Extension Phase of the study			Yes, No
SuppliesReturned	Study supplies and insulin pump have been returned and participant was placed back on pre-study insulin delivery method			Yes, No
Weight	Weight	1		
WeightUnits	Weight units			lbs, kg
WeightUnk	Weight not measured			1 = Checked
Height	Height	1		
HeightUnits	Height units			in, cm
HeightUnk	Height not measured			1 = Checked

VisitIsFinalVisit	**Will the current visit be the Final Visit of the Extended Use Period**			**Yes, No**

PEDAPInsulin

Description: List of all types of insulins for participant

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
InsulinName				
InsRoute	Route			Pump, Injection, Inhaled
InsInjectionFreq	If injection or inhaled, what is the usual frequency of injections or inhaled per day			1, 2, 3, 4, 5, 6, 7, 8, 9, Unknown
InsTypeStart	Start Date of Insulin Type			In use at time of enrollment, Started after enrollment, Unknown
InsTypeStartDt	If started after enrollment, start date			
InsTypeStartUnknown	If started after enrollment, start date: Unknown			1 = Checked
InsTypeStopDt	Stop Date of Insulin Type (if permanently discontinued during the study)			
InsTypeStopUnknown	Stop Date of Insulin Type: Unknown			1 = Checked

InsTypeStartEstimate	**If started after enrollment, start date: Estimated**			**1 = Checked**
InsTypeStopEstimate	**Stop Date of Insulin Type: Estimated**			**1 = Checked**

PEDAPInsulinDeliveryDetails

Description: Insulin Delivery Details form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
Visit	Visit			
InsDeliveryMethod	Current Method of insulin administration			Pump, Injections
InsLongActInjectNum	Average number of injections per day over the past 7 days, long-acting or intermediate-acting insulin	0	20	
InsLongActInjectNumUnk	Average number of injections per day over the past 7 days, long-acting or intermediate-acting insulin, UNKNOWN			1 = Checked
InsLongActInjectNumNA	Average number of injections per day over the past 7 days, long-acting or intermediate-acting insulin, DO NOT USE			1 = Checked
InsLongActAvgUnits	Average units of insulin per day on over the past 7 days, long-acting or intermediate-acting insulin	0.0	300.0	

InsLongActAvgUnitsUnk	**Average units of insulin per day on over the past 7 days, long-acting or intermediate-acting insulin, UNKNOWN**			**1 = Checked**
InsLongActAvgUnitsNA	**Average units of insulin per day on over the past 7 days, long-acting or intermediate-acting insulin, DO NOT USE**			**1 = Checked**
InsShortActInjectNum	**Average number of injections per day over the past 7 days, short-acting or rapid-acting insulin**	**0**	**20**	
InsShortActInjectNumUnk	**Average number of injections per day over the past 7 days, short-acting or rapid-acting insulin, UNKNOWN**			**1 = Checked**
InsShortActInjectNumNA	**Average number of injections per day over the past 7 days, short-acting or rapid-acting insulin, DO NOT USE**			**1 = Checked**
InsShortActAvgUnits	**Average units of insulin per day on average over the past 7 days,, short-acting or rapid-acting insulin**	**0.0**	**300.0**	
InsShortActAvgUnitsUnk	**Average units of insulin per day on average over the past 7 days, short-acting or rapid-acting insulin, UNKNOWN**			**1 = Checked**

InsShortActAvgUnitsNA	**Average units of insulin per day on average over the past 7 days, short-acting or rapid-acting insulin, DO NOT USE**			**1 = Checked**
PumpTotInsDaily	**Average Total Daily Insulin dose recorded on pump from the preceding 7 days (IU/Day)**			
PumpTotInsDailyNA	**Average total daily insulin not available**			**1 = Checked**
PumpTotBasalPreced7Days	**Average daily basal dose recorded on pump from the preceding 7 days**			
PumpTotBasalPreced7DaysNA	**Average daily basal not available**			**1 = Checked**
PumpSettingsNotDone	**Not obtained**			**1 = Checked**
PumpSettingsUnchanged	**Settings unchanged from prior form submission**			**1 = Checked**
PumpInsTherapyDt	**Effective date of insulin pump settings below**			
PumpInsTherapyDtApprox	**Effective date is approximate**			**1 = Checked**
InsBasal0000	**Insulin Basal Rates at 00:00**	**0.00**	**6.00**	
InsBasal0030	**Insulin Basal Rates at 00:30**	**0.00**	**6.00**	
InsBasal0100	**Insulin Basal Rates at 01:00**	**0.00**	**6.00**	
InsBasal0130	**Insulin Basal Rates at 01:30**	**0.00**	**6.00**	

InsBasal0200	**Insulin Basal Rates at 02:00**	**0.00**	**6.00**	
InsBasal0230	**Insulin Basal Rates at 02:30**	**0.00**	**6.00**	
InsBasal0300	**Insulin Basal Rates at 03:00**	**0.00**	**6.00**	
InsBasal0330	**Insulin Basal Rates at 03:30**	**0.00**	**6.00**	
InsBasal0400	**Insulin Basal Rates at 04:00**	**0.00**	**6.00**	
InsBasal0430	**Insulin Basal Rates at 04:30**	**0.00**	**6.00**	
InsBasal0500	**Insulin Basal Rates at 05:00**	**0.00**	**6.00**	
InsBasal0530	**Insulin Basal Rates at 05:30**	**0.00**	**6.00**	
InsBasal0600	**Insulin Basal Rates at 06:00**	**0.00**	**6.00**	
InsBasal0630	**Insulin Basal Rates at 06:30**	**0.00**	**6.00**	
InsBasal0700	**Insulin Basal Rates at 07:00**	**0.00**	**6.00**	
InsBasal0730	**Insulin Basal Rates at 07:30**	**0.00**	**6.00**	
InsBasal0800	**Insulin Basal Rates at 08:00**	**0.00**	**6.00**	
InsBasal0830	**Insulin Basal Rates at 08:30**	**0.00**	**6.00**	
InsBasal0900	**Insulin Basal Rates at 09:00**	**0.00**	**6.00**	

InsBasal0930	**Insulin Basal Rates at 09:30**	**0.00**	**6.00**	
InsBasal1000	**Insulin Basal Rates at 10:00**	**0.00**	**6.00**	
InsBasal1030	**Insulin Basal Rates at 10:30**	**0.00**	**6.00**	
InsBasal1100	**Insulin Basal Rates at 11:00**	**0.00**	**6.00**	
InsBasal1130	**Insulin Basal Rates at 11:30**	**0.00**	**6.00**	
InsBasal1200	**Insulin Basal Rates at 12:00**	**0.00**	**6.00**	
InsBasal1230	**Insulin Basal Rates at 12:30**	**0.00**	**6.00**	
InsBasal1300	**Insulin Basal Rates at 13:00**	**0.00**	**6.00**	
InsBasal1330	**Insulin Basal Rates at 13:30**	**0.00**	**6.00**	
InsBasal1400	**Insulin Basal Rates at 14:00**	**0.00**	**6.00**	
InsBasal1430	**Insulin Basal Rates at 14:30**	**0.00**	**6.00**	
InsBasal1500	**Insulin Basal Rates at 15:00**	**0.00**	**6.00**	
InsBasal1530	**Insulin Basal Rates at 15:30**	**0.00**	**6.00**	
InsBasal1600	**Insulin Basal Rates at 16:00**	**0.00**	**6.00**	
InsBasal1630	**Insulin Basal Rates at 16:30**	**0.00**	**6.00**	

InsBasal1700	**Insulin Basal Rates at 17:00**	**0.00**	**6.00**	
InsBasal1730	**Insulin Basal Rates at 17:30**	**0.00**	**6.00**	
InsBasal1800	**Insulin Basal Rates at 18:00**	**0.00**	**6.00**	
InsBasal1830	**Insulin Basal Rates at 18:30**	**0.00**	**6.00**	
InsBasal1900	**Insulin Basal Rates at 19:00**	**0.00**	**6.00**	
InsBasal1930	**Insulin Basal Rates at 19:30**	**0.00**	**6.00**	
InsBasal2000	**Insulin Basal Rates at 20:00**	**0.00**	**6.00**	
InsBasal2030	**Insulin Basal Rates at 20:30**	**0.00**	**6.00**	
InsBasal2100	**Insulin Basal Rates at 21:00**	**0.00**	**6.00**	
InsBasal2130	**Insulin Basal Rates at 21:30**	**0.00**	**6.00**	
InsBasal2200	**Insulin Basal Rates at 22:00**	**0.00**	**6.00**	
InsBasal2230	**Insulin Basal Rates at 22:30**	**0.00**	**6.00**	
InsBasal2300	**Insulin Basal Rates at 23:00**	**0.00**	**6.00**	
InsBasal2330	**Insulin Basal Rates at 23:30**	**0.00**	**6.00**	
InsBolusStart1Hr	**Insulin Bolus Hour Start of Time Range - Line 1**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,**

				19, 20, 21, 22, 23
InsBolusStart1Min	**Insulin Bolus Minute Start of Time Range - Line 1**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd1Hr	**Insulin Bolus Hour End of Time Range - Line 1**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd1Min	**Insulin Bolus Minute End of Time Range - Line 1**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
CHORatio1	**CHO Ratio (1:x gCHO)- Line 1**	**0**	**99**	
CorrFactor1	**Correction Factor (1:x mg/dl) - Line 1**	**10.0**	**900.0**	
InsBolusStart2Hr	**Insulin Bolus Hour Start of**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13,**

	Time Range - Line 2			**14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart2Min	**Insulin Bolus Minute Start of Time Range - Line 2**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd2Hr	**Insulin Bolus Hour End of Time Range - Line 2**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd2Min	**Insulin Bolus Minute End of Time Range - Line 2**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
CHORatio2	**CHO Ratio (1:x gCHO)- Line 2**	**0**	**99**	
CorrFactor2	**Correction Factor (1:x mg/dl) - Line 2**	**10.0**	**900.0**	

InsBolusStart3Hr	**Insulin Bolus Hour Start of Time Range - Line 3**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart3Min	**Insulin Bolus Minute Start of Time Range - Line 3**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd3Hr	**Insulin Bolus Hour End of Time Range - Line 3**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd3Min	**Insulin Bolus Minute End of Time Range - Line 3**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
CHORatio3	**CHO Ratio (1:x gCHO)- Line 3**	**0**	**99**	
CorrFactor3	**Correction Factor (1:x**	**10.0**	**900.0**	

	mg/dl) - Line 3			
InsBolusStart4Hr	**Insulin Bolus Hour Start of Time Range - Line 4**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart4Min	**Insulin Bolus Minute Start of Time Range - Line 4**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd4Hr	**Insulin Bolus Hour End of Time Range - Line 4**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd4Min	**Insulin Bolus Minute End of Time Range - Line 4**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
CHORatio4	**CHO Ratio (1:x gCHO)- Line 4**	**0**	**99**	

CorrFactor4	**Correction Factor (1:x mg/dl) - Line 4**	**10.0**	**900.0**	
InsBolusStart5Hr	**Insulin Bolus Hour Start of Time Range - Line 5**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart5Min	**Insulin Bolus Minute Start of Time Range - Line 5**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd5Hr	**Insulin Bolus Hour End of Time Range - Line 5**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd5Min	**Insulin Bolus Minute End of Time Range - Line 5**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
CHORatio5	**CHO Ratio (1:x gCHO)-**	**0**	**99**	

	Line 5			
CorrFactor5	**Correction Factor (1:x mg/dl) - Line 5**	**10.0**	**900.0**	
InsBolusStart6Hr	**Insulin Bolus Hour Start of Time Range - Line 6**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart6Min	**Insulin Bolus Minute Start of Time Range - Line 6**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd6Hr	**Insulin Bolus Hour End of Time Range - Line 6**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd6Min	**Insulin Bolus Minute End of Time Range - Line 6**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**

CHORatio6	**CHO Ratio (1:x gCHO)- Line 6**	**0**	**99**	
CorrFactor6	**Correction Factor (1:x mg/dl) - Line 6**	**10.0**	**900.0**	
InsBolusStart7Hr	**Insulin Bolus Hour Start of Time Range - Line 7**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart7Min	**Insulin Bolus Minute Start of Time Range - Line 7**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd7Hr	**Insulin Bolus Hour End of Time Range - Line 7**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd7Min	**Insulin Bolus Minute End of Time Range - Line 7**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58,**

				59
CHORatio7	**CHO Ratio (1:x gCHO)- Line 7**	**0**	**99**	
CorrFactor7	**Correction Factor (1:x mg/dl) - Line 7**	**10.0**	**900.0**	
InsBolusStart8Hr	**Insulin Bolus Hour Start of Time Range - Line 8**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart8Min	**Insulin Bolus Minute Start of Time Range - Line 8**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd8Hr	**Insulin Bolus Hour End of Time Range - Line 8**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd8Min	**Insulin Bolus Minute End of Time Range - Line 8**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53,**

				54, 55, 56, 57, 58, 59
CHORatio8	**CHO Ratio (1:x gCHO)- Line 8**	**0**	**99**	
CorrFactor8	**Correction Factor (1:x mg/dl) - Line 8**	**10.0**	**900.0**	
InsBolusStart9Hr	**Insulin Bolus Hour Start of Time Range - Line 9**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart9Min	**Insulin Bolus Minute Start of Time Range - Line 9**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd9Hr	**Insulin Bolus Hour End of Time Range - Line 9**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd9Min	**Insulin Bolus Minute End of Time Range - Line 9**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,**

				49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
CHORatio9	**CHO Ratio (1:x gCHO)- Line 9**	**0**	**99**	
CorrFactor9	**Correction Factor (1:x mg/dl) - Line 9**	**10.0**	**900.0**	
InsBolusStart10Hr	**Insulin Bolus Hour Start of Time Range - Line 10**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusStart10Min	**Insulin Bolus Minute Start of Time Range - Line 10**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
InsBolusEnd10Hr	**Insulin Bolus Hour End of Time Range - Line 10**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23**
InsBolusEnd10Min	**Insulin Bolus Minute End of Time Range - Line 10**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,**

				44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
CHORatio10	**CHO Ratio (1:x gCHO)- Line 10**	**0**	**99**	
CorrFactor10	**Correction Factor (1:x mg/dl) - Line 10**	**10.0**	**900.0**	

PEDAPMealExerciseLog

Description: Meal/Exercise Challenge log form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
SessionType	Session type			1 - Skip Meal Bolus, 2 - Full Meal Bolus Plus Exercise, 3 - Exercise
SessionDt	Date			
MealStartHr	Meal start time: hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MealStartMin	Meal start time: minute			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
MealStartAMPM	Meal start time: AM/PM			AM, PM
MealEndHr	Meal end time: Hour			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

MealEndMin	**Meal end time: Minute**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
MealEndAMPM	**Meal end time: AM/PM**			**AM, PM**
MealCarbs	**Grams of carbs in meal**	**0**	**200**	
MealCarbsUnknown	**Grams of carbs in meal unknown**			**1 = Checked**
ExerciseStartHr	**Start time: Hour**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**
ExerciseStartMin	**Start time: Minute**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
ExerciseStartAMPM	**Start time: AM/PM**			**AM, PM**
ExerciseEndHr	**End time: Hour**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**

ExerciseEndMin	**End time: Minute**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
ExerciseEndAMPM	**End time: AM/PM**			**AM, PM**

PEDAPMedicalCondition

Description: Medical Condition Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Subject ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
MedicalCondition	Medical Condition			
MedCondPreStart	Medical condition present prior to study enrollment			Yes, No
MedCondPreStartCat	If present prior to enrollment, approximate duration (prior to enrollment)			<=30 days, >30 days to < 3 months, 3 months to < 6 months, 6 months to < 1 year, 1 year to < 5 years, 5 years to < 10 years, >=10 years, Unknown
MedCondPreStartTreat	If present prior to enrollment, was the medical condition treated with medication			Current, Past, Never
MedCondDiagDt	If condition started after enrollment, date of diagnosis			
MedCondDiagDtApprox	Date of diagnosis is approximate			1 = Checked
MedCondDiagDtUnk	Date of diagnosis is			1 = Checked

	unknown			
MedCondTrt	**If condition started after enrollment, treatment of the medical condition**			**None, Medication, Surgery, Medication and Surgery, Dietary Management, Other**
MedCondResDt	**Recovery Date**			
MedCondResDtApprox	**Recovery date of medical condition is approximate**			**1 = Checked**
MedCondStatus	**Medical condition status**			**Ongoing (further improvement / worsening possible), Ongoing, medically stable, Complete Recovery, Recovered with Sequelae**
MedCondDiagMonth	**If condition started after enrollment, month of diagnosis**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**
MedCondDiagYear	**If condition started after enrollment, year of diagnosis**			
MedCondCurrTreatMed	**Current treatment with medications**			**Yes, No**

PEDAPMedication

Description: Medications Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Subject ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
MedDose	Dose per administration			
MedUnit	Dose per administration unit			aerosol, ampules, capsules, cream, dl, elixir, g, gal, gtt-drops, IU, kg, L, lbs, M, mcg, meq, mg, mL, Ointment, pills, pt, puff, ounces, qt, tablet, tbs, tsp, ul, units, vials
MedDoseUnk	Dose per administration is unknown			1 = Checked
MedRoute	Route			PO, SC, Topical - ocular, Gtt, Intravitreal, IV, IM, Oral Inhalation, Topical - skin, Nasal, Other, Topical, ID, PR, Vaginal, Transurethral, Sublingual, Peribulbar, Intra-

				articular, Retrobulbar, Transdermal, Subconjunctival, Subtenons, Intrauterine, Epidural, Gastrostomy tube, Intracavernous
MedLocSide	**If treatment is for eye or ear, which was treated with medication**			**Right, Left, Both**
MedFreqType	**Frequency**			**Fixed Regimen, As Needed, One Time Treatment**
MedFreqNum	**Frequency number**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50**
MedFreqPer	**Frequency period**			**Day, Week, Month, Year**
MedFreqUnk	**Medication frequency is unknown**			**1 = Checked**
MedInd	**Indication**			**Prior to enrollment, New, Prevention**
MedicalCondition1	**Medical Condition 1**			

AdvEvent1	**Adverse Event 1**			
MedStartTrtCat	**Start date of treatment category**			**On treatment at time of enrollment, Treatment started after enrollment**
MedStartDt	**If treatment started after enrollment/randomization, Medication Start Date**			
MedStartDtApprox	**Medication Start Date is approximate**			**1 = Checked**
MedStopDt	**Medication Stop Date**			
MedStopDtApprox	**Medication Stop Date is approximate**			**1 = Checked**
MedOngoing	**Medication is ongoing**			**1 = Checked**
MedStartPreEnrRange	**If on treatment at time of enrollment, Medication Start Range**			**<=30 days, >30 days to < 3 months, 3 months to < 6 months, 6 months to < 1 year, 1 year to < 5 years, 5 years to < 10 years, >=10 years, Unknown**
MedStartMonth	**If treatment started after enrollment, Medication Start Month**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**
MedStartYear	**If treatment started after enrollment, Medication Start Year**			
MedStopMonth	**Medication stop Month**			**1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12**
MedStopYear	**Medication stop Year**			

MedStopDtUnk	Medication stop date unknown			1 = Checked
ParentLogInIDPreExisting	PreExisting Condition			
MedStartDtUnk	Medication start date unknown			1 = Checked
MedCondNotReqd	Condition not required to be reported on medical condition form			1 = Checked
PreExistCondNotReqd	Condition not required to be reported on pre-existing condition form			1 = Checked
DrugName				
AdvEventNotReqd	Condition not required to be reported on adverse event form			1 = Checked
MedicalCondition2	Medical Condition 2			
ParentLogInIDPreExisting2	PreExisting Condition			
AdvEvent2	Adverse Event 2			

PEDAPPtFinalStat

Description: Final Status Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID from tblLogin			
PtFinalStatusReason	Reason participant's			ID obtained in

	participation in the Study has ended			**error, Participant does not meet screening eligibility, Lost to follow up, Requests to withdraw not in writing, Requests to withdraw in writing, Site withdraws participant, Death, Participant has completed the study**
PtWithdrawAE	**Reason for participant/parent withdrawal: Adverse event**			**1 = Checked**
PtWithdrawChgDr	**Reason for participant/parent withdrawal: Changed doctor**			**1 = Checked**
PtWithdrawNoStdyTrt	**Reason for participant/parent withdrawal: Does not want study treatment**			**1 = Checked**
PtWithdrawFin	**Reason for participant/parent withdrawal: Finances**			**1 = Checked**
PtWithdrawChgIns	**Reason for participant/parent withdrawal: Changed insurance**			**1 = Checked**

PtWithdrawMoved	**Reason for participant/parent withdrawal: Moved**			**1 = Checked**
PtWithdrawOthTrtReq	**Reason for participant/parent withdrawal: Other treatment requested**			**1 = Checked**
PtWithdrawPoorHealth	**Reason for participant/parent withdrawal: Poor health**			**1 = Checked**
PtWithdrawPoorOut	**Reason for participant/parent withdrawal: Poor outcome**			**1 = Checked**
PtWithdrawSched	**Reason for participant/parent withdrawal: Scheduling/availability issues**			**1 = Checked**
PtWithdrawTravDiff	**Reason for participant/parent withdrawal: Travel difficulty**			**1 = Checked**
PtWithdrawVisLen	**Reason for participant/parent withdrawal: Visit too lengthy**			**1 = Checked**
PtWithdrawUnk	**Reason for participant/parent withdrawal: Unknown**			**1 = Checked**
PtWithdrawOth	**Reason for participant/parent withdrawal: Other**			**1 = Checked**
WithdrawDt	**Date of Withdrawal**			

DeathDt	**Date of Death**			
NoOngoingAE	**Affirm that there are no ongoing adverse events**			**1 = Checked**
PreRandPtFinalStatReas	**Reason participant's participation in the Study has ended (Pre-rand reason)**			**ID obtained in error, Participant does not meet screening eligibility, Lost to follow up prior to randomization, Requests to withdraw not in writing, Requests to withdraw in writing, Site withdraws participant, Death**
PostRandPtFinalStatReas	**Reason participant's participation in the Study has ended (Post-rand reason)**			**Requests to withdraw not in writing, Requests to withdraw in writing, Lost to follow up, Site withdraws participant, Death**
PtFinalStatReas	**Reason participant's participation in the Study has ended**			**ID obtained in error, Participant does not meet screening eligibility, Requests to withdraw not in writing, Requests to withdraw in writing, Lost to follow up, Site withdraws**

				participant, Death

PEDAPScreeningCTV

Description: Additional participant information obtained upon completion of the Screening process

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID in tblLogin			
CurrentDexcomUser	Does the participant currently use a Dexcom CGM with use on at least 11 of the prior 14 days that satisfies the protocol's CGM requirement for skipping run-in			Yes, No
CurrentDexcomG6User	If participant is a Dexcom user, is the participant currently using a DexCom G6 CGM			Yes, No
SuppliesAssigned	CGM, Blood Glucose Meter, and Ketone Meter, and if applicable, Pump supplies were assigned to participant through inventory tracking during this visit			Yes, No
HbA1cTestRes	HbA1c Results (%)	4.0	15.0	
HbA1cNotAvailable	HbA1c Results not available			1 = Checked
HbA1cTestDt	Date of HbA1c test			

HbA1cTestDtApprox	**Indicates test date is approximate**			**1 = Checked**
HbA1cTestSource	**Source of HbA1c result**			**Medical Records, Verbal Report**

PEDAPTraining

Description: Study Device Training forms

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
ParentLoginVisitID	Unique ID for the Visit			
ParentLoginID	RecID in tblLogin			
Visit	Visit			
CGMTrained	Was the study CGM training and corresponding checklist completed at this visit			Yes, Prior Visit, No, participant is user of study CGM at enrollment, No, for a reason not listed
PumpTrained	Was study pump training and corresponding checklist completed at this visit			Yes, No
PumpTrainedNoReason	If study pump training was not completed, please indicate why not			Participant is using personal pump, Participant is using MDI, Prior Visit, None of the reasons listed above

PEDAPVisitInfo

Description: Visit Information Form

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
ParentLoginVisitID	Unique ID for the Visit			
ParentLogInID	RecID from tblLogIn			
Visit	Visit			
VisitDt	Visit Date			
OutOfWin	Visit was completed out of window			1 = Checked
OutOfWinReason	Reason visit was completed out of window			COVID-19 pandemic, Bad weather, Travel difficulty, Financial issue, Poor health, Personal issue, Work issue, Subject on vacation, Visits too lengthy, Investigator away, Clinic appointment not available, Site forgot to schedule, Difficulty contacting subject, Poor outcome, Good outcome, Adverse event, Unknown, Other

VisitMiss	**Visit was missed**			**1 = Checked**
VisitMissReason	**Reason visit was missed**			**COVID-19 pandemic, Bad weather, Travel difficulty, Financial issue, Poor health, Personal issue, Work issue, Subject on vacation, Visits too lengthy, Investigator away, Clinic appointment not available, Site forgot to schedule, Difficulty contacting subject, Poor outcome, Good outcome, Adverse event, Unknown, Other**
VisitVirtual	**Visit was completed virtually (e.g., by phone or Internet)**			**1 = Checked**

PtRoster

Description: Participant Roster

Data Source: Case Report Form

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Patient Identifier			
SiteID	Site Identifier			
EnrollDt	Date of enrollment			
RandDt	Date of randomization			
PtStatus	Patient Status			Pending, Active, Completed, Dropped
TrtGroup	Treatment group randomization assignment			SC, CLC
AgeAsofEnrollDt	Age at Enrollment			Rounded Age, "90 or older"

PEDAPPSHypoConfParent

Description: Hypoglycemia Confidence Survey - Parent

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
HypoConfParentExercise	How confident are you that your child can stay safe from serious problems with hypoglycemia: When your child is exercising?			1, 2, 3, 4
HypoConfParentSleeping	How confident are you that your child can stay safe from serious problems with hypoglycemia: When your child is sleeping?			1, 2, 3, 4
HypoConfParentSocialSit	How confident are you that your child can stay safe from serious problems with hypoglycemia: When your child is in social situations?			1, 2, 3, 4
HypoConfParentAlone	How confident are you that your child can stay safe from serious problems with			1, 2, 3, 4

	hypoglycemia: When your child is alone?			
HypoConfParentAvoidSerProb	**In general, how confident are you that your child can: Avoid serious problems due to hypoglycemia?**			**1, 2, 3, 4**
HypoConfParentCatchAndRespond	**In general, how confident are you that your child can: Catch and respond to hypoglycemia before his/her blood sugars get too low?**			**1, 2, 3, 4**
HypoConfParentContThingsLife	**In general, how confident are you that your child can: Continue to do the things he/she really want to do in his/her life, despite the risks of hypoglycemia?**			**1, 2, 3, 4**

PEDAPPSHypoFearParent

Description: Fear of Hypoglycemia Survey - Parent

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
HFSParentLargeSnk	How often do I do this to avoid Hypo: Have my child eat large snacks at bedtime			0, 1, 2, 3, 4
HFSParentNotAloneLowBG	How often do I do this to avoid Hypo: Avoid having my child being alone when his/her sugar is likely to be low.			0, 1, 2, 3, 4
HFSParentKeepHighBG	How often do I do this to avoid Hypo: Allow my child's blood sugar to be a little high to be on the safe side.			0, 1, 2, 3, 4
HFSParentAloneHighBG	How often do I do this to avoid Hypo: Keep my child's sugar higher when he/she will be alone for awhile.			0, 1, 2, 3, 4
HFSParentEatLowBG	How often do I do this to avoid Hypo: Have my child eat something as soon as he/she feels the			0, 1, 2, 3, 4

	first sign of low blood sugar.			
HFSParentLessInsLowBG	**How often do I do this to avoid Hypo: Reduce my child's insulin when I think his/her sugar is too low.**			**0, 1, 2, 3, 4**
HFSParentAwayHighBG	**How often do I do this to avoid Hypo: Keep my child's blood sugar higher when he/she plans to be away from me for awhile.**			**0, 1, 2, 3, 4**
HFSParentCarrySugar	**How often do I do this to avoid Hypo: Have my child carry fast-acting sugar.**			**0, 1, 2, 3, 4**
HFSParentNoExerLowBG	**How often do I do this to avoid Hypo: Have my child avoid a lot of exercise when I think his/her sugar is low.**			**0, 1, 2, 3, 4**
HFSParentAwayOftCheckBG	**How often do I do this to avoid Hypo: Check my child's sugar often when he/she plans to go on an outing.**			**0, 1, 2, 3, 4**
HFSParentNightCheckBG	**How often do I do this to avoid Hypo: Get up in the middle of the night to check on my child or check my child's blood sugar levels.**			**0, 1, 2, 3, 4**
HFSParentNotRecLowBG	**How often do I have this concern: Child not recognizing/realizing that**			**0, 1, 2, 3, 4**

	he/she is having a low.			
HFSParentNoFoodLowBG	**How often do I have this concern: Child not having food, fruit, or juice with him/her.**			**0, 1, 2, 3, 4**
HFSParentDizzyPublic	**How often do I have this concern: Child feeling dizzy or passing out in public.**			**0, 1, 2, 3, 4**
HFSParentSleepLowBG	**How often do I have this concern: Child having a low while asleep.**			**0, 1, 2, 3, 4**
HFSParentEmbarrass	**How often do I have this concern: Child embarrassing self or friends/family in a social situation.**			**0, 1, 2, 3, 4**
HFSParentAloneLowBG	**How often do I have this concern: Child having a low while alone.**			**0, 1, 2, 3, 4**
HFSParentLookStupid	**How often do I have this concern: Child appearing to be "stupid" or clumsy.**			**0, 1, 2, 3, 4**
HFSParentLoseCntrl	**How often do I have this concern: Child losing control of behavior due to low blood sugar.**			**0, 1, 2, 3, 4**
HFSParentNoHelp	**How often do I have this concern: No one being around to help my child during a low.**			**0, 1, 2, 3, 4**
HFSParentMistakeSchool	**How often do I have this concern: Child making a**			**0, 1, 2, 3, 4**

	mistake or having an accident at school.			
HFSParentSchoolBadEval	**How often do I have this concern: Child getting a bad evaluation at school because of something that happens when his/her sugar is low.**			**0, 1, 2, 3, 4**
HFSParentSeizure	**How often do I have this concern: Child having seizures or convulsions.**			**0, 1, 2, 3, 4**
HFSParentComplLowBG	**How often do I have this concern: Child developing long term complications from frequent low blood sugar.**			**0, 1, 2, 3, 4**
HFSParentFaint	**How often do I have this concern: Child feeling light-headed or faint.**			**0, 1, 2, 3, 4**
HFSParentHaveLowBG	**How often do I have this concern: Child having a low.**			**0, 1, 2, 3, 4**

PEDAPPSINSPParentBase

Description: INSPIRE Questionnaire for Parents Baseline

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
INSPParentBaseMoreHope	I will be more hopeful about my child's future with use of automated insulin delivery (AID).			4, 3, 2, 1, 0, 999
INSPParentBaseWorryLess	I will worry less about diabetes with AID.			4, 3, 2, 1, 0, 999
INSPParentBaseRedConcern	AID will reduce my family's concerns about my child's diabetes.			4, 3, 2, 1, 0, 999
INSPParentBaseEasierDo	AID will make it easier for my child to do what they want to do without diabetes getting in the way.			4, 3, 2, 1, 0, 999
INSPParentBaseDecrLowBG	AID will decrease how often my child has low glucose levels.			4, 3, 2, 1, 0, 999
INSPParentBaseDecrHighBG	AID will decrease how often my child has high glucose levels.			4, 3, 2, 1, 0, 999
INSPParentBaseStayTarg	AID will help my child stay in his/her target range			4, 3, 2, 1, 0, 999

	more often.			
INSPParentBaseImprA1c	**AID will improve my child's A1c to target level.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseEasyEat	**AID will make it easy to eat when my child wants.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseEasyExer	**AID will make it easy to exercise when my child wants.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseManSchWrk	**AID will make managing diabetes easy when my child is at school or work.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseManSocLife	**AID will make managing diabetes easy when it comes to my child's social life/being with friends.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseManSickDay	**AID will help me manage my child's sick days.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseSleepBet	**AID will help me sleep better.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseFewONLows	**I believe that my child will have fewer lows during the night with AID.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseImprQOL	**AID will improve my overall quality of life.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseImprFamQOL	**AID will improve my family's overall quality of life.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseDriving	**AID will make managing diabetes easy when my child is driving (for those who drive) or when traveling.**			**4, 3, 2, 1, 0, 999**

INSPParentBaseAlcohol	**AID will help my child manage diabetes if she/he chooses to drink alcohol.**			**4, 3, 2, 1, 0, 999**
INSPParentBasePregnant	**AID will help my child manage diabetes if pregnant.**			**4, 3, 2, 1, 0, 999**
INSPParentBaseRedLTComp	**AID will reduce my child's risk of long term complications.**			**4, 3, 2, 1, 0, 999**

PEDAPPSINSPParentPost

Description: INSPIRE Questionnaire for Parents Post Intervention

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
INSPParentPostMoreHope	I was more hopeful about my child's future with use of automated insulin delivery (AID).			4, 3, 2, 1, 0, 999
INSPParentPostWorryLess	I worried less about diabetes with AID.			4, 3, 2, 1, 0, 999
INSPParentPostRedConcern	AID reduced my family's concerns about my child's diabetes.			4, 3, 2, 1, 0, 999
INSPParentPostEasierDo	AID made it easier for me to do the things I wanted to do without diabetes getting in the way.			4, 3, 2, 1, 0, 999
INSPParentPostDecrLowBG	AID decreased how often my child had low glucose levels.			4, 3, 2, 1, 0, 999
INSPParentPostDecrHighBG	AID decreased how often my child had high glucose levels.			4, 3, 2, 1, 0, 999
INSPParentPostStayTarg	AID helped my child stay in his/her target glucose			4, 3, 2, 1, 0, 999

	range more often.			
INSPParentPostImprA1c	**AID improved my child's A1c to target level.**			**4, 3, 2, 1, 0, 999**
INSPParentPostEasyEat	**AID made it easier to eat when my child wanted to**			**4, 3, 2, 1, 0, 999**
INSPParentPostEasyExer	**AID made it easier to exercise when my child wanted to.**			**4, 3, 2, 1, 0, 999**
INSPParentPostManSchWrk	**AID made managing diabetes easier when my child was at work or school.**			**4, 3, 2, 1, 0, 999**
INSPParentPostManSocLife	**AID made managing diabetes easier when it came to my child's social life/being with friends.**			**4, 3, 2, 1, 0, 999**
INSPParentPostManSickDay	**AID helped me manage my child's sick days.**			**4, 3, 2, 1, 0, 999**
INSPParentPostSleepBet	**AID helped me sleep better.**			**4, 3, 2, 1, 0, 999**
INSPParentPostFewONLows	**My child had fewer lows during the night with AID.**			**4, 3, 2, 1, 0, 999**
INSPParentPostImprQOL	**AID improved my overall quality of life**			**4, 3, 2, 1, 0, 999**
INSPParentPostImprFamQOL	**AID improved my family's overall quality of life.**			**4, 3, 2, 1, 0, 999**
INSPParentPostDriving	**AID made managing diabetes easier when my child was driving (for those who drive) or when traveling.**			**4, 3, 2, 1, 0, 999**

INSPParentPostAlcohol	**AID helped my child manage diabetes when they chose to drink alcohol**			**4, 3, 2, 1, 0, 999**
INSPParentPostPregnant	**AID helped my child manage diabetes when pregnant.**			**4, 3, 2, 1, 0, 999**
INSPParentPostRedLTComp	**AID reduced my child's risk of long term complications.**			**4, 3, 2, 1, 0, 999**

PEDAPPSPedInvParent

Description: Pediatric Inventory for Parents Survey

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
OftenDifficultySleeping	How often has this occurred in past 7 days: Difficulty sleeping			1, 2, 3, 4, 5
HardDifficultySleeping	How difficult it was for you when this occurred: Difficulty sleeping			1, 2, 3, 4, 5
OftenArguingWithFamily	How often has this occurred in past 7 days: Arguing with family member(s)			1, 2, 3, 4, 5
HardArguingWithFamily	How difficult it was for you when this occurred: Arguing with family member(s)			1, 2, 3, 4, 5
OftenBringingToClinic	How often has this occurred in past 7 days: Bringing my child to the clinic or hospital			1, 2, 3, 4, 5
HardBringingToClinic	How difficult it was for you when this occurred: Bringing my child to the clinic or hospital			1, 2, 3, 4, 5

OftenUpsettingNews	**How often has this occurred in past 7 days: Learning upsetting news**			**1, 2, 3, 4, 5**
HardUpsettingNews	**How difficult it was for you when this occurred: Learning upsetting news**			**1, 2, 3, 4, 5**
OftenUnableWork	**How often has this occurred in past 7 days: Being unable to go to work/job**			**1, 2, 3, 4, 5**
HardUnableWork	**How difficult it was for you when this occurred: Being unable to go to work/job**			**1, 2, 3, 4, 5**
OftenMoodChange	**How often has this occurred in past 7 days: Seeing my child's mood change quickly**			**1, 2, 3, 4, 5**
HardMoodChange	**How difficult it was for you when this occurred: Seeing my child's mood change quickly**			**1, 2, 3, 4, 5**
OftenSpeakingWithDoctor	**How often has this occurred in past 7 days: Speaking with doctor**			**1, 2, 3, 4, 5**
HardSpeakingWithDoctor	**How difficult it was for you when this occurred: Speaking with doctor**			**1, 2, 3, 4, 5**
OftenTroubleEating	**How often has this occurred in past 7 days: Watching my child have trouble eating**			**1, 2, 3, 4, 5**
HardTroubleEating	**How difficult it was for**			**1, 2, 3, 4, 5**

	you when this occurred: Watching my child have trouble eating			
OftenWaitingForTestResults	**How often has this occurred in past 7 days: Waiting for my child's test results**			**1, 2, 3, 4, 5**
HardWaitingForTestResults	**How difficult it was for you when this occurred: Waiting for my child's test results**			**1, 2, 3, 4, 5**
OftenMoneyTroubles	**How often has this occurred in past 7 days: Having money/financial troubles**			**1, 2, 3, 4, 5**
HardMoneyTroubles	**How difficult it was for you when this occurred: Having money/financial troubles**			**1, 2, 3, 4, 5**
OftenFamilyDifficulties	**How often has this occurred in past 7 days: Trying not to think about my family's difficulties**			**1, 2, 3, 4, 5**
HardFamilyDifficulties	**How difficult it was for you when this occurred: Trying not to think about my family's difficulties**			**1, 2, 3, 4, 5**
OftenConfusedAboutMedInfo	**How often has this occurred in past 7 days: Feeling confused about medical information**			**1, 2, 3, 4, 5**
HardConfusedAboutMedInfo	**How difficult it was for you when this occurred: Feeling confused about**			**1, 2, 3, 4, 5**

	medical information			
OftenBeingWithDuringProcedures	**How often has this occurred in past 7 days: Being with my child during medical procedures**			**1, 2, 3, 4, 5**
HardBeingWithDuringProcedures	**How difficult it was for you when this occurred: Being with my child during medical procedures**			**1, 2, 3, 4, 5**
OftenKnowingChildPain	**How often has this occurred in past 7 days: Knowing my child is hurting or in pain**			**1, 2, 3, 4, 5**
HardKnowingChildPain	**How difficult it was for you when this occurred: Knowing my child is hurting or in pain**			**1, 2, 3, 4, 5**
OftenNeedsOfOtherFamilyMembers	**How often has this occurred in past 7 days: Trying to attend to the needs of other family members**			**1, 2, 3, 4, 5**
HardNeedsOfOtherFamilyMembers	**How difficult it was for you when this occurred: Trying to attend to the needs of other family members**			**1, 2, 3, 4, 5**
OftenChildSadOrScared	**How often has this occurred in past 7 days: Seeing my child sad or scared**			**1, 2, 3, 4, 5**
HardChildSadOrScared	**How difficult it was for you when this occurred: Seeing my child sad or**			**1, 2, 3, 4, 5**

	scared			
OftenTalkingWithNurse	**How often has this occurred in past 7 days: Talking with the nurse**			**1, 2, 3, 4, 5**
HardTalkingWithNurse	**How difficult it was for you when this occurred: Talking with the nurse**			**1, 2, 3, 4, 5**
OftenDecisionsAboutMedical	**How often has this occurred in past 7 days: Making decisions about medical care or medicines**			**1, 2, 3, 4, 5**
HardDecisionsAboutMedical	**How difficult it was for you when this occurred: Making decisions about medical care or medicines**			**1, 2, 3, 4, 5**
OftenChildIsolated	**How often has this occurred in past 7 days: Thinking about my child being isolated from others**			**1, 2, 3, 4, 5**
HardChildIsolated	**How difficult it was for you when this occurred: Thinking about my child being isolated from others**			**1, 2, 3, 4, 5**
OftenNumbInside	**How often has this occurred in past 7 days: Feeling numb inside**			**1, 2, 3, 4, 5**
HardNumbInside	**How difficult it was for you when this occurred: Feeling numb inside**			**1, 2, 3, 4, 5**
OftenDisagreeingWithHealthTeam	**How often has this occurred in past 7 days: Disagreeing with a member of the health care**			**1, 2, 3, 4, 5**

	team			
HardDisagreeingWithHealthTeam	**How difficult it was for you when this occurred: Disagreeing with a member of the health care team**			**1, 2, 3, 4, 5**
OftenLongTermImpact	**How often has this occurred in past 7 days: Worrying about the long term impact of the illness**			**1, 2, 3, 4, 5**
HardLongTermImpact	**How difficult it was for you when this occurred: Worrying about the long term impact of the illness**			**1, 2, 3, 4, 5**
OftenHelpless	**How often has this occurred in past 7 days: Feeling helpless over my child's condition**			**1, 2, 3, 4, 5**
HardHelpless	**How difficult it was for you when this occurred: Feeling helpless over my child's condition**			**1, 2, 3, 4, 5**
OftenMisunderstood	**How often has this occurred in past 7 days: Feeling misunderstood by family/friends as to the severity of my child's illness**			**1, 2, 3, 4, 5**
HardMisunderstood	**How difficult it was for you when this occurred: Feeling misunderstood by family/friends as to the**			**1, 2, 3, 4, 5**

	severity of my child's illness			
OftenChangesMedicalRoutines	**How often has this occurred in past 7 days: Handling changes in my child's daily medical routines**			**1, 2, 3, 4, 5**
HardChangesMedicalRoutines	**How difficult it was for you when this occurred: Handling changes in my child's daily medical routines**			**1, 2, 3, 4, 5**
OftenUncertainAboutFuture	**How often has this occurred in past 7 days: Feeling uncertain about the future**			**1, 2, 3, 4, 5**
HardUncertainAboutFuture	**How difficult it was for you when this occurred: Feeling uncertain about the future**			**1, 2, 3, 4, 5**
OftenHospitalWeekendsHolidays	**How often has this occurred in past 7 days: Being in the hospital over weekends/holidays**			**1, 2, 3, 4, 5**
HardHospitalWeekendsHolidays	**How difficult it was for you when this occurred: Being in the hospital over weekends/holidays**			**1, 2, 3, 4, 5**
OftenOtherChildrenIll	**How often has this occurred in past 7 days: Thinking about other children who have been seriously ill**			**1, 2, 3, 4, 5**

HardOtherChildrenIll	**How difficult it was for you when this occurred: Thinking about other children who have been seriously ill**			**1, 2, 3, 4, 5**
OftenSpeakingWithChild	**How often has this occurred in past 7 days: Speaking with my child about his/her illness**			**1, 2, 3, 4, 5**
HardSpeakingWithChild	**How difficult it was for you when this occurred: Speaking with my child about his/her illness**			**1, 2, 3, 4, 5**
OftenHelpingWithProcedures	**How often has this occurred in past 7 days: Helping my child with medical procedures (e.g. giving shots, swallowing medicine, changing dressing)**			**1, 2, 3, 4, 5**
HardHelpingWithProcedures	**How difficult it was for you when this occurred: Helping my child with medical procedures (e.g. giving shots, swallowing medicine, changing dressing)**			**1, 2, 3, 4, 5**
OftenHeartbeatSweatingTingly	**How often has this occurred in past 7 days: Having my heart beat fast, sweating, or feeling tingly**			**1, 2, 3, 4, 5**
HardHeartbeatSweatingTingly	**How difficult it was for you when this occurred: Having my heart beat fast,**			**1, 2, 3, 4, 5**

	sweating, or feeling tingly			
OftenDisciplining	**How often has this occurred in past 7 days: Feeling uncertain about disciplining my child**			**1, 2, 3, 4, 5**
HardDisciplining	**How difficult it was for you when this occurred: Feeling uncertain about disciplining my child**			**1, 2, 3, 4, 5**
OftenScaredVerySickDie	**How often has this occurred in past 7 days: Feeling scared that my child could get very sick or die**			**1, 2, 3, 4, 5**
HardScaredVerySickDie	**How difficult it was for you when this occurred: Feeling scared that my child could get very sick or die**			**1, 2, 3, 4, 5**
OftenSpeakingWithFamily	**How often has this occurred in past 7 days: Speaking with family members about my child's illness**			**1, 2, 3, 4, 5**
HardSpeakingWithFamily	**How difficult it was for you when this occurred: Speaking with family members about my child's illness**			**1, 2, 3, 4, 5**
OftenWatchingVisitsProcedures	**How often has this occurred in past 7 days: Watching my child during medical visits/procedures**			**1, 2, 3, 4, 5**

HardWatchingVisitsProcedures	**How difficult it was for you when this occurred: Watching my child during medical visits/procedures**			**1, 2, 3, 4, 5**
OftenMissingImportantEvents	**How often has this occurred in past 7 days: Missing important events in the lives of other family members**			**1, 2, 3, 4, 5**
HardMissingImportantEvents	**How difficult it was for you when this occurred: Missing important events in the lives of other family members**			**1, 2, 3, 4, 5**
OftenWorryingInteractChild	**How often has this occurred in past 7 days: Worrying about how friends and relatives interact with my child**			**1, 2, 3, 4, 5**
HardWorryingInteractChild	**How difficult it was for you when this occurred: Worrying about how friends and relatives interact with my child**			**1, 2, 3, 4, 5**
OftenRelationshipWIthPartner	**How often has this occurred in past 7 days: Noticing a change in my relationship with my partner**			**1, 2, 3, 4, 5**
HardRelationshipWIthPartner	**How difficult it was for you when this occurred: Noticing a change in my relationship with my partner**			**1, 2, 3, 4, 5**

OftenUnfamiliarSettings	**How often has this occurred in past 7 days: Spending a great deal of time in unfamiliar settings**			**1, 2, 3, 4, 5**
HardUnfamiliarSettings	**How difficult it was for you when this occurred: Spending a great deal of time in unfamiliar settings**			**1, 2, 3, 4, 5**

PEDAPPSPedsQLParTod

Description: Pediatric Quality of Live Survey - Parent of Toddler (age 2-4)

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
PedsQLParTodHungry	In the past month, how much of a problem has your child had with ... Feeling hungry			0, 1, 2, 3, 4
PedsQLParTodThirsty	In the past month, how much of a problem has your child had with ... Feeling thirsty			0, 1, 2, 3, 4
PedsQLParTodBathroom	In the past month, how much of a problem has your child had with ... Having to go to the bathroom too often			0, 1, 2, 3, 4
PedsQLParTodStomach	In the past month, how much of a problem has your child had with ... Having tummy aches			0, 1, 2, 3, 4
PedsQLParTodHeadache	In the past month, how much of a problem has your child had with			0, 1, 2, 3, 4

	... Having headaches			
PedsQLParTodThrowUp	**In the past month, how much of a problem has your child had with ... Feeling like he/she needs to throw up**			**0, 1, 2, 3, 4**
PedsQLParTodGoLow	**In the past month, how much of a problem has your child had with ... Going "low"**			**0, 1, 2, 3, 4**
PedsQLParTodGoHigh	**In the past month, how much of a problem has your child had with ... Going "high"**			**0, 1, 2, 3, 4**
PedsQLParTodTired	**In the past month, how much of a problem has your child had with ... Feeling tired**			**0, 1, 2, 3, 4**
PedsQLParTodShaky	**In the past month, how much of a problem has your child had with ... Getting shaky**			**0, 1, 2, 3, 4**
PedsQLParTodSweaty	**In the past month, how much of a problem has your child had with ... Getting sweaty**			**0, 1, 2, 3, 4**
PedsQLParTodDizzy	**In the past month, how much of a problem has your child had with ... Feeling dizzy**			**0, 1, 2, 3, 4**

PedsQLParTodWeak	**In the past month, how much of a problem has your child had with ... Feeling weak**			**0, 1, 2, 3, 4**
PedsQLParTodTrblSleep	**In the past month, how much of a problem has your child had with ... Having trouble sleeping**			**0, 1, 2, 3, 4**
PedsQLParTodCranky	**In the past month, how much of a problem has your child had with ... Getting cranky or grumpy**			**0, 1, 2, 3, 4**
PedsQLParTodHurtFing	**How difficult was this to do in the past month: Finger pricks causing him/her pain**			**0, 1, 2, 3, 4**
PedsQLParTodHurtShots	**How difficult was this to do in the past month: Insulin shots causing him/her pain**			**0, 1, 2, 3, 4**
PedsQLParTodTrtEmb	**How difficult was this to do in the past month: Getting embarrassed about his/her diabetes treatment**			**0, 1, 2, 3, 4**
PedsQLParTodParArgue	**How difficult was this to do in the past month: Arguing with me or my spouse about diabetes care**			**0, 1, 2, 3, 4**
PedsQLParTodHardEvery	**How difficult was this to do in the past month: It**			**0, 1, 2, 3, 4**

	is hard for my child to do everything he/she needs to do to care for his/her diabetes			
PedsQLParTodBGTest	**How difficult was this to do in the past month: It is hard to give my child blood glucose tests**			**0, 1, 2, 3, 4**
PedsQLParTodInsShots	**How difficult was this to do in the past month: It is hard to give my child insulin shots**			**0, 1, 2, 3, 4**
PedsQLParTodSports	**How difficult was this to do in the past month: It is hard for my child to play or do sports**			**0, 1, 2, 3, 4**
PedsQLParTodCarbs	**How difficult was this to do in the past month: It is hard to track carbohydrates for my child**			**0, 1, 2, 3, 4**
PedsQLParTodFastAct	**How difficult was this to do in the past month: It is hard to carry a fast-acting carbohydrate for my child**			**0, 1, 2, 3, 4**
PedsQLParTodSnackLow	**How difficult was this to do in the past month: It is hard to give my child snacks when he/she goes "low"**			**0, 1, 2, 3, 4**
PedsQLParTodWorryLow	**How difficult was this to do in the past month: Worrying about**			**0, 1, 2, 3, 4**

	going "low"			
PedsQLParTodWorryHigh	**How difficult was this to do in the past month: Worrying about going "high"**			**0, 1, 2, 3, 4**
PedsQLParTodTellFeel	**How difficult was this to do in the past month: Telling the doctors and nurses how he/she feels**			**0, 1, 2, 3, 4**
PedsQLParTodAskQuest	**How difficult was this to do in the past month: Asking the doctors or nurses questions**			**0, 1, 2, 3, 4**
PedsQLParTodExplain	**How difficult was this to do in the past month: Explaining his/her illness to other people**			**0, 1, 2, 3, 4**
PedsQLParTodComEmb	**How difficult was this to do in the past month: Getting embarrassed about having diabetes**			**0, 1, 2, 3, 4**

PEDAPPSPedsQLParYC

Description: Pediatric Quality of Live Survey - Parent of Young Child (age 5 - 7)

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
PedsQLParYCHungry	In the past month, how much of a problem has your child had with ... Feeling hungry			0, 1, 2, 3, 4
PedsQLParYCThirsty	In the past month, how much of a problem has your child had with ... Feeling thirsty			0, 1, 2, 3, 4
PedsQLParYCBathroom	In the past month, how much of a problem has your child had with ... Having to go to the bathroom too often			0, 1, 2, 3, 4
PedsQLParYCStomach	In the past month, how much of a problem has your child had with ... Having tummy aches			0, 1, 2, 3, 4
PedsQLParYCHeadache	In the past month, how much of a problem has your child had with			0, 1, 2, 3, 4

	... Having headaches			
PedsQLParYCThrowUp	**In the past month, how much of a problem has your child had with ... Feeling like he/she needs to throw up**			**0, 1, 2, 3, 4**
PedsQLParYCGoLow	**In the past month, how much of a problem has your child had with ... Going "low"**			**0, 1, 2, 3, 4**
PedsQLParYCGoHigh	**In the past month, how much of a problem has your child had with ... Going "high"**			**0, 1, 2, 3, 4**
PedsQLParYCTired	**In the past month, how much of a problem has your child had with ... Feeling tired**			**0, 1, 2, 3, 4**
PedsQLParYCShaky	**In the past month, how much of a problem has your child had with ... Getting shaky**			**0, 1, 2, 3, 4**
PedsQLParYCSweaty	**In the past month, how much of a problem has your child had with ... Getting sweaty**			**0, 1, 2, 3, 4**
PedsQLParYCDizzy	**In the past month, how much of a problem has your child had with ... Feeling dizzy**			**0, 1, 2, 3, 4**

PedsQLParYCWeak	**In the past month, how much of a problem has your child had with ... Feeling weak**			**0, 1, 2, 3, 4**
PedsQLParYCTrblSleep	**In the past month, how much of a problem has your child had with ... Having trouble sleeping**			**0, 1, 2, 3, 4**
PedsQLParYCCranky	**In the past month, how much of a problem has your child had with ... Getting cranky or grumpy**			**0, 1, 2, 3, 4**
PedsQLParYCHurtFing	**In the past month, how much of a problem has your child had with ... Finger pricks causing him/her pain**			**0, 1, 2, 3, 4**
PedsQLParYCHurtShots	**In the past month, how much of a problem has your child had with ... Insulin shots causing him/her pain**			**0, 1, 2, 3, 4**
PedsQLParYCTrtEmb	**In the past month, how much of a problem has your child had with ... Getting embarrassed about his/her diabetes treatment**			**0, 1, 2, 3, 4**
PedsQLParYCParArgue	**In the past month, how much of a problem has your child had with ... Arguing with me or my**			**0, 1, 2, 3, 4**

	spouse about diabetes care			
PedsQLParYCHardEvery	**In the past month, how difficult has it beeng for your child... ... It is hard for my child to do everything he/she needs to do to care for his/her diabetes**			**0, 1, 2, 3, 4**
PedsQLParYCBGTest	**In the past month, how difficult has it beeng for your child... ... It is hard for my child to take blood glucose tests**			**0, 1, 2, 3, 4**
PedsQLParYCInsShots	**In the past month, how difficult has it beeng for your child... ... It is hard for my child to take insulin shots**			**0, 1, 2, 3, 4**
PedsQLParYCSports	**In the past month, how difficult has it beeng for your child... ... It is hard for my child to play or do sports**			**0, 1, 2, 3, 4**
PedsQLParYCCarbs	**In the past month, how difficult has it beeng for your child... ... It is hard for my child to track carbohydrates**			**0, 1, 2, 3, 4**
PedsQLParYCFastAct	**In the past month, how difficult has it beeng for your child... ... It is hard**			**0, 1, 2, 3, 4**

	for my child to carry a fast-acting carbohydrate			
PedsQLParYCSnackLow	**In the past month, how difficult has it beeng for your child... ... It is hard for my child to snack when he/she goes "low"**			**0, 1, 2, 3, 4**
PedsQLParYCWorryLow	**In the past month, how much of a problem has your child had with ... Worrying about going "low"**			**0, 1, 2, 3, 4**
PedsQLParYCWorryHigh	**In the past month, how much of a problem has your child had with ... Worrying about going "high"**			**0, 1, 2, 3, 4**
PedsQLParYCTellFeel	**In the past month, how much of a problem has your child had with ... Telling the doctors and nurses how he/she feels**			**0, 1, 2, 3, 4**
PedsQLParYCAskQuest	**In the past month, how much of a problem has your child had with ... Asking the doctors or nurses questions**			**0, 1, 2, 3, 4**
PedsQLParYCExplain	**In the past month, how much of a problem has your child had with ... Explaining his/her**			**0, 1, 2, 3, 4**

	illness to other people			
PedsQLParYCComEmb	**In the past month, how much of a problem has your child had with** **... Getting embarrassed about having diabetes**			**0, 1, 2, 3, 4**

PEDAPPSPSQIParent

Description: Pittsburgh Sleep Quality Index Survey - Parent

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
PSQIParentBedtimeHr	During the past month, what time have you usually gone to bed at night?			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23
PSQIParentBedtimeMin	During the past month, what time have you usually gone to bed at night?			0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
PSQIParentFallAsleepMinutes	During the past month, how long (in minutes) has it usually taken you to fall asleep each night?	0	240	
PSQIParentGettingUpHr	During the past month, what time have you usually gotten up in the			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

	morning?			
PSQIParentGettingUpMin	**During the past month, what time have you usually gotten up in the morning?**			**0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59**
PSQIParentActualSleepHours	**During the past month, how many hours of actual sleep did you get at night? (This may be different than the number of hours you spent in bed.)**	**1**	**16**	
PSQIParentTroubleCannot	**During the past month, how often have you had trouble sleeping because you . . .Cannot get to sleep within 30 minutes**			
PSQIParentTroubleWakeUp	**During the past month, how often have you had trouble sleeping because you . . .Wake up in the middle of the night or early morning**			
PSQIParentTroubleBathroom	**During the past month, how often have you had trouble sleeping because you . . .Have to get up to use the bathroom**			

PSQIParentTroubleBreathe	**During the past month, how often have you had trouble sleeping because you . . .Cannot breathe comfortably**			
PSQIParentTroubleCough	**During the past month, how often have you had trouble sleeping because you . . .Cough or snore loudly**			
PSQIParentTroubleTooCold	**During the past month, how often have you had trouble sleeping because you . . .Feel too cold**			
PSQIParentTroubleTooHot	**During the past month, how often have you had trouble sleeping because you . . .Feel too hot**			
PSQIParentTroubleBadDreams	**During the past month, how often have you had trouble sleeping because you . . .Had bad dreams**			
PSQIParentTroublePain	**During the past month, how often have you had trouble sleeping because you . . .Have pain**			
PSQIParentTroubleOtherFreq	**During the past month, how often have you had trouble sleeping because of (answer to PSQIParentTroubleOtherDs)**			
PSQIParentSleepQuality	**During the past month, how would you rate your**			**Very good, Fairly good, Fairly bad,**

	sleep quality overall?			**Very bad**
PSQIParentMedicine	**During the past month, how often have you taken medicine to help you sleep (prescribed or "over the counter")?**			
PSQIParentStayingAwake	**During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?**			
PSQIParentEnthusiasm	**During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?**			**No problem at all, Only a slight problem, Somewhat of a problem, A very big problem**

PEDAPPSSystemUsability

Description: System Usability Scale

Data Source: Participant Questionnaire

Field_Name	Description	Min	Max	Possible_Values
RecID	Unique record ID in table			
PtID	Participant ID			
SurveyName	Survey name			
SurveyVisit	Visit for which a survey is to be entered			
UseFrequently	I think that I would like to use this system frequently			1, 2, 3, 4, 5
UnnecessComplex	I found the system unnecessarily complex			1, 2, 3, 4, 5
EasyToUse	I thought the system was easy to use			1, 2, 3, 4, 5
NeedTechSupport	I think that I would need the support of a technical person to be able to use this system			1, 2, 3, 4, 5
FuncWellInteg	I found the various functions in this system were well integrated			1, 2, 3, 4, 5
TooMuchInconsis	I thought there was too much inconsistency in this system			1, 2, 3, 4, 5
LearnQuickly	I would imagine that most people would learn to use this system very quickly			1, 2, 3, 4, 5
Cumbersome	I found the system very cumbersome to use			1, 2, 3, 4, 5

Confident	**I felt very confident using the system**			**1, 2, 3, 4, 5**
NeedToLearnALot	**I needed to learn a lot of things before I could get going with this system**			**1, 2, 3, 4, 5**