

D

C

B





A

D




C

B




A

4	3	2	1																																															
NOTES: UNLESS OTHERWISE SPECIFIED 1. Part dimensions, details, and form are to be derived directly from the 3D CAD model. This document provides additional information for tool creation, production, and quality inspection of the part. CAD model dimensions are nominal and used for tolerancing purposes. 2. Use internal traceability standards as defined by the Water Pump Team's quality protocols. 3. Casted parts must be free of release agents or other surface contaminants to meet drinking water application standards(NSF/ANSI/CAN 61, FDA Compliance, etc.). 4. Parts must be packed to prevent transit damage. Use trays, individual bags, or other suitable arrangements to prevent contamination and abrasion. 5. Tooling required to produce this part is the property of the Water Pump Team and must be permanently marked with the team name and part code as specified in the title block. 6. Tool design must be submitted to and approved by Water Pump Team before construction. 7. All parts must comply with applicable regulatory directives, including RoHS or equivalent. 8. All draft angles 3.0° unless otherwise specified. 9. Dimensions marked as critical must meet inspection requirements outlined in the the Water Pump Team's quality documentation. 10. Tolerances are per ISO 2768 and standard commercial tolerances: Permissible deviation in inches (Medium Class): 0.02 to 0.12 = ±0.004 >0.12 to 0.24 = ±0.004 >0.24 to 1.18 = ±0.008 >1.18 to 4.72 = ±0.012 >4.72 to 15.75 = ±0.020 >15.75 to 39.37 = ±0.031 >39.37 to 78.74 = ±0.047 >78.74 to 157.48 = ±0.047 External radii and chamfer heights (Medium Class): 0.02 to 0.12 = ±0.008 >0.12 to 0.24 = ±0.020 >0.24 to 1.18 = ±0.039 Angular dimensions (Medium Class): Up to 10° = ±1° >10° to 50° = ±30' >50° to 120° = ±20' >120° to 400° = ±10' >400° = ±5' Straightness and flatness tolerances (High Class): Up to 0.39 in = 0.0008 >0.39 to 1.18 in = 0.002 >1.18 to 3.94 in = 0.004 >3.94 to 11.81 in = 0.008 >11.81 to 39.37 in = 0.012 >39.37 to 118.11 in = 0.016			REVISION HISTORY <table><tr><th>REV</th><th>DESCRIPTION</th><th>DATE</th><th>APPROVED</th></tr><tr><td>00</td><td>INITIAL RELEASE</td><td>12/16/24</td><td>KCI</td></tr></table>				REV	DESCRIPTION	DATE	APPROVED	00	INITIAL RELEASE	12/16/24	KCI																																				
			REV	DESCRIPTION	DATE	APPROVED																																												
			00	INITIAL RELEASE	12/16/24	KCI																																												
																																																		
<table><tr><td rowspan="4">UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES</td><td></td><td>NAME</td><td>DATE</td><td colspan="2" rowspan="4">TITLE</td></tr><tr><td>DRAWN</td><td>KEVIN IMMERMANN</td><td>12/07/2024</td></tr><tr><td>CHECKED</td><td></td><td></td></tr><tr><td>APPROVED</td><td></td><td></td></tr><tr><td>SURFACE FINISH  Ra 250 uin</td><td></td><td></td><td></td><td colspan="2" rowspan="4">FRONT PLATE CASTING</td></tr><tr><td>DO NOT SCALE DRAWING</td><td></td><td></td><td></td></tr><tr><td>BREAK ALL SHARP EDGES AND REMOVE BURRS</td><td></td><td></td><td></td></tr><tr><td>THIRD ANGLE PROJECTION </td><td>MATERIAL STAINLESS STEEL 316L</td><td colspan="2">FINISH BEAD BLASTED</td></tr><tr><td></td><td></td><td></td><td></td><td>SIZE B</td><td>DWG NO. CAS-000004</td><td>REV 00</td></tr><tr><td></td><td></td><td></td><td></td><td>SCALE 1:1</td><td>WEIGHT 3.703 lb</td><td>SHEET 1 of 4</td></tr></table>			UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES		NAME	DATE	TITLE		DRAWN	KEVIN IMMERMANN	12/07/2024	CHECKED			APPROVED			SURFACE FINISH  Ra 250 uin				FRONT PLATE CASTING		DO NOT SCALE DRAWING				BREAK ALL SHARP EDGES AND REMOVE BURRS				THIRD ANGLE PROJECTION 	MATERIAL STAINLESS STEEL 316L	FINISH BEAD BLASTED						SIZE B	DWG NO. CAS-000004	REV 00					SCALE 1:1	WEIGHT 3.703 lb	SHEET 1 of 4	
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES		NAME		DATE	TITLE																																													
	DRAWN	KEVIN IMMERMANN		12/07/2024																																														
	CHECKED																																																	
	APPROVED																																																	
SURFACE FINISH  Ra 250 uin				FRONT PLATE CASTING																																														
DO NOT SCALE DRAWING																																																		
BREAK ALL SHARP EDGES AND REMOVE BURRS																																																		
THIRD ANGLE PROJECTION 	MATERIAL STAINLESS STEEL 316L	FINISH BEAD BLASTED																																																
				SIZE B	DWG NO. CAS-000004	REV 00																																												
				SCALE 1:1	WEIGHT 3.703 lb	SHEET 1 of 4																																												
4	3	2	1																																															

DIMENSIONAL OVERVIEW



DIMENSIONS



4

3

2

1

PARTING LINES

D

D

C

PARTING LINE

C

B

B

A

A

KEY			
CAVITY			
CORE			

NOTES:
1. SUGGESTED GATE LOCATION ANYWHERE ON GREEN "CAVITY" SURFACE.
2. GATE REMNANT TO BE FLUSH TO SURROUNDING AREA (+0/-0.005in)
UNLESS OTHERWISE APPROVED.

DWG NO.	CAS-000004	SIZE	B	SCALE	1:1	SHEET	4 of 4	REV.	00
---------	------------	------	---	-------	-----	-------	--------	------	----

4

3

2

1