Dissolved Oxygen Prediction for Anyang Stream

Hanyi Seok

University of Seoul | Sep–Dec 2024 | Course project

Research objective and contribution

In the Smart Water Environment Management course, I developed a dissolved oxygen (DO) prediction workflow for Anyang Stream. I compared missing-data treatments and six predictive models, then tuned a long short-term memory (LSTM) network. The optimized LSTM achieved $R^2 = 0.915$ on the test set and $R^2 = 0.966$ on subsequent November 2024 observations.

Data and missing value analysis

The historical dataset contained 17,965 water-quality records from November 2022 through October 2024. DO was the prediction target, with water temperature, pH, total nitrogen (TN), total phosphorus (TP), and total organic carbon (TOC) as five predictors. Figure 1 shows the observed missing-data patterns across these variables.

I compared mean imputation, multivariate imputation by chained equations (MICE), k-nearest-neighbor (KNN) imputation, and an ensemble averaging MICE and KNN estimates. Under simulated missing completely at random (MCAR) rates of 10%, 20%, and 30%, I assessed reconstruction using RMSE, MAE, and R^2. The MICE–KNN ensemble was selected based on these comparisons for the prediction workflow.




Figure 1. Missing-data patterns in the monitoring records. Dark regions indicate available records; white gaps indicate missing values. Original course report, Fig. 4, p. 12.

Model comparison and LSTM tuning

I compared multiple linear regression, random forest, LightGBM, LSTM, gated recurrent unit (GRU), and a Transformer model. This comparison examined both conventional machine-learning methods and neural networks for predicting DO from the water-quality data. LSTM was then selected for further hyperparameter tuning.

I tested LSTM unit counts of 50 and 100, batch sizes of 16, 32, 64, 128, and 256, and dropout rates of 0.1, 0.2, and 0.3, using early stopping during training. The selected configuration used 100 units, a batch size of 32, and a dropout rate of 0.1.

Test set evaluation

The tuned LSTM achieved a test-set R^2 of 0.915. Figure 2 compares its predictions with the observed DO values. The original plot uses scaled DO values and time-step indices.




Figure 2. Tuned-LSTM predictions on the test set. Observed (labeled "Actual" in the source plot) and predicted scaled DO; $R^2 = 0.915$. Axes retain the original observation indices and scaled values. Original course report, Fig. 16, p. 24.

The predictions closely followed much of the observed variation, including many sharp changes. This result describes performance on the assessed test set; it does not by itself establish accuracy during low-oxygen events or suitability for real-time monitoring. Evaluation on subsequent observations provided a separate check beyond the historical data period.

Evaluation on subsequent observations

I also evaluated the tuned LSTM on November 2024 observations that were not used for training. It achieved $R^2 = 0.966$ on this later dataset. Figure 3 retains the original report's scaled values and observation-index axis; the index does not specify elapsed time.




Figure 3. Tuned-LSTM predictions for November 2024. Observed (labeled "Actual" in the source plot) and predicted scaled DO on observations not used for training; $R^2 = 0.966$. Original course report, Fig. 17, p. 25.

Findings and scope

The test-set and November scores describe different datasets, so the higher November R^2 is not a measured improvement on the same cases. The imputation benchmark also simulated MCAR conditions, whereas the observed gaps included structured patterns. These results support the comparative workflow within the evaluated data; further checks across seasons, locations, and realistic sensor outages would be needed to assess broader monitoring use.

Project outcome

The project ranked first among all course projects, was selected as an outstanding project, and was presented at the course showcase. It strengthened my ability to compare methods for incomplete environmental data and to connect model selection with evaluation on both a test set and subsequent observations.