**Zen AI Model Family**

# Zen-Musician

## AI Music Composition, MIDI Generation, and Audio Synthesis

**Technical Report v2025.01**

Hanzo AI Research Team[1] Zoo Labs Foundation[2]

January 2025

Hanzo AI RESEARCH

**Zen AI Model Family**

# Zen-Musician

AI Music Composition, MIDI Generation, and Audio Synthesis

Technical Report v2025.01

Hanzo AI Research Team[‡] Zoo Labs Foundation[§]

January 2025

**Abstract**

We present **Zen-Musician**, a 3-billion parameter generative music model capable of multi-genre composition, MIDI generation, audio synthesis, and real-time accompaniment. Zen-Musician unifies symbolic music representation (MIDI) and acoustic audio generation within a single model, enabling coherent compositions that span from high-level structural planning (chord progressions, song sections, orchestration) to low-level acoustic rendering (instrument timbre, expression, dynamics). Trained on 180,000 hours of licensed music spanning 40 genres, the model achieves a Frechet Audio Distance (FAD) score of 2.3 (compared to 1.8 for human composers in identical conditions), earns a Music Opinion Score (MOS) of 4.1/5.0, and generates 30-second compositions in under 4 seconds on an A10G GPU. A novel **Section-Aware Transformer (SAT)** architecture enforces long-range musical structure (verse/chorus/bridge coherence) that pure autoregressive models lack. Zen-Musician supports real-time accompaniment generation, adaptive score following, and style transfer across genres.

## Contents

**1 Introduction** **4**
1.1 Model Overview . . . 4

**2 Architecture** **4**
2.1 Unified Token Space . . . 4
2.2 Section-Aware Transformer . . . 4
2.3 Accompaniment Mode . . . 5

**3 Training** **5**
3.1 Dataset . . . 5
3.2 Training Protocol . . . 5

**4 Evaluation** **6**
4.1 Frechet Audio Distance (FAD) . . . 6
4.2 Music Opinion Score (MOS) . . . 7
4.3 Genre Consistency . . . 7
4.4 Structural Analysis . . . 7
4.5 Accompaniment Quality . . . 7

[*]research@hanzo.ai
[†]foundation@zoo.ngo
[‡]research@hanzo.ai
[§]foundation@zoo.ngo

**5 Applications** **7**
5.1 Content Creation . . . . . 7
5.2 Real-Time Performance . . . . . 7
5.3 Film Scoring . . . . . 7

**6 Integration** **7**

**7 Conclusion** **7**

# 1 Introduction

Music generation has seen rapid progress, yet existing models suffer from two persistent failure modes. **Structural incoherence**: autoregressive models generate locally plausible music that lacks the large-scale structure (repetition, contrast, development) that defines professional composition. **Modality gap**: separate symbolic and acoustic models require clumsy pipelines (MIDI → synthesis) that break acoustic coherence.

Zen-Musician resolves both through:

1. **Section-Aware Transformer (SAT)**: A hierarchical attention architecture that maintains a global structural plan (verse, chorus, bridge, solo) and conditions local generation on the current section's role in the overall form.

2. **Unified token space**: MIDI events and audio codec tokens share a single vocabulary, enabling the model to interleave symbolic and acoustic generation.

3. **Multi-genre training**: 180,000 hours of licensed music spanning 40 genres with rich metadata (key, tempo, mood, instrumentation).

## 1.1 Model Overview

| Property | Value |
|---|---|
| Parameters | 3B |
| Architecture | Section-Aware Transformer (SAT) |
| Token Vocabulary | 32,768 (MIDI events + Encodec audio tokens) |
| Context Length | 30K tokens (≈2 min of music) |
| Genres | 40 (classical, jazz, pop, EDM, folk, metal, + 34 more) |
| Max Generation Length | 10 minutes continuous |
| Training Data | 180,000 hours licensed music |

Table 1: Zen-Musician Model Specifications

# 2 Architecture

## 2.1 Unified Token Space

Zen-Musician's key architectural decision is a unified vocabulary covering both symbolic music and acoustic audio:

**MIDI tokens** (4,096 tokens): Representing note-on, note-off, velocity, program change, tempo, and time shift events at 5ms resolution.

**Audio tokens** (28,672 tokens): Encodec [1] codes at 24kHz with 4 codebooks at 75Hz frame rate, providing compact acoustic representation.

**Structural tokens** (128 tokens): Section markers (VERSE, CHORUS, BRIDGE, INTRO, OUTRO, SOLO, BREAKDOWN) and metadata (KEY, TEMPO, GENRE, INSTRUMENT).

The model learns to transition fluidly between MIDI and audio modalities, using MIDI for structural planning and audio tokens for acoustic detail within each section.

## 2.2 Section-Aware Transformer

The SAT adds a **structural level** atop the token-level transformer:

- A **Structure Encoder** (4 transformer layers) processes a sequence of section descriptors $(s_1, s_2, \ldots, s_K)$ representing the planned song form.

- A **Section Embedding** is computed for each section and injected into token-level generation via cross-attention at every fourth transformer layer.
- During generation, the model can dynamically revise the structural plan based on what has been generated, enabling coherent improvisation.

Formally, at each generation step $t$ within section $k$:

$$h_t = \text{TransformerLayer}(h_{t-1}, \text{CrossAttn}(h_{t-1}, E_k)) \tag{1}$$

where $E_k = \text{StructureEncoder}(s_k)$ is the section embedding.

### 2.3 Accompaniment Mode

In accompaniment mode, the model conditions on an input melody (provided as MIDI or audio) and generates harmonically and rhythmically coherent accompaniment. The melody is encoded via a lightweight 2-layer transformer and injected as an additional conditioning signal alongside the section embedding. Accompaniment latency is 120ms (suitable for real-time performance with modest lookahead).

## 3 Training

### 3.1 Dataset

| Source | Hours | Proportion | Licensing |
|---|---|---|---|
| Licensed studio recordings | 80,000 | 44.4% | Commercial license |
| Classical MIDI corpus | 12,000 | 6.7% | Public domain |
| Jazz Real Book corpus | 8,000 | 4.4% | Licensed |
| Folk music archives | 15,000 | 8.3% | Creative Commons |
| Electronic music library | 25,000 | 13.9% | Commercial license |
| Synthetic augmentation | 40,000 | 22.2% | Generated |
| **Total** | **180,000** | 100% | |

Table 2: Zen-Musician Training Data

### 3.2 Training Protocol

**Stage 1 – Audio codec training** (50K steps): Encodec-based audio codec is trained on the full audio corpus. Codebook utilization target >95%.

**Stage 2 – Symbolic pretraining** (100K steps): Token-level transformer is pretrained on MIDI token sequences with masked token prediction.

**Stage 3 – Joint pretraining** (150K steps): Training on the full unified token space (MIDI + audio) with next-token prediction.

**Stage 4 – Structural fine-tuning** (50K steps): SAT structural components are trained with section-boundary supervision from annotated music datasets.

**Stage 5 – RLHF from musicians** (20K steps): Reward model trained on 30,000 pairwise comparisons from professional musicians, optimized via PPO.

| Stage | Steps | Batch | LR | Hardware |
|---|---|---|---|---|
| Codec | 50K | 256 | 1e-4 | 8×A100 |
| Symbolic | 100K | 128 | 3e-4 | 16×A100 |
| Joint | 150K | 64 | 2e-4 | 32×A100 |
| Structural | 50K | 64 | 5e-5 | 16×A100 |
| RLHF | 20K | 32 | 2e-5 | 8×A100 |

Table 3: Zen-Musician Training Configuration

# 4 Evaluation

## 4.1 Frechet Audio Distance (FAD)

FAD measures distribution distance between generated and real music in VGGish embedding space. Lower is better; human composers in identical prompt conditions achieve 1.8.

| Model | FAD ↓ | Parameters |
|---|---|---|
| MusicLM | 4.0 | N/A (proprietary) |
| AudioCraft / MusicGen-Large | 3.8 | 3.3B |
| Stable Audio Open | 4.4 | 1.1B |
| JEN-1 | 2.7 | 0.3B |
| Human composers (reference) | 1.8 | – |
| **Zen-Musician** | **2.3** | 3B |

Table 4: Frechet Audio Distance on MusicCaps evaluation set

### 4.2 Music Opinion Score (MOS)

Twenty professional musicians rated 200 generated compositions on five criteria.

| Criterion | Mean Score (1–5) |
|---|---|
| Harmonic coherence | 4.2 |
| Rhythmic consistency | 4.4 |
| Structural form (verse/chorus logic) | 3.9 |
| Genre authenticity | 4.1 |
| Emotional expressiveness | 4.0 |
| **Overall MOS** | **4.1** |

Table 5: Music Opinion Score (N=20 professional musicians)

### 4.3 Genre Consistency

We evaluate genre consistency using a fine-tuned genre classifier on 500 generated samples per genre, measuring what fraction are correctly classified:

| Genre | Zen-Musician | MusicGen-Large |
|---|---|---|
| Classical | 91.4% | 83.2% |
| Jazz | 87.2% | 74.1% |
| Pop | 93.8% | 88.6% |
| Electronic/EDM | 95.1% | 91.3% |
| Folk | 82.3% | 69.4% |
| Metal | 88.7% | 72.8% |
| **Average** | **89.8%** | **79.9%** |

Table 6: Genre Classification Accuracy of Generated Music

### 4.4 Structural Analysis

To evaluate large-scale structure, we measure the presence and proper placement of structural sections (intro, verse, chorus, bridge, outro) in generated 3-minute compositions, as detected by a structure segmentation model:

| Model | Section F1 ↑ | Repetition Consistency |
|---|---|---|
| MusicGen-Large | 0.52 | 61.3% |
| AudioCraft XL | 0.58 | 67.4% |
| **Zen-Musician (SAT)** | **0.79** | **84.2%** |

Table 7: Musical Structure Quality Metrics



### 4.5 Accompaniment Quality