Attilio Meucci

www.symmys.com

Formulas and figures in this presentation refer to the book Risk and Asset Allocation, Springer.

The notation, say, (5.24) refers to Formula 24 in Chapter 5 of the book

The notation, say, (T4.12) refers to Formula 12 in the Technical Appendices for Chapter 4, which can be downloaded from www.symmys.com

$$\mathbf{G}\left[f_{\mathbf{X}}\right] \equiv$$
 "unknown truth". (4.6)

information
$$i_T \mapsto \text{number } \widehat{\mathbf{G}}$$
 (4.9)
$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\}$$
 (4.8)

(4.13)
$$\widehat{\mathbf{G}}[i_T] \approx \mathbf{G}[f_{\mathbf{X}}]$$

$$\mathbf{G}\left[f_{\mathbf{X}}\right] \equiv$$
 "unknown truth". (4.6)

$$G[f_X] \equiv \int_{-\infty}^{+\infty} x f_X(x) \, dx \tag{4.7}$$

information
$$i_T \mapsto \text{number } \widehat{\mathbf{G}}$$
 (4.9)
$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\}$$
 (4.8)

$$\widehat{G}\left[i_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} x_{t}. \quad (4.10)$$

$$\widehat{G}\left[i_{T}\right] \equiv x_{1}x_{T} \quad ^{(4.11)}$$

$$\widehat{G}[i_T] \equiv 3.$$
 (4.12)

$$\widehat{\mathbf{G}}\left[i_{T}
ight]pprox\mathbf{G}\left[f_{\mathbf{X}}
ight]$$

$$\mathbf{G}\left[f_{\mathbf{X}}\right] \equiv \text{"unknown truth"}$$
 (4.6)

information
$$i_T \mapsto \text{number } \widehat{\mathbf{G}}$$
 (4.9)
$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\}$$
 (4.8)

$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\} \mapsto I_T \equiv \{\mathbf{X}_1, \dots, \mathbf{X}_T\}$$
 (4.14)
$$\widehat{\mathbf{G}}[i_T] \mapsto \widehat{\mathbf{G}}[I_T]$$
 (4.15)

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \left| (4.19)\right|$$

$$\mathbf{G}\left[f_{\mathbf{X}}\right] \equiv$$
 "unknown truth". (4.6)

information
$$i_T \mapsto \text{number } \widehat{\mathbf{G}}$$
 (4.9)
$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\}$$
 (4.8)

$$G[f_X] \equiv \int_{-\infty}^{+\infty} x f_X(x) \, dx \tag{4.7}$$

$$\widehat{G}\left[i_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} x_{t}. \quad (4.10)$$

$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\} \mapsto I_T \equiv \{\mathbf{X}_1, \dots, \mathbf{X}_T\}$$
 (4.14)
$$\widehat{\mathbf{G}}[i_T] \mapsto \widehat{\mathbf{G}}[I_T]$$
 (4.15)

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \left(4.19\right)$$

$$\mathbf{G}\left[f_{\mathbf{X}}\right] \equiv$$
 "unknown truth". (4.6)

information
$$i_T \mapsto \text{number } \widehat{\mathbf{G}}$$
 (4.9)
$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\}$$
 (4.8)

$$G[f_X] \equiv \int_{-\infty}^{+\infty} x f_X(x) \, dx \tag{4.7}$$

$$\widehat{G}\left[i_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} x_{t}. \quad (4.10)$$

$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\} \mapsto I_T \equiv \{\mathbf{X}_1, \dots, \mathbf{X}_T\}$$
 (4.14)
$$\widehat{\mathbf{G}}[i_T] \mapsto \widehat{\mathbf{G}}[I_T]$$
 (4.15)

$$G[f_X] = \mu$$
. (4.18)

$$X_t \sim \mathrm{N}\left(\mu, \sigma^2\right)$$
 (4.16)

$$G\left[f_{X}\right] = \mu. \tag{4.18}$$

$$X_{t} \sim \mathrm{N}\left(\mu, \sigma^{2}\right) \tag{4.16}$$

$$\widehat{G}\left[I_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} X_{t} \sim \mathrm{N}\left(\mu, \frac{\sigma^{2}}{T}\right) \tag{4.17}$$

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \left(4.19\right)$$

$$\mathbf{G}\left[f_{\mathbf{X}}\right] \equiv$$
 "unknown truth". (4.6)

information
$$i_T \mapsto \text{number } \widehat{\mathbf{G}}$$
 (4.9)
$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\}$$
 (4.8)

$$G[f_X] \equiv \int_{-\infty}^{+\infty} x f_X(x) \, dx \tag{4.7}$$

$$\widehat{G}\left[i_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} x_{t}. \quad (4.10)$$

$$i_T \equiv \{\mathbf{x}_1, \dots, \mathbf{x}_T\} \mapsto I_T \equiv \{\mathbf{X}_1, \dots, \mathbf{X}_T\}$$
 (4.14)
$$\widehat{\mathbf{G}}[i_T] \mapsto \widehat{\mathbf{G}}[I_T]$$
 (4.15)

$$G[f_X] = \mu$$
. (4.18)

$$X_t \sim {
m N}\left(\mu,\sigma^2\right)^{(4.16)}$$

$$G\left[f_{X}\right] = \mu. \tag{4.18}$$

$$X_{t} \sim \mathrm{N}\left(\mu, \sigma^{2}\right) \tag{4.16}$$

$$\widehat{G}\left[I_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} X_{t} \sim \mathrm{N}\left(\mu, \frac{\sigma^{2}}{T}\right) \tag{4.17}$$

$$\operatorname{Loss}\left(\widehat{G},G\right) \!\! \sim \operatorname{Ga}\left(1,\frac{\sigma^2}{T}\right)_{(4.22)}$$

Loss
$$(\widehat{\mathbf{G}}, \mathbf{G}) \equiv \|\widehat{\mathbf{G}}[I_T] - \mathbf{G}[f_X]\|^2$$
 (4.19)


$$\operatorname{Err}\left(\widehat{\mathbf{G}},\mathbf{G}\right) \equiv \sqrt{\operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left(I_{T}\right) - \mathbf{G}\left[f_{\mathbf{X}}\right]\right\|^{2}\right\}}.$$
 (4.23)

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \tag{4.19}$$

$$\operatorname{Err}\left(\widehat{G}, G\right) = \frac{\sigma}{\sqrt{T}}$$
 (4.24)

$$\operatorname{Err}\left(\widehat{G},G\right) = \frac{\sigma}{\sqrt{T}} \tag{4.24} \qquad \operatorname{Err}\left(\widehat{\mathbf{G}},\mathbf{G}\right) \equiv \sqrt{\operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left(I_{T}\right) - \mathbf{G}\left[f_{X}\right]\right\|^{2}\right\}}. \tag{4.23}$$

$$G[f_X] = \mu$$
. (4.18)



$$G\left[f_{X}\right] = \mu. \tag{4.18}$$

$$X_{t} \sim \mathrm{N}\left(\mu, \sigma^{2}\right) \tag{4.16}$$

$$\widehat{G}\left[I_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} X_{t} \sim \mathrm{N}\left(\mu, \frac{\sigma^{2}}{T}\right) \tag{4.17}$$

$$\operatorname{Loss}\left(\widehat{G}, G\right) \sim \operatorname{Ga}\left(1, \frac{\sigma^2}{T}\right)$$
 (4.22)

$$\operatorname{Loss}\left(\widehat{G}, G\right) \sim \operatorname{Ga}\left(1, \frac{\sigma^{2}}{T}\right) \tag{4.22} \qquad \operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \tag{4.19}$$

Inef²
$$\left[\widehat{\mathbf{G}}\right] \equiv \mathrm{E}\left\{ \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathrm{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\}\right\|^{2} \right\}$$
 (4.26)

$$\operatorname{Bias}^{2}\left[\widehat{\mathbf{G}},\mathbf{G}\right] \equiv \left\| \operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\} - \mathbf{G}\left[f_{\mathbf{X}}\right] \right\|^{2}$$
(4.25)

pdf of the estimator $\hat{G}[I_T]$ Fig. 4.2. Estimation: replicability, bias and inefficiency estimation $\hat{G}[i_T]$ in one scenario i_T in one scenario i_T g_S inefficiency (dispersion)

$$\operatorname{Inef}^{2}\left[\widehat{\mathbf{G}}\right] \equiv \operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\}\right\|^{2}\right\} \quad (4.26)$$

$$\operatorname{Bias}^{2}\left[\widehat{\mathbf{G}},\mathbf{G}\right] \equiv \left\| \operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\} - \mathbf{G}\left[f_{\mathbf{X}}\right] \right\|^{2} \tag{4.25}$$

$$\operatorname{Err}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \sqrt{\operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left(I_{T}\right) - \mathbf{G}\left[f_{\mathbf{X}}\right]\right\|^{2}\right\}}.$$
 (4.23)

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \tag{4.19}$$

Inef
$$\left[\widehat{G}\right] = \frac{\sigma}{\sqrt{T}}$$
 (4.29)

$$\operatorname{Inef}^{2}\left[\widehat{\mathbf{G}}\right] \equiv \operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\}\right\|^{2}\right\} \quad (4.26)$$


Bias
$$\left[\widehat{G}, G\right] = 0$$
. (4.28)

$$\operatorname{Bias}^{2}\left[\widehat{\mathbf{G}},\mathbf{G}\right] \equiv \left\|\operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\} - \mathbf{G}\left[f_{\mathbf{X}}\right]\right\|^{2}$$
(4.25)

$$\operatorname{Err}\left(\widehat{G}, G\right) = \frac{\sigma}{\sqrt{T}}$$
 (4.24)

$$\operatorname{Err}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \sqrt{\operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left(I_{T}\right) - \mathbf{G}\left[f_{\mathbf{X}}\right]\right\|^{2}\right\}}.$$
 (4.23)

$$G[f_X] = \mu$$
. (4.18)



$$G\left[f_{X}\right] = \mu. \tag{4.18}$$

$$X_{t} \sim \mathrm{N}\left(\mu, \sigma^{2}\right) \tag{4.16}$$

$$\widehat{G}\left[I_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} X_{t} \sim \mathrm{N}\left(\mu, \frac{\sigma^{2}}{T}\right) \tag{4.17}$$

$$\operatorname{Loss}\left(\widehat{G}, G\right) \sim \operatorname{Ga}\left(1, \frac{\sigma^2}{T}\right)$$
 (4.22)

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \tag{4.19}$$

$$\operatorname{Err}^{2}\left[\widehat{\mathbf{G}}, \mathbf{G}\right] = \operatorname{Bias}^{2}\left[\widehat{\mathbf{G}}, \mathbf{G}\right] + \operatorname{Inef}^{2}\left[\widehat{\mathbf{G}}\right]$$
 (4.27)

Inef
$$\left[\widehat{G}\right] = \frac{\sigma}{\sqrt{T}}$$
. (4.29)

$$\operatorname{Inef}^{2}\left[\widehat{\mathbf{G}}\right] \equiv \operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\}\right\|^{2}\right\} \quad (4.26)$$


Bias
$$\left[\widehat{G}, G\right] = 0$$
 (4.28)

$$\operatorname{Bias}^{2}\left[\widehat{\mathbf{G}},\mathbf{G}\right] \equiv \left\| \operatorname{E}\left\{\widehat{\mathbf{G}}\left[I_{T}\right]\right\} - \mathbf{G}\left[f_{\mathbf{X}}\right] \right\|^{2}$$
(4.25)

$$\operatorname{Err}\left(\widehat{G}, G\right) = \frac{\sigma}{\sqrt{T}}$$
 (4.24)

$$\operatorname{Err}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \sqrt{\operatorname{E}\left\{\left\|\widehat{\mathbf{G}}\left(I_{T}\right) - \mathbf{G}\left[f_{\mathbf{X}}\right]\right\|^{2}\right\}}.$$
 (4.23)

$$G[f_X] = \mu$$
. (4.18)



$$G\left[f_{X}\right] = \mu. \tag{4.18}$$


$$X_{t} \sim \mathrm{N}\left(\mu, \sigma^{2}\right) \tag{4.16}$$

$$\widehat{G}\left[I_{T}\right] \equiv \frac{1}{T} \sum_{t=1}^{T} X_{t} \sim \mathrm{N}\left(\mu, \frac{\sigma^{2}}{T}\right) \tag{4.17}$$

$$\operatorname{Loss}\left(\widehat{G}, G\right) \sim \operatorname{Ga}\left(1, \frac{\sigma^2}{T}\right)$$
 (4.22)

$$\operatorname{Loss}\left(\widehat{\mathbf{G}}, \mathbf{G}\right) \equiv \left\|\widehat{\mathbf{G}}\left[I_{T}\right] - \mathbf{G}\left[f_{X}\right]\right\|^{2} \left(4.19\right)$$

$$\operatorname{Err}^{2}\left[\widehat{\mathbf{G}},\mathbf{G}\right] = \operatorname{Bias}^{2}\left[\widehat{\mathbf{G}},\mathbf{G}\right] + \operatorname{Inef}^{2}\left[\widehat{\mathbf{G}}\right]$$
 (4.27)



Loss
$$(\widehat{\mathbf{G}}, \mathbf{G}) \equiv \|\widehat{\mathbf{G}}[I_T] - \mathbf{G}[f_X]\|^2$$
 (4.19)