OpenText™ Service Manager

Using stored queries in display objects

Version 9.82

PDF Generated on October 12, 2026

© Copyright 2026 Open Text

Table of Contents

Using stored queries in display objects 3

Using stored queries in display objects

An administrator can use stored queries to retrieve and display dynamic data using menu buttons, charts, and marquees. Stored queries applied in this manner aren't accessible to the user and operate in the background to retrieve records from the database.

For example, you could place a dynamic chart on a supervisor's startup menu showing all open records by category. By placing buttons that run individual stored queries on the bottom of the chart, the supervisor could display lists of records by category.

Using menu buttons to run stored queries[edit]

Buttons that run stored queries from a menu must have a button ID defined in a menu record. Use the following values to run a stored query from a menu:

- **Application**: query.stored
- **Parameter Name**: text
- **Parameter Value**: <stored query name>
- **Condition**: true (or a condition statement that checks for a particular query group)

Using stored queries to produce charts and marquees[edit]

Stored queries produce dynamic information that the system gathers and displays in a bar chart. Agent records that reference each display object in Forms Designer define these queries.

A marquee runs one stored query at a time and can't provide access to actual records. Queries run from marquees that display messages about records.

Contents

- 1 Using menu buttons to run stored queries
- 2 Using stored queries to produce charts and marquees

© Copyright 2026 Open Text

For more info, visit https://docs.microfocus.com