OpenText™ Service Manager

Release notes

Version 9.82

PDF Generated on October 12, 2026

© Copyright 2026 Open Text

Table of Contents

Release notes 3

1 Enhancements 5

2 Fixed issues 7

3 Known issues 15

4 Deprecation and obsolescence 16

5 Release log 23

Release notes

This release of Service Manager introduces new features and enhancements, in addition to fixing approximately 300 issues.

Important

- Starting from Service Manager 9.70, the Service Manager Server for both Windows and Linux platforms is upgraded to the 64-bit version. To migrate to the 64-bit platform, be sure to follow the instructions below:
- The embedded JavaScript engine was upgraded to a higher version in the 9.70 server. To avoid any potential problems, you need to check your existing scripts and pay attention when you add new scripts. See JavaScript tailoring guideline.
- During your deployment, refer to Sizing for detailed sizing practices.

Note

Microsoft has announced the deprecation of Basic authentication in Exchange Online. Based on this fact, we recommend customers who are connecting to the Exchange Online mail server for Smart Email select the Microsoft Graph or EWS with OAuth2 authentication as the mail protocol.

What's new in Service Manager 9.82

Service Manager introduces the following new features.

Platform component updates

Service Manager 9.82 includes updates to underlying platform components and third-party libraries to improve security, supportability, and maintainability.

The following components have been upgraded:

- Spring Framework 7.x
- Jetty Server 12.x
- Eclipse distribution package 4.34
- OpenSSL 3.5.7
- Abseil libraries
- Additional third-party libraries

Microsoft 365 Teams bot enhancement

The Service Manager Teams bot now uses the Microsoft 365 Agents SDK instead of the Bot Framework SDK. For more information see, Set up Virtual agent and Set up agent bot.

Smart Email enhancement

Smart Email now supports Microsoft Graph client credentials grant type authentication with application permissions.

For more information, see Set up inbound email.

Email Out enhancement

Email Out now supports Microsoft OAuth 2.0 authentication.

For more information, see Configure Emailout parameters in SMIS.

SMA-SM Service Portal enhancement

The SMA-SM copy request capability has been enhanced for all users.

Scheduler maintenance enhancement

Service Manager now supports creating maintenance schedules for specific device types and locations.

Feature prerequisites

To work with these new features, you may need to upgrade the server, client, or applications to version 9.82. See the following table for details.

The Service Manager client/server version must be no earlier than the applications version. See Support matrix for more information about client/server compatibility and platform/application compatibility.

Features	Prerequisites
Microsoft 365 Teams bot enhancement	To work with this feature, you need to use Service Manager 9.82 applications and Service Manager 9.82 binaries.
Smart Email enhancement	To work with this feature, you need to use Service Manager 9.82 applications and Service Manager 9.82 binaries.
Email Out enhancement	To work with this feature, you need to use Service Manager 9.82 applications and Service Manager 9.82 binaries.
SMA-SM Service Portal enhancement	To work with this feature, you need to use Service Manager 9.82 applications and Service Manager 9.82 binaries.
Scheduler maintenance enhancement	To work with this feature, you need to use Service Manager 9.82 applications and Service Manager 9.82 binaries.

Added support

Service Manager adds support for the following operating systems and technologies.

Operating systems

- Windows Server 2025
- Red Hat Enterprise Linux 9.4, 9.5, and 10
- Oracle Enterprise Linux 9.4
- Rocky Linux 9.4 and 10
- Novell SUSE Linux Enterprise Server 15 SP6
- SUSE Linux Enterprise Server 16

Databases

- PostgreSQL 17 and 18
- Oracle 21c
- SQL Server 2025

Web application servers

- Apache Tomcat 10.1.0.59
- IBM WebSphere Application Server Liberty 24.0.0.12
- JBoss Web Server (JWS) 6.x

Web server

- IIS bundled with Windows Server 2025

Mobility client

- Android 16.x

Screen reader support

- JAWS Screen Reader software version 2025

For more information, see the Support Matrix.

Discontinued support

For more information, see Deprecation and obsolescence.

New parameters, commands, and files

The following parameters, commands, and files were introduced in this release.

Name	Type	Description
See, emailoutConfigFromSmisOnly	Servlet parameter	Set the **emailoutConfigFromSmisOnly:1** server parameter to use SMIS to configure emailout settings. After this parameter is enabled, the parameters defined in the emailout process through sm.cfg and sm.ini won't work. Instead, those parameter values such as smtphost will only be get from SMIS configuration.

1. Enhancements

Category	Enhancement ID	Description
Applications Web client Windows client	Idea	If the **Use locking** checkbox is selected and the **Lock on display** value is true or the condition evaluates to true, a locking dialog box pops up when you access a record. Now the locking dialog box allows you to choose whether to open the record in read-only mode or not. If you select **No**, then the record won't be opened. Note that when you access a record by clicking Next/Previous in a list page from POWER mode, this enhancement won't be applied and the record will always be opened in read-only mode.
Integrations	Idea	The Rest API Framework newly supports the PATCH HTTP commands. For more information, see RESTful commands.

Related topics

Learn about enhancements and submit more ideas on the SMA Idea Exchange.

2. Fixed issues

Category	Issue ID	Description
Applications	OCTCR19XW2886285	REST responses return operator-local timestamps instead of UTC values for date and time fields.
Applications	OCTCR19XW2725371	Request tasks remain in the waiting phase when the task condition evaluates to false after task creation.
Web Client	OCTCR19XW2830489	Attachment downloads fail in the web client when filenames begin with Japanese characters.
Applications	OCTCR19XW2831631	Deprecated status-check properties generate invalid REUNDELETEDOC log entries during indexing operations.
Applications	OCTCR19XW2744456	Service Manager removes the leading special character from string variable values.
Windows Client	OCTCR19XW2754755	The Actual State CI table loses row formatting and readability in the 9.81 web client.
Smart Analytics	OCTCR19XW2775661	Links in the Smart Ticket confusion matrix do not open in the web client.
Server	OCTCR19XW2734017	SavedRecord values are unavailable on the Change Task (cm3t) table.
Applications	OCTCR19XW2775425	RESTful POST transactions cannot update DurationType fields in change records.
Applications	OCTCR19XW2734687	The Add Favorite action fails when searches use the % wildcard character.
Applications	OCTCR19XW2508688	Repeated report saves alter date query values because of repeated timezone conversions.

Applications	OCTCR19XW2712850	Mass updates on incident records fail when template processing encounters a missing captionString value.
Server	OCTCR19XW2525090	CI suggestion queries fail with a doCount() aggregate-query error.
Applications	OCTCR19XW2526008	Problem-task activity updates display incorrectly because the data is stored in the wrong format.
Smart Analytics	OCTCR19XW2520755	KMReindex fails with a "Data Truncated in POST" error when records contain garbled characters.
Applications	OCTCR19XW2806572	Report preview operations fail with an "Invalid syntax for query" error under specific approval scenarios.
Web Client	OCTCL19XW2829357	Web client tabs can become unresponsive during Database Manager operations.
Applications	OCTCR19XW2761409	Description text loses lines that contain tab characters after a Fill operation.
Web Client	OCTCL19XW2788543	Dynamic View Dependencies (DVDs) do not trigger correctly in the 9.81 web client.
Applications	OCTCL19XW2788523	Combo boxes always select the first value instead of the user-selected value.
Web Client	OCTCL19XW2788470	Autocomplete fields select the first suggestion instead of the value chosen with the mouse.
Applications	OCTCR19XW2383087	Printing records fails when activity logs contain operator names with the "&" character.
Windows Client	OCTCR19XW2728108	The Modify Columns option does not appear initially in report and dashboard search results when record-list display is disabled.

Applications	OCTCR19XW2525420	REST attachment downloads omit the Content-Disposition header for filenames containing Cyrillic characters.
Server	OCTCL19XW2786592	Date and time values display with an incorrect offset after migration from Oracle to PostgreSQL.
Applications	OCTCR19XW2758480	Automation tasks remain in the Execution phase when OO workflows end with statuses such as No Action Taken, Cancelled, or Diagnosed.
Web Client	OCTCR19XW2787883	Slow combo-list response causes incorrect item selection when users type quickly.
Web Client	OCTCL19XW2889120	Service Catalog checkbox user options display excessive vertical spacing in the web client.
Applications	OCTCR19XW2854511	UCMDB displays incorrect error messages for Service Manager data push failures.
Web Client	OCTCR19XW2830143	Values selected from combo-fill lists with the mouse are not retained after saving.
Web Client	OCTCL19XW2817337	Display-name search fields construct incorrect queries when values are selected from dropdown lists.
Web Client	OCTCL19XW2787572	The Script Library magnify view opens without content, preventing full script searches.
Windows Client	OCTCL19XW2786585	The activity.list format displays Nordic characters as HTML-encoded values in the SM 9.81 web client.
Web Client	OCTCL19XW2783350	Custom branding logos do not appear in the main header of the web client in Web Tier 9.81.0017.

Applications	OCTCR19XW2377329	Outage events can become associated with incorrect outage records when incidents are created with earlier outage dates.
Windows Client	OCTCR19XW2729012	Editing certain data dictionaries in the web client can truncate and remove part of the definition after saving.
Smart Analytics	OCTCR19XW2519989	SMA-SM acceptance and rejection comments do not create corresponding activity log entries in Service Manager.
Smart Analytics	OCTCR19XW2928141	Smart Analytics installation fails when a newer Microsoft Visual C++ runtime is already installed.
Smart Analytics	OCTCR19XW2936665	Hungarian special characters are not displayed correctly in SMA-SM search results.
Applications	OCTCR19XW2938323	An invalid query in the `pc.software.files` link causes errors when selecting software part numbers.
Web Client	OCTCL19XW2936194	Web client notifications display stack-trace details instead of simplified error messages.
Applications	OCTCR19XW2913065	Holiday records allow an end date that occurs before the start date.
Applications	OCTCR19XW2824693	The web client includes outdated JavaScript libraries identified during security assessments.
Applications	OCTCL19XW2801512	Emailout logs display an incorrect recipient-format warning although the email is sent successfully.
Web Client	OCTCR19XW2949981	Bulk attachment downloads fail in Web Tier 9.81 after upgrade.
Applications	OCTCR19XW2917021	The View Fields wizard displays fields from the wrong table when modifying inbox views.

Windows Client	OCTCR19XW2802464	Combo lists display value-list entries instead of display-list labels in the web client.
Windows Client	OCTCL19XW2881881	Attachment downloads fail after using a comfill field during interaction creation.
Smart Analytics	OCTCL19XW2848279	SMA-SM Service Portal rejects attachment uploads when filenames contain spaces.
Smart Analytics	OCTCL19XW2851090	SMA-SM sessions can return HTTP 500 errors after remaining idle.
Web Client	OCTCR19XW2809778	Comfill fields display value-list entries instead of display-list labels after a screen refresh.
Smart Analytics	OCTCL19XW2788387	Comments submitted through SMA-SM are stored with HTML tags in activity logs.
Windows Client	OCTCR19XW2761283	Special characters are incorrectly converted to HTML-encoded values in the SM 9.81 web client.
Windows Client	OCTCL19XW2788541	Change task configuration limits the Task Template selection list to the first 1,000 records.
Web Client	OCTCL19XW2747732	Dashboards do not display a loading indicator while large reports are loading.
Web Client	OCTCR19XW2741115	The first collapse of the navigation bar can cause continuous page loading until the browser is refreshed.
Web Client	OCTCL19XW2736323	The Journal Updates Viewer does not display new updates when the date separator is configured as a period (.).
Server	OCTCR19XW2520237	Application upgrades can fail when custom wildcard characters are configured in sm.ini.

Web Client	OCTCR19XW2570107	Catalog user-selection labels display raw HTML tags instead of formatted content.
Web Client	OCTCL19XW2713002	Dropdown menus remain visible when users navigate rapidly through fields with the TAB key.
Smart Analytics	OCTCR19XW2529135	Catalog user selections that contain line-break tags fail to display correctly.
Windows Client	OCTCR19XW2523240	Published knowledge documents display different font styles than those shown during editing.
Applications	OCTCR19XW2520299	Negative cost values exported to Excel include an unexpected leading quote character.
Windows Client	OCTCR19XW2512199	Controls can disappear from view while being dragged in Forms Designer until the format is saved.
Applications	OCTCR19XW2740038	Saving CI relationships persists only a subset of selected configuration items.
Server	OCTCR19XW2716186	Service Manager data dictionary definitions become inconsistent with Oracle schema definitions when NLS_LENGTH_SEMANTICS is configured as CHAR.
Web Client	OCTCL19XW2928582	Activity Viewer and Journal Updates Viewer display operator IDs instead of full names in some modules.
Windows Client	OCTCL19XW2928584	The Froala editor does not correctly handle HTML content copied into certain fields after upgrade to SM 9.81.
Applications	OCTCR19XW2851082	Dashboard pivot buttons do not provide sufficient color contrast in accessible mode.

Applications	OCTCR19XW2926247	REST API attachment uploads fail when filenames contain unsupported special characters.
Applications	OCTCR19XW2851084	Screen readers cannot determine the active state of search-scope toggle buttons.
Applications	OCTCR19XW2851083	Information icons cannot be accessed reliably through keyboard navigation.
Applications	OCTCR19XW2851080	Date and time fields do not provide accessible input-format guidance for screen-reader users.
Applications	OCTCR19XW2848267	Programmatic labels do not match visible labels for some user interface controls.
Applications	OCTCR19XW2848265	The filter menu does not support efficient keyboard navigation with arrow keys.
Applications	OCTCR19XW2848264	The “System Navigator” region is incorrectly exposed as a heading to assistive technologies.
Applications	OCTCR19XW2848263	Checkbox selections are cleared when users navigate through table rows with the keyboard.
Applications	OCTCR19XW2843322	Keyboard focus moves away from the column header after sorting a table.
Applications	OCTCR19XW2754447	Dashboard action buttons require arrow-key navigation instead of standard tab navigation.
Web Client	OCTCR19XW2751477	Error notification bars cannot receive keyboard focus or be dismissed by keyboard users.
Web Client	OCTCR19XW2751476	Text-editor toolbar controls do not provide proper keyboard accessibility or screen-reader support.

Server	OCTCR19XW2802884	Service Manager reports a critical libpng security vulnerability in environment scans.
Web Client	OCTCR19XW2936644	Problem Task journal updates can appear as individual characters instead of a single string.
Applications	OCTCR19XW2848282	Workflow diagrams are announced in alphabetical order instead of phase order by screen readers.
Smart Analytics	OCTCR19XW2848274	Smart Search does not provide the expected accessibility support.
Applications	OCTCR19XW2848281	Non-text UI elements do not provide sufficient visual contrast in accessible mode.
Applications	OCTCR19XW2843330	Toolbar icons are difficult to distinguish in high-contrast display modes.
Applications	OCTCR19XW2843324	Users must navigate through non-editable fields because form sections cannot be skipped efficiently.
Windows Client	OCTCL19XW2788547	Datetime fields reject values entered without seconds in SM 9.72 and later releases.
Web Client	OCTCL19XW2787591	scaccess limiting queries fail in upgraded SM 9.81 environments.
Server	OCTCL19XW2787583	Floating-point values lose precision when stored in PostgreSQL-backed Service Manager systems.
Windows Client	OCTCL19XW2787574	Required Actions links do not open in the web client when interactions enter Callback status.
Web Client	OCTCL19XW2787571	The telephonyuser URL parameter is lost after inactivity timeout in the web client.

Applications	OCTCR19XW2721386	The Activities Viewer uses a prefix match instead of an exact match when retrieving activity records.
Applications	OCTCR19XW2775340	Customers require support for Active Directory channel binding with LDAP authentication.
Server	OCTCR19XW2930011	Duration-based reports display empty charts and NaN values with PostgreSQL databases.
Web Client	OCTCL19XW2928065	Color-coded fields do not immediately update their color indicators when values change.
Web Client	OCTCR19XW2806286	Service Manager memory consumption continues to increase over time in long-running environments.
Applications	OCTCR19XW2756398	RTM:2 tracing no longer outputs memory usage information.
Applications	OCTCR19XW2525272	The sysExec issue reappears after upgrade because the previous fix is not included in SM 9.72p2.
Applications	OCTCR19XW2522305	Notify activities appear in the wrong order in the Activity Viewer.
Web Client	OCTCR19XW2948835	Users cannot copy content from popup windows after upgrading the web tier.
Applications	OCTCR19XW2904028	Smart Email does not support Microsoft Graph integration with Application Permissions.

3. Known issues

Service Manager in this release has the following known issues and limitations. This is a cumulative list of known issues and limitations in Service Manager, including those that are already documented in previous release notes.

Category	Issue ID	Description	Found in version
Integration	OCTCR19X1417836	Agent bot works incorrectly if a Teams user logs in with the Turkish language. This is a known issue of the Microsoft Teams Bot Framework. There is no workaround for this issue.	9.71
Applications	OCTCR19X1568176	You can still visualize CIs or impacts even if the CI is not synchronized from UCMDB. There is no workaround for this issue.	9.70
Server	OCTCR19X1146201	When you perform Text Search for a field configured as IR key, your search returns no result unless the IR key field is configured as comments. There is no workaround for this issue.	9.70
Web client	OCTCR19X1540060	Cannot move the focus to the questions and answers in a closed survey. There is no workaround for this issue.	9.61

4. Deprecation and obsolescence

Deprecated items

A deprecated item is categorized as a component/feature/parameter for which there will be no further enhancement. It will continue to be supported till a notice of obsolescence is published. In addition, bug fixes and support cases will be handled till such time that the deprecated item becomes obsolete.

The following items are now deprecated.

Deprecated item	Description	Deprecated since version
system_createupperindex		9.72
sqlupper		9.72
sqldisconnect		9.71
Usage Hub		9.70
The Spell Check button in the embedded rich-text editor in the Contribute New Knowledge function	Now you can use the built-in spell checker of a web browser.	9.64
The Spell Check button in the Detail List toolbar in the web client UI	Now you can use the built-in spell checker of a web browser.	9.64
Executive Scorecard		9.63
CI visualization using Java Applet	We strongly recommend the customers who are using Java Applet for CI visualization to upgrade the Service Manager applications to version 9.50 or above, and then set up SM-UCMDB integration to visualize the CI relationships. For more information, see Centralized CI visualization and impact analysis.	9.62
ir_trace		9.62
ir_autostop		9.62
ir_boost_same_sequence		9.62
ir_cluster_closeness		9.62
ir_cluster_symbol		9.62
ir_languagefiles_path		9.62
ir_max_clusters		9.62
ir_max_relevant_answers		9.62
ir_max_shared		9.62
ir_min_cluster_members		9.62
ir_minidf		9.62
ir_opt_path		9.62
ir_prefix		9.62
ir_query_drop_off		9.62
ir_term_drop_off		9.62

ir_timelimit		9.62
ir_asynchronous		9.62
alertirqueuelimit		9.62
sleep		9.62
sslProtocols	You can use the sslEnabledProtocols parameter instead.	9.61
Help center installation package	The Service Manager help centers (Codeless and Hybrid) are published on our information portal. There are no installation packages available for customers to deploy the help centers on their own web server or local host. Customers can configure the web tier or Windows client to point to the public Codeless or Hybrid help center for this release: • Web tier parameters: **showHelp**, **helpServerHost**, **helpServerPort**, **helpServerContext** • Windows client: **Window** > **Preferences** > **Help Server**	9.60
SM Doctor		9.60
acceptfastinfoset		9.50
maxGroupSize		9.50
ir_max_deep_distance		9.50
ir_max_shallow_distance		9.50
allowed	This parameter is only deprecated if your Service Manager applications are upgraded to version 9.50 or later.	9.50
Forbidden Attachment File Extensions	This parameter is only deprecated if your Service Manager applications are upgraded to version 9.50 or later.	9.50

Obsoleted items

An obsoleted item is categorized as a component/feature/parameter that's no longer supported.

The following items are no longer supported.

Obsoleted item	Description	Obsoleted since version
Lync Agent	To align with Microsoft's announcement, Service Manager 9.80 discontinues the support of Lync Agent.	9.80
ir_sql_limit		9.80
Usage Hub		9.80
usagehubaddress		9.80
Internet Explorer (IE) 11		9.72
usemembar	Startup parameter	9.71
WebSphere Application Server (WAS) 9		9.71
Create an anubis agent record Create an anubis schedule record	This is the old method to restart stopped background processes automatically. For better system performance, we recommend using the *enableAnubisMonitor* and *anubisPollInterval* parameters instead.	9.71
Regen All IR Keys option in Database Dictionary	You can run the `sm -upgradeir` command to regenerate IR indexes instead.	9.71
Windows Server 2016, 2012R2, 2012		9.70
Red Hat Enterprise Linux 8, 7.7, 7.6, 7.5, 7.4, 7.3		9.70
Oracle Enterprise Linux 8, 7.7, 7.6, 7.5, 7.4, 7.3		9.70
Novell SUSE Linux Enterprise Server 12 SP4, 12SP3		9.70
CentOS 8, 7.7, 7.6, 7.5		9.70
PostgreSQL 10, 9.6		9.70
Oracle 18c, 12c, 12.1, 12.2		9.70
SQL Server 2017, 2016		9.70
Microsoft Hyper-V 2016, 2012R2, 2012		9.70
KVM		9.70
WebSphere Application Server (WAS) 8.5		9.70

JBoss Enterprise Web Server (JWS) 3.1		9.70
IBM HTTP Server 8.5		9.70
Apache Tomcat 8.x, 7.x		9.70
iOS 12.x, 11.x		9.70
Android 9.x, 8.x		9.70
Windows 8.1		9.70
VMWare vSphere 6.x		9.70
Crystal Report		9.70
Solr Search Engine		9.70
Service Manager Service Portal		9.70
Release Control		9.70
Service Request Catalog		9.70
SC Legacy Listener		9.70
SCAuto for NNM (7x) 3.1 SCAuto for OMW1.5.0 SCAuto for OMU1.5.0 SCAuto Applications (including SCMAPI)	All SCAuto products are obsoleted except for the *ServiceCenter Automate (SCAuto) Software Development Kit (SDK)*. For SCMapi, you can use Smart Email - Automatic record fields update as an alternative solution.	9.70
Red Hat Enterprise Linux 6.x		9.70
Oracle Enterprise Linux 6.x		9.70
usedmemcompmode		9.70
gcthreshold:n		9.70
jssignalexceptions:0		9.70
memoryquotapersession:n		9.70
maxmemoryperthread:0		9.70
printexceptionstackfrequency:3		9.70
memusagereportgranularity:n		9.70
msg_buffer_size:8192		9.70
logperthread:n		9.70
memdebug:n		9.70

utallocmode:n		9.70
serverjvm:1		9.70
que:		9.70
restart		9.70
restartRandMax		9.70
restartGraceInterval		9.70
VMWare vSphere 5.x		9.63
SQL Server 2014 SP2		9.63
Legacy CTI method	Oracle has announced that the existing Applet support in Java SE 8 will continue through March 2019, after which it may be removed at any time. For more information, see the Java Client Roadmap Update white paper. By following the overall approach, we strongly recommend the customers who are working with the legacy method in Service Manager web client inbound CTI implementation to adopt the new method. You must upgrade both the Service Manager platform and the applications to version 9.50 or later.	9.62
Workflow diagram view using Java Applet	We strongly recommend the customers who are using Java Applet for diagram view to upgrade your Classic Service Manager to the Hybrid or Codeless mode, and then view the diagrams in Process Designer workflows.	9.62
Android 7.x		9.62
iOS 10.x		9.62
Novell SUSE Linux Enterprise Server 11 SP4		9.62
Apache HTTP Server 2.2		9.61
Tomcat 8.0.x		9.61
Novell SUSE Linux Enterprise Server 12 SP2		9.61
Tomcat 7.x		9.60

Android 6.x, 5.x, 4.x		9.60
iOS 9.x, 8.x		9.60
Microsoft SQL Server 2012		9.60
Windows 7		9.60
SRC tablet app		9.51
Internet Explorer 10		9.50
Novell SUSE Linux Enterprise 10 SP1		9.50
HP-UX (all versions)		9.50
Solaris (all versions)		9.50
AIX (all versions)		9.50
IIS 7.5		9.50
Windows 8		9.50
Windows Server 2008 R2, 2008		9.50
Oracle 11g		9.50
DB 2 (all versions)		9.50
Microsoft SQL Server 2008 R2, 2008		9.50
IBM WebSphere Application Server (WAS) 7		9.50
iOS 7.x		9.50
BlackBerry (all versions)		9.50
Client Automation integration (all versions)		9.50
Discovery and Dependency Mapping Inventory integration (all versions)	Replaced by UCMDB	9.50
Enterprise Collaboration integration (all versions)	Replaced by SMC	9.50
Microsoft System Center Configuration Manager integration (all versions)	SCCM 2003 and 2007 are EOL. This integration is replaced by UCMDB	9.50
Service Health Analyzer integration (all versions)		9.50

Related topics

Enhancements
Fixed issues
Known issues

5. Release log

The Service Manager release log is a cumulative list of features introduced in each release. When you perform a one-step upgrade from a much older release, you skip various intermediate versions. This log helps you with a quick review of all the new features that were added for each release version.

9.81

Integrations

Atlassian Jira integration

In addition to Jira Cloud, now Jira Data Center is also supported when you set up the integration between Service Manager and Jira.

For more information, see Configure the settings in Jira and Configure the settings in Service Manager.

RESTful commands

The Rest API Framework newly supports the PATCH HTTP commands.

For more information, see RESTful commands.

Security improvements

OAuth 2.0 Code Authentication Support

The OAuth 2.0 Code Authentication Support Solution is now implemented across the whole SM components and different vendors, including:

- Teams
- Smart Email
- Email Out
- Gmail

For more information, see Set up inbound email, Set up the integration for war room experience, and Configure Emailout parameters in SMIS.

9.80

User experience

Activities feature improvement

Service Manager 9.80 enhances the Activities feature by embedding the **Journal Updates Viewer** and **Activities Viewer** widgets in the Activities tab.

- On the **Journal Updates** tab, the New Updates field is now an HTML Editor control that enables you to enter notes with standard HTML formatting. The Journal Updates section is now a Journal Updates Viewer widget that displays all notes with IT agents' names, portraits, and timestamps in chronological order, improving the readability significantly.
- On the **Activity logs** tab, the Activities Viewer widget replaces the original table control and displays all activities for the current record with standard HTML formatting. On the right side of each activity record, there is a notable tag with different background colors that specifies the update types. To shorten the list, you can filter the activities by activity type and user.

For more information, see Forms Designer controls and tools.

Note: If you're working with customized forms and upgrading to version 9.80, you may need to do some tailoring to adopt the latest changes for the activities feature. For more information, see HTML formatting for Activities feature.

Auto Complete mode for drop-down fields

In addition to the default `startsWith` mode, you can now switch the Auto Complete mode to the `contains` mode for drop-down fields. For more information, see combo.autoCompleteMode.

Task attachments of parent records

Now when you open a Problem/Request/Incident/Change task record, you can view the attachments of its related parent record on the **Attachments** tab.

Integrations

ALM integration without ALM Synchronizer

In earlier Service Manager versions, when setting up defects and requirements exchange between Application Lifecycle Management (ALM) and Service Manager (SM), you need to install the middleware of ALM Synchronizer with its add-in. However, the committed support for ALM Synchronizer has come to an end on May 31, 2023. As a replacement, the SM-ALM integration is achievable through Integration Manager (SMIS) alone in Service Manager 9.80. This improvement to the SM-ALM integration brings the following key benefits:

- Eliminates installation and the dependency on the ALM Synchronizer and its add-ins
- Avoids the compatibility and upgrade issues between the various software versions of SM, ALM, and the middleware
- Aligns with other SM integrations and simplifies the configuration process by using SMIS

For more information, see ALM.

Atlassian Jira integration

The SM-Jira integration seamlessly incorporates Service Manager Incident/Change Management into Atlassian Jira Software's Bug/New Feature issue types and improves the efficiency of agile teams. Out of the box, this integration supports the following scenarios.

- Synchronizing Service Manager Incident with Jira bug (SM Incident -> Jira Bug)
- Synchronizing Service Manager Change with Jira new feature (SM Change -> Jira New Feature)

For more information, see Atlassian Jira.

Java 17 support

To align with Oracle Java SE Support Roadmap, Service Manager 9.80 drops support of Java 11 and now operates on Java 17.

Rebranding

OpenText rebranding

This release implemented product rebranding to align with `OpenText` styles. You'll see a revamped login screen for the Service Manager software interface. However, if you had previously customized the logos, please note that they may not appear as appealing as before. For more information, see Branding the web client.

Web client branding enhancement

Now you can change the background color and the primary color of the main page. For more information, see Branding the web client.

Security improvements

TLS 1.3 support

Service Manager supports TLS 1.3 in this release. To enforce the TLS 1.3 protocol, see TLS 1.3 support and configuration.

OpenSSL upgrade

OpenSSL is now upgraded to version 3.0, which is the latest Long-Term Support (LTS) release of the OpenSSL library.

Consistency of encryption key

The system checks if the `encryptionkey` value is consistent on each host when you start the Service Manager server.

Miscellaneous improvements

Installation

Service Manager 9.80 consolidates the language packs into one installer in the Language Pack installation package for Windows installation. You can run the installer (setup.exe) to start the installation on Windows, and then select one or more language packs you want to install. For more information, see Install the Service Manager 9.80 language packs.

Notifications

- Now you can use the **Save the email attachments to records** option to store the attachments of a smart email to an interaction, an incident, or a change record where the smart email resides. For more information, see Configure Smart Email settings.
- When sending an email, you can configure the Cc and Bcc recipients in either the Send HTML Email rule or the Notification table. For more information, see Add a Send HTML Email rule and Add a notification definition record. **Note:** The Cc and Bcc functions don't work if a Smart Email consists of tokens.

License report

The ESS license information is now available when you generate a license report by using commands or when you view/export the license information from Scorecard.

Remove contents from adaptive learning

You can now remove unwanted content from adaptive learning. For example, you may remove the email address or phone number contents so the system won't index these words and phrases for search. For more information, see Configure data cleansing.

Case sensitivity

You can set case sensitivity at Oracle database user session level, which requires less database privileges. This is helpful especially in cloud environments. For more information, see Set case-sensitivity at Oracle database session-level.

Supportability

Background process troubleshooting
In addition to debugging with the *rtm:3* parameter, now you can use the `ScheduleInfo` JavaScript to print background process information to log when the scheduler processing a schedule record. For more information, see Print background process information to log.

Login audit
The authentication mode information is also included in the syslog file.

The sqltimeoutlimit parameter for long queries
The sqltimeoutlimit parameter is introduced to stop long queries on expert search and advanced filter. When the query execution time is longer than the time set in the `sqltimeoutlimit` parameter, the query will be terminated in Oracle server.

Added support

Service Manager adds support for the following operating systems and technologies.

- Novell SUSE Linux Enterprise Server 15 SP5
- Rocky Linux 9.3
- SQL Server 2022
- PostgreSQL 15, 16
- Oracle Identity and Access Management 12 or higher
- IBM WebSphere Application Server Liberty 23.0.0.12
- JBoss Web Server (JWS) 5.7
- Azure AD as the LDAP server
- Microsoft Hyper-V 2022
- JAWS Screen Reader software version 2024

New parameters, commands, and files

The following parameters, commands, and files were introduced in this release.

- sqltimeoutlimit
- jsaccesscheckforadmin
- mbeanclientlogin
- tooltipAutoHide
- combo.autoCompleteMode

Parameter changes

The following table lists the parameter changes in this release.

- Smart Search Settings >Page size for drop-down list of library field filters
- sslEnabledProtocols
- pgsslEnableProtocols
- ciphers
- pgsslEnableCiphers

9.72

Drop Internet Explorer 11 support

To align with Microsoft's announcement, Service Manager 9.72 discontinues the support of Internet Explorer 11. The system displays a warning page if customers try to access the web client with Internet Explorer. Instead, we recommend using one of these certified browsers: Microsoft Edge, Mozilla Firefox, or Google Chrome. Note that the Internet Explorer mode in Microsoft Edge isn't supported as well.

By following the overall approach, we strongly recommend the customers who need the Applet-sensitive features (including telephony (CTI), workflows, and CI visualization) in Service Manager adopt the following alternative solutions:

- Customers who are working with the legacy method in Service Manager web client inbound CTI implementation can adopt the new method. The new method uses native HTML and JavaScript instead of the CTI applet, and therefore eliminates the dependency on your browser's ability to support Java applet technology.
- Customers who are using Java Applet to view workflows can upgrade the Classic Service Manager to the Codeless mode, and then view the diagrams in Process Designer workflows.
- Customers who are using Java Applet for CI visualization can use one of the following solutions.
    - Use the default diagram viewer that has been refined to view the native graphs
    - Integrate with UCMDB server and CMS gateway, and then use the new CMS Topology control to view the CI Topology graph and CI Impact Service graph
    - Integrate with UCMDB server and UCMDB UI, and then use UCMDB UI widgets to view the CI Topology graph and CI Impact Service graph

  For more information about the CMS Gateway, see the *CMS Gateway overview* topic in the Universal Discovery and CMDB Help Center. For more information about the CMS Gateway settings, see How to add UCMDB connection information.

Security improvements

Two-Factor Authentication (2FA) support

Service Manager now supports Two-Factor Authentication (2FA) to verify the identity of end users. For more information, see Two-Factor Authentication.

Key management for smmasterkey

You can now rotate and change the storage location of `smmasterkey`. For more information, see Key management for smmasterkey.

HTTP/HTTPS basic authentication

Based on the RFC 2617 authentication scheme, the colon (":") character is not allowed to be used in usernames. For more information, see Solution.

This update includes changes in Service Manager server. To work with this update, you need to use Service Manager 9.72 server.

Integration

Microsoft Teams integration

- When an IT agent updates a record or requires further communication, Service Manager automatically routes a new notification to Microsoft Teams as a timely reminder. For example, when the status of an Incident becomes Resolved, the contact of this Incident will receive a message from the integration operator on Teams that claims **Incident IM##### has been resolved**. The specific settings for sending messages are defined either on the Notification Definition form or in Service Manager Rule Sets.
  For more information, see Set up Teams notification.
- The new release supports localization for the Microsoft Teams virtual agent. Languages including Arabic, French, German, Italian, Japanese, Simplified Chinese, Spanish, Brazilian Portuguese, and Korean are supported. The virtual agent may display unduplicated language selections based on the operator's and system language settings in Service Manager, and Microsoft Teams environment language.
  For more information, see Set up virtual agent.

ALM Octane integration

In the integration between Service Manager (SM) and ALM Octane in your release lifecycle, Service Manager acts as the service provider and tightly couples features/defects management in ALM Octane with the Change Management capability in SM. During SM Change implementation, the integration between Service Manager and ALM Octane synchronizes SM Changes to ALM Octane defects/features so that they can be managed, tracked, and resolved more efficiently and more user-friendly through Octane's full lifecycle management of defects/features.

For more information, see ALM Octane.

Integrate with Confluence Knowledge Management

With the Confluence connector, Service Manager Smart Analytics now extracts both Cloud and on-premises Confluence pages and then executes natural language processing for Knowledge Management.

Service Manager 9.72 doesn't include new Smart Analytics packages. The latest Smart Analytics packages are shipped with the Service Manager 9.71 Patch 1 release. See Overview of Service Manager 9.7x Releases for Smart Analytics download, and see Smart Analytics installation for detailed installation instructions.

SM-SMAX Case Exchange

Service Manager now utilizes an updated API to make the SM-SMAX Case Exchange integration work. For more information about the API update in SMAX, see Authentication endpoint service.

SM-UCMDB integration

UCMDB 2022.11 introduces a new version of the ServiceManagerEnhancedAdapter9-41 adapter that is included in the release. The SM-UCMDB integration functions are unaffected by this update.

Accessibility

Service Manager Collaboration CVAA improvement

The Twenty-First Century Communications and Video Accessibility Act (CVAA) is an accessibility law that seeks to level the field for people with disabilities. As an instant messaging solution combining IT Collaboration and End User Chat, Service Manager Collaboration now has the following accessibility improvements to make the chat function more accessible to an end user.

Conversation in Accessible view

- When an IT agent moves the focus to the Chat Request button, Service Manager displays a meaningful label that includes the number of incoming chat requests.

- The chat request panel now provides a **More** link to each chat request. An IT agent can move the focus to the **More** link and then press Enter to view the detail of a chat request.
- In a conversation window, an IT agent can move the focus to the **More** button to view the detail of a chat request. In addition, when the focus is on the **...** button, a screen reader (JAWS) can recognize this button and indicate that there is a pop-up menu.
- When adding participants to a conversation, a screen reader (JAWS) can now recognize the participants panel as a tree. An IT agent can use the corresponding keystroke to operate quickly.
- When an IT agent presses Alt+Ctrl+V to check the coming chat request notification, a screen reader (JAWS) now provides hints so that this IT agent can press Enter to start a conversation.

Conversation in Self-Service Accessible view

- An end user can press Alt+Ctrl+C to open the chat window and start a conversation.
- A screen reader (JAWS) can recognize and read out the live messages.

User experience

Service Manager Survey

Service Manager Survey templates now support images. You can add images to the answers to surveys so that the questionnaires in both the SMA Service Portal and the Employee Self-Service (ESS) Portal display the survey answers with vivid icons. Meanwhile, you can also adjust the layout of the answers.

For more information, see Create a survey template.

Service Catalog

- The Dynamic Field Validations of a user option now include a new **Read-Only Condition**. When a customer orders a Service Catalog item, Service Manager displays a user option as read-only or editable. This display depends on the condition validation. For more information, see Add user selections in a Service Catalog item.
- Now you can configure the default values for a user selection in a Service Catalog item. For more information, see Add user selections in a Service Catalog item.
- Now when you are editing the detailed description of Service Catalog items in the HTML editor, you can work with the **Insert an image**, **Insert a link toward an attached file**, and **Insert a link toward another record** features.

Miscellaneous improvements

Documentation

We have added IdM to the Cloud deployment documentation as an optional component. IdM is required if you want to configure the SAML-based single sign-on or OIDC-based single sign-on with an external identity provider.

For more information, see Install Identity Manager (IdM) on AWS and Install Identity Manager (IdM) on Azure.

Added support

Service Manager adds support for the following operating systems and technologies:

- Red Hat Enterprise Linux 8.4, 8.6, 9.0
- Oracle Enterprise Linux 8.6, 9.0
- Novell SUSE Linux Enterprise Server 15sp4
- Windows Server 2022
- Windows 11 Pro
- PostgreSQL 14
- IIS (bundled with Windows Server 2022)
- iOS 16.x
- Android 13.x
- Microsoft Hyper-V 2022

For more information, see the Support Matrix.

New parameters, commands, and files

The following parameters, commands, and files were introduced in this release.

cms.truststore
cms.truststore.password
sm -keyrotate:n
sm -keyexport
sm -keyimport

9.71

Platform

Java 11 support

To align with Oracle Java SE Support Roadmap, Service Manager 9.71 drops support of Java 8 and now operates on Java 11.

Microsoft Teams integration

Microsoft Teams is a chat-based workspace in Microsoft 365 that provides built-in access to team-specific resources. The integration between Service Manager and Microsoft Teams is a simplified collaboration model that enables people to exchange information rapidly and provides automated procedures to create and manage tickets.

Compared to traditional collaboration ways, the Teams integration provides the following highlights:

- Ensure speedy resolution of critical issues by allowing IT agents to open Teams conversations directly from a major Incident.
- Reduce manual work, improve productivity and efficiency by automating the creation and management of Service Manager tickets directly in Microsoft Teams through an agent bot.
- Reduce IT support costs by providing knowledge article links and automating the creation of Service Desk tickets through a virtual agent.

For more information, see Microsoft Teams.

Scorecard

The landing page of the scorcard is newly introduced to provide a quick overview of servlet, license, and user information. From the scorecard interface, the **User Information** module is now available for administrators to view the following information:

- Client type: The number of users that currently logged in to the system based on each client type
- History of online users: The total number of users logged in at particular point of time
- User login history: When any user logs in, the information will be recorded in the login history for tracking purposes You can filter the user login history by selecting:
    - Host name
    - Process ID
    - License type
    - Client type
    - Username

The  **Settings** icon is newly added for administrators to configure the Scorecard settings.

For more information, see Scorecard.

High availability support

Background process high availability support

Service Manager background processes support high availability and a Service Manager production system can process the tasks in the scheduled queue more efficiently. In the event of server restart or server failure, the other servers continue to work on the same class of tasks. For more information, see Set up background processes with high availability.

High availability PostgreSQL with Patroni

You can now create a PostgreSQL High Availability cluster with Patroni, Etcd, and HAProxy/F5 on RHEL8 environments. For more information, see High availability PostgreSQL with Patroni.

High availability setup documentation

The Set up high availability environment topic is now available and provides consolidated information about how to set up high availability across Service Manager components.

Security improvements

OAuth 2.0 authentication support

You can now configure the OAuth authentication in IdM to verify the identity of end users. For more information, see OIDC-based Single Sign-On.

Smart Email

- Smart Email now supports TLS1.2 when connecting to an email server by using either the IMAPS or POP3S protocol.
- Service Manager now supports OAuth 2.0 authentication with delegated permissions when using EWS to connect to a mailbox for Smart Email. For more information, see Set up inbound email.

Service Manager Security Guide

The Service Manager Security Guide is updated for Service Manager 9.6x and 9.7x systems. This guide is intended for Service Manager implementers and system administrators who need to implement their Service Manager environment in a secure manner.

Miscellaneous improvements

Service Catalog

A Service Manager Service Catalog administrator can now define JavaScript to get external data and populate one or more related fields for a user selection in a Catalog item. After the Service Catalog administrator defines the JavaScript for a user selection in Service Manager, the system will populate one or more related fields with the value returned by this JavaScript. An end user can fill these fields as required when ordering this Catalog item from the ESS portal or SMA Service Portal. For details, see Add user selections in a Service Catalog item or bundle.

Note: To use this feature, the Display Type of a user option must be **Text** and the Type of this user option must be **String**.

Feature Tracker

- The Related Objects section now has pagination.
- The Search Feature Tracker Records page now has more filter criteria. By using the **Open** and **Closed** checkboxes, you can search for the feature or release records by the records' current phase. By using the **Owned by me** checkbox, you can search for the feature or release records that you own.

Smart Search

This release supports global search with keywords in Teams conversation by using the **Index Chat History** option. For more information, see Manage Smart Search Knowledgebases.

Enhanced search configuration in Request Fulfillment

When you click **Search Requests** in System Navigator, the search form now has the **Service** and **Affected CI** fields that enable you to search for a Request record by the affected CI or affected Service.

Support IDM authentication token in Collaboration

Service Manager Collaboration now supports Identity Manager (IdM) authentication on the chat server and chat service. For detailed instructions, see Configure IdM authentication in Collaboration.

Email processing from the eventout

The `evprocessed` field is newly added to the eventout table to identify whether the email eventout records are processed (`evproccesed=true`) or not (`evproccesed=false`).
Email processing from the eventout is now dependent on this `evprocessed` field instead of the the checkpoint number in

the **scmail.chk** file.
When scemail starts, it reads the `evprocessed` value and sends emails for the eventout records with `evprocessed` set as `false`, and then update `evproccesed` to `true` when completed (unless the events are deleted by Event Services after processed).

If you want to re-send emails for some processed records, you can change the value of the `evproccesed` field from `true` to `false` by using Mass Update.

Added support

Service Manager adds support for the following operating systems and technologies:

- Red Hat Enterprise Linux 8.3, 8.4
- Oracle Enterprise Linux 8.3, 8.4
- Novell SUSE Linux Enterprise Server 15sp2, 15sp3
- iOS 15.x
- Android 11.x
- Red Hat Enterprise Linux 8.5 (Supported as of Service Manager 9.71 patch 1)
- Oracle Enterprise Linux 8.5 (Supported as of Service Manager 9.71 patch 1)

For more information, see the Support Matrix.

New parameters, commands, and files

The following parameters, commands, and files were introduced in this release.

expandSmartSearch
idm.authGroupName
idm.cookieName
ntlogin
idmsyncuser
idmendpoint
idmhttpuser
idmhttppassword
idmssltrustall
idmtruststore
idmtruststorepassword
idmtruststoretype
idmkeystore
idmkeystorepassword
idmkeystoretype
checkAttachmentLegal

9.70

Platform

Service Manager Server 64-bit version

Service Manager Server 64-bit version for both Windows and Linux platform is available in this release, providing improved performance, stability, usability and security:

- The 4GB memory limitation for 32-bit applications no longer exists for 64-bit applications.
- The cluster deployment is now simplified and can be performed with less effort than before.
    - The default number of concurrent user sessions for each process is increased from 50 to 250;
    - The certified range of concurrent user sessions for each process is increased from 50-100 to 150-450.
- This version contains a variety updates of 3rd party libraries for stability and performance improvement purposes.

- The embedded Mozilla SpiderMonkey JS engine is upgraded to a higher version, which introduces the following new enhancements compared with the previous JS engine :
    - The upgraded JS engine supports 100% JavaScript 5 standard and 75% JavaScript 6 standard, while the previous JS engine only supports JavaScript 3 standard.
    - The IonMonkey JIT JS compiler can directly compile the JS code into the native binary code of X86/X64 CPU, so the execution speed is much faster than the previous version.
    - The upgraded JS engine is written in 64-bit highly efficient C++ 11 code, while the previous JS engine is written in 32-bit pure c code.

You can choose one of the following scenarios that best fits your situation to migrate to the 64-bit platform:

- Perform a new installation of Service Manager 9.70 for both server and applications.
- Install the 64-bit server only, while keep your applications in version 9.5x or 9.6x. In this case, you need to apply the **64bitCompatible_SM970_SM950.unl** unload file.
- Install the 64-bit server, and then upgrade your applications from version 9.3x/9.4x/9.5x/9.6x to 9.70 using the Service Manager 9.70 Upgrade Utility.

For instructions on how to install and configure the Service Manager Server, see Install the Service Manager Server.

Upgrade JGroups to 4.2.2

This release brings an upgrade of your JGroups (in the RUN/lib directory) to version 4.2.2 to increase performance and stability.

- Upgrade the JGroups .jar file to version 4.2.2. For more information, see Service Manager third-party components.
- Upgrade the server configuration files: udp.xml, udpcluster.xml, tcpcluster.xml. For more information, see Configuration files.

FIPS

The JCE provider of RSA BSAFE® Crypto-J has reached the end of support. Based on this fact, this release replaces RSA BSAFE® Crypto-J with Bouncy Castle and provides the FIPS mode jar. If you are an existing customer, you need to either convert your existing certificates to BCFKS format or regenerate new BCFKS certificates. For more information, see Configuring FIPS mode in Service Manager.

As a courtesy, the company provides a new version of the certificate generation toolkit to help you generate or convert certificates for a Service Manager deployment in an automated way. For details, see Work with the certificate generation toolkit.

IR stop words

You can now configure the stoplist in the newly introduced IR Stop List Management tool to define the stop words for IR search in the out-of-box system.

This feature is for Oracle and MS SQL Server databases only. For PostgresSQL databases, you can still use the existing ir_stoplist parameter to specify your stoplist.

Note:
For Oracle database, IR no longer requires the following additional privileges for $SM_DB_USER:

```
GRANT SELECT ON DBA_LIBRARIES TO $SM_DB_USER;
GRANT SELECT ON DBA_DIRECTORIES TO $SM_DB_USER;
GRANT CREATE ANY DIRECTORY TO $SM_DB_USER;
```

If you have granted these privileges before, you can now revoke some or all of these privileges as required.

Database reports

Service Manager database report works with third-party reporting tools to provide visualized reports generated from your queried database view for the purposes of analysis, data discovery, and so on. You can either review the sample report configuration in Service Manager to determine which tables, fields, and filters are used for the development of the report or create your own management reports using these details. After your customization, you can create the corresponding

report views in the database. To generate visualized reports from your queried database, you need to use a third-party reporting tool (such as Microsoft Power BI) to access the Service Manager database and then generate the reports as required.

For more information, see Database Reports.

User experience

SLM visualization

Both the Incident and Interaction queues now provide the **Next SLA Target Time** and **Next OLA Target Time** columns that display the operation status of the Service Level Targets (SLTs). The progress bars visualize the natural time and the color indicators show the status of the remaining time for the latest expiring SLTs of a record.

In addition, this release also adds the **SLT View** tab to the out-of-the-box Incident and Interaction forms. This tab displays the operation status for all SLA, OLA, UC, and the related SLTs of a record. The progress bars consist of various color indicators and visualize the actual working time of the process targets. You can view the definition of all indicators and duration of a color indicator by tooltips.

For more information, see Visualize Service Level Management.

Scorecard

With Scorecard, the system administrator can get an overview of the in-time and visualized SM Server health information:

- You can have an overview of system scaling structure and the health information for each host in the **Servlet Status** tab.
- You can have an overview of applied license information under the **License Status** tab.
- You can export or print the servlet or license information as a formatted report.

For more information, see Scorecard.

Forgot password

Service Manager now provides the forgot password function. When you forget the login password, you can reset the password through the Service Manager web client login page on your own. For more information, see Passwords.

As a prerequisite, a Service Manager system administrator must enable the forgot password function, configure the system security questions, and then configure the related settings. For more information, see Enable the forgot password function and Configure system security questions.

Note: The forgot password function is only available for either of the following scenarios:

- The Service Manager server uses database authentication and the users' passwords exist in the database. In this scenario, the web client login page provides a default Forgot Password link after you enable the forgot password function. Users can click this link to go to an internal password reset page.
- The Service Manager server uses another authentication that has the forgot password function. In this scenario, the web client login page doesn't provide a default Forgot Password link and you must configure Web parameter: externalForgotPasswordUrl. After you enable the forgot password function, users can click the Forgot Password link to go to an external password reset URL as you specified in the *externalForgotPasswordUrl* parameter.

We recommend you to enable SSL before enabling the forgot password function.

System Navigator search

The Service Manager Windows client and web client Power User view now provide a search line embedded in the System Navigator. When the toggle button beside the search line is **Include Favorites and Dashboards**  , you can search in both the system menus and the entries in Favorites and Dashboards. Click this button to switch to **Exclude Favorites and Dashboards**  , you can search in system menus only. By default, the search string must consist of at least two characters. To define the minimum length of your search string when performing System Navigator searches, see Web parameter: searchMinChars.

The search behaviors differentiate slightly between the Windows client and the web client. For more information, see Windows client.

Note:

- Your search string is case-insensitive. In addition, you can't search for records in the System Navigator.
- The toggle button only has the **Include Favorites and Dashboards** status when you are managing the favorites.

Smart Email

- Microsoft announces the plan to stop supporting and fully decommission the Basic Authentication for Exchange Web Service (EWS) to access Exchange Online. Based on this fact, the system now supports OAuth 2.0 authentication when using EWS to connect to a mailbox for Smart Email. For more information, see Set up inbound email.
- The system can create a Change record upon the receipt of a new email message. Meanwhile, the system can update an Incident, an Interaction, or a Change record when receiving a new email message of a particular format. For more information, see Automatic record fields update and Set up inbound email.
- When Service Manager fails to process an inbound email, the system automatically sends an outbound email with detailed information about the originating email. This information may include the subject of the unprocessed email, the requester's mail address, and so on.

Smart Analytics

- This release introduces a new version of Smart Analytics based on IDOL 12.3. Now **Image (Proxy) Server** is replaced by **Media (Proxy) Server** and **HTTP Connector** is replaced by **Web Connector**. For more information, see Install and configure Smart Analytics.
- You can now decide if Smart Search will automatically detect the language to use in search terms by customizing configurations on the **Smart Search Settings** page. See Customize Smart Search settings for more information.
- You can now define filter fields in Smart Search Configuration to narrow the search results.

DevOps

Feature tracker

Feature Tracker, which is previously shipped as a content pack, is now available in Service Manager out-of-the-box. This solution enables you to manage and maintain objects changed for tailoring purposes inside Service Manager upon integration with a Git code repository. It offers capabilities to commit all code changes, but also deploy all code changes into different environments from within Service Manager application itself. For more information, see GIT version control process.

Accessibility

- Service Manager web client accessible view (accessible.do and accessible_ess.do) now supports JAWS 2020 and Chromium-based Edge.
- The browser title now displays the Main Region Title.
- The focus now displays an ellipsis tip for truncated texts.
- The system now highlights the first menu item after opening the **More** menu.

Miscellaneous improvements

Tags

This release provides the **Tag Based on Assignment Groups** option that enables tag assignment group support. When you are typing tags, the auto-suggestion list displays the most commonly used tags in your assignment groups on top of others.

For more information, see Working with tags.

Service Manager Server Configuration utility

When you run the configuration utility for the Service Manager Server, a new configuration is introduced to set your deployment environment:

- Demo: Load demo data and set all demo users' password as expired.
- Production: Load configuration data; Purge all demo data except for the falcon account. Set falcon account's password as expired.

For more information, see Run the Service Manager Server configuration utility.

Service Catalog

This release enhances the HTML Editor control and supports hyperlinks in the standard toolbar. When you are adding user selections to a Service Catalog item or bundle, the Name, Label, and the Help Description fields now support the HTML Editor control renderings and you can add font style (bold, italic, color, and underscore) and hyperlinks to these text fields. The text with the renderings will be displayed on the user selection subform being created.

Note:

- From the usability and accessibility point of view, we recommend you not to add the hyperlinks to the text labels directly. Instead, you can add some additional texts next to the text labels, and then add the hyperlinks to these additional texts.
- On the Windows client, you can't apply the HTML Editor control renderings to the display type of Checkbox and Pick List with display choice of Radio Buttons.

Javascript editor

The Javascript editor in Service Manager web client now has line numbers, displays monotype font, and provides syntax highlighting. For more accessibility information, see Keyboard shortcuts for Javascript editor.

Added support

Service Manager adds support for the following operating systems and technologies:

- Red Hat Enterprise Linux 8.2
- Oracle Enterprise Linux 8.2
- SQL Server 2019
- PostgreSQL 12
- Chromium-based Edge (the latest version)
- iOS 14.x
- VMWare vSphere 7.x
- JAWS Screen Reader software version 2020

For more information, see the Support Matrix.

New parameters, commands, and files

The following parameters, commands, and files were introduced in this release.

groupudpjointimeout
externalForgotPasswordUrl
searchMinChars
mergeRoles

9.64

Tags

In addition to Knowledge Management, the system now provides out-of-the-box tag fields to Interaction and Incident forms and enables you to add one or more keywords or terms to a record. These tags are searchable and you can use these tags to highlight important information. For more information, see Tag control, Working with tags, and the *Keyboard shortcuts for tag control* section in Web client keyboard interactions and shortcuts.

For detailed instructions about how to support tags in more Service Manager modules, see Supporting tags in Service Manager.

Mobility client

You can now access the Request module from the Service Manager Mobility client. See Manage requests for more information.

Service Manager Reports

- You can now either add reports to the top of the dashboard or append more reports to the existing ones in the Dashboard view.
- You can now add up to four reports to each row in the Dashboard view.
- By default, you can add up to sixteen reports to a dashboard. If your applications version is earlier than 9.64, you need to access **Reporting** > **Administration** > **Report Settings** and then manually change the default value of **Max reports per dashboard** to 16.

For more information, see My dashboards.

Approval

When you are handling multiple approvals by using the **all must approve - immediate denial** option, the first denial updates the status of the current approval request to **Deny**. Meanwhile, the first denial also updates the status of other pending approval requests to **Denied By System** and sets the value in the **Approved by** field to **System**.

Notification

- When you use the **Notify** option in a record to manually send mail or email notifications, the mail or email content is now recorded as part of the history in the **Activities** tab. This enhancement enables you to have a complete view of the communication for a record.
- Now you can add images to the message body in an HTML notification template. See the *Images* section in Customizing HTML email notifications for more information.

Integration

- Now REST API is used when you integrate Service Manager with Operations Orchestration (OO). Note that the OO version must be 10.8 or later.
- You can now work with Web Service when your server can't access Internet. To enable this feature, you need to Add the internalURI parameter.

Support multiple LDAP servers

You can now use LDAP Proxy to integrate multiple LDAP servers. See Use LDAP Proxy to integrate multiple LDAP servers for more information.

Usability

- Now you can click the column header to sort a subform that has virtual join. See *Table in the detail form* in Web client keyboard interactions and shortcuts for detailed accessibility information.
- When working with the Service Manager web client, you can now use the built-in spell checker of a web browser to resolve spelling errors in editable fields on a page.
- Now when you click the **Fill** button on a form, both the size of the window opened and the font size in the window are increased.
- Now you can click the **Show Private Favorites Only** button  in the Service Manager web client interface to display the private favorites only. In addition, you can configure the Web parameter: sortNavFavorites to display all favorites in ascending alphabetical order.
- You can now display the decimal control as either spinner buttons or a slider. For more information, see Decimal control and the *Keyboard shortcuts for decimal control* section in Web client keyboard interactions and shortcuts.
- This release provides a default company logo that appears on the horizontal masthead at the top left corner of the web client screen. You may replace this default icon with your own organization's logo. In addition, the About information window has a new appearance in Service Manager web client and you can also customize the image in this window. For more information, see Branding the web client.
- Now when you open a problem record, a request record, or an incident record, you can view the attachments of its related tasks in the **Problem Task Attachments**, **Request Task Attachments**, or **Incident Task Attachments** tabs, respectively.

Performance

- Previously, Service Manager may get performance degradation when you update the CIs that have complex structures. Now when you add, update, or delete CI relationships, the **configuration** background process asynchronizes your changes to the database and improves the system performance.
- This release provides the SCFile.doSelectEx() JavaScript method to improve the system performance. You can restrict the data retrieval by specifying the *start* and *count* parameters.

Miscellaneous improvements

When an operator locks an object, the system now displays both the operator's full name and login name in RAD lock.denied.msg. You can configure the paramerters to be displayed in the **operatorUtil** JavaScript.

9.63

AWS and Azure support

Now you can deploy Service Manager on AWS or Azure.

Service Manager Reports

- You can now specify up to ten standard reports in **Group By Field** for the Calculation type of reports.
- You can now specify the minimum and the maximum values on the value axis in **Axis Bounds (Minimum/Maximum)** for the Chart type of reports. This field is only available for some types of Chart, including horizontal bar, vertical bar, stacked horizontal bar, stacked vertical bar, line, and area.
- You can now display the count labels for data items in **Show Data Labels** for the Chart type of reports. When you export this report, the count labels are exported as well. This checkbox is only available for some types of Chart, including horizontal bar, vertical bar, stacked horizontal bar, and stacked vertical bar.
- The drop-down list for dashboard selection in the Dashboard view is now resizable and you can drag it to an appropriate width to display the long dashboard names. The maximum width is 600px. To restore the drop-down list to its default width, clear the browser cookies.
- You can create a Service Manager report to display the ticket aging information for incidents. See Create a ticket aging report for detailed instructions.
- Now the drill-down functionality in a vertical bar report works correctly. When you click one of the bars, the system returns only the list of records of the column that you are clicking.

Smart Email

- If a change or a request is pending approval, Service Manager automatically sends out an email that contains the **Approve** and **Deny** buttons to the approver. The approver can click the **Approve** button to approve the change or the request, or click **Deny** to deny the change or the request.
- Now you can click the **Close** button in a Smart Email to close a change task.

Notification

- The **Assignment groups** definition consists of both the **Member Group Email** field and the **Approver Group Email** field and you can type a valid group email address. When sending notifications, the system sends emails to this group email address only. Otherwise, if these fields are empty, the system separately sends the emails to each member in the assignment group.
- Now you can define conditions and query filters for email attachments in a notification definition record. The system automatically adds attachments based on your definitions when generating an email notification for a record.

Service Catalog

A Service Manager Service Catalog administrator can now define help description for all types of user options. In addition, a Service Manager Service Catalog administrator can now define a regular expression together with the related error message for a user option in a Catalog item. An end user can fill the regular expression field as required when ordering this Catalog item from the ESS portal or SMA-SM Service Portal. If the user input fails the validation, the system displays the error message as defined in Service Manager.

Service Manager survey

- Previously, the system automatically appends the **Do you want to register an interaction?** question to a Customer Satisfaction Survey. Now the system provides **Do you want to register an interaction?** as an optional question by default and you can link this question to your survey template if appropriate.
- Now you can add some introductory texts to a survey in the Service Manager survey template. These texts will be displayed on top of the questions list when you access the survey.

Risk assessment and calculation

- Now you can click **Preview** to get a preview of the questionnaire from a risk group.
- When the risk calculation completes and there is a collision, the system sets a flag for the collision in the Service Manager Calendar of a Change record. If you have configured the Detailed Table and Detailed Query settings for a risk factor, you can now hover the mouse over the Risk or Collision column for the Change record, and then click the **View Risk Result** link to access the Risk Result Report.
- Now the Risk Result Report has a **Created By** field that indicates the creator of the report.

PostgreSQL SSL support

Now you can configure SSL connections between the Service Manager server and the PostgreSQL server if your PostgreSQL database requires SSL. You can also configure SSL connections between the Chat server and the PostgreSQL server.

Accessibility

- A screen reader now recognizes the decimal control as a spinner box. In the Form Designer, you can also optionally set the maximum or minimum value in the properties of the decimal control.
- Now the image of the Manage Favorite button changes accordingly when you switch between the Navigation Menu and the Manage Favorite Menu.

Integration

The performance of the Service Manager adapter is now improved to provide real-time synchronization between Service Manager change/problem and ALM defect/requirement. Please contact your representatives of our company for the availability of this adapter.

Knowledge document access behavior change

In this release, the knowledge document access behavior in the ESS client and in SRC has changed.

- In the ESS client, SRC, and SMA Service Portal, users with the SysAdmin or SQLAdmin capability word can't always access a KM doc by performing a search. Whether a user can access a KM doc only depends on the user's access rights defined in the Knowledge Management module. If the user has no permission, the KM doc will not appear in search results.
- In the ESS client and SMA Service Portal, users with the SysAdmin or SQLAdmin capability word can't always access a KM doc by clicking a link embedded in another KM doc. Whether a user can open a KM doc link only depends on the user's access rights defined in the Knowledge Management module. If the user has no permission, a permission error is displayed.

Miscellaneous changes

- Now you can click **Attachments** tab > **Change Task Attachments** tab in a change record to view the attachments of its related change tasks.
- (Windows only) Now you can create a remote desktop connection from a Service Manager CI with the CI Type of **Computer**.
- Suppose a KM document contains HTML tags for layout, such as color, and font. When you export this KM document to a CSV file, you can now use the new RAD **output.strip.htmltags** in Forms Designer to remove the HTML tags.

9.62

Native Release Control

- In this release, Service Manager provides the out-of-box (OOB) risk analysis function. After you enable the **Enable Risk Assessment** function, click the **Calculate Risk** button or click **More** > **Calculate Risk** to calculate the risk involved in the implementation of each Change based on the risk factors that you defined in Service Manager. After the calculation completes, the system opens the **Risk Result Report** and displays the latest version of the risk result by default.
  For more information about risk calculation, see Calculate risks. For more information about the Native Release Control solution, see Native Release Control.
- This release provides an enhanced Release Management workflow to align with other Codeless workflows in the Change module.
  - Add **Plan and Design Authorization**, **Build and Test Authorization**, **Distribution Authorization**, and **Abandoned** phases.
  - Move the Approval Definitions from the previous phases to the authorization phases.
  - Remove the Approval Definition from the **Release Verification** phase.
  - Add rule sets for mandantory fields, field validation, and notification.

New IR search

The new IR Expert solution leverages the native Full-Text Searching feature in DBMS, which enables rapid searching based on preprocesssed documents in DBMS. The new solution dramatically enhances search performance and reduces configuration effort by Service Manager administrators. The new IR Expert supports the Microsoft SQL Server, Oracle, and PostgreSQL databases. For more information, see IR Expert.

OpenJDK 8

In 2018 Oracle announced changes to the Oracle Java lifecycle and roadmap detailed here. To accommodate the needs of all our customers, the company is moving towards providing all products in a form compatible with an Open JDK environment (where Java is used). The plan is to adopt the following overall approach for both point product and suites that rely on Java:

- Stop redistributing Oracle JRE/JDK and generally adopt an Open JDK distribution policy
- Continue to support customer-supplied Oracle JDK

By following the overall approach, in addition the Windows Server and Windows Client installation packages, a 32-bit OpenJDK JRE is also bundled with the Service Manager Linux Server package in the Service Manager 9.62 release.

Smart Search

- Smart Search can be used without a Smart Analytics license. Because of this change, you can also set up End User Chat virtual agent without a Smart Analytics license. Note that Smart Ticket and Hot Topic Analytics still require Smart Analytics license.
- Now the Button widget and the Link Label widget in Forms Designer provides the **Open Smart Search Widget** button action, which enables you to add Smart Search buttons and link labels to the Service Manager forms as required. In the Service Manager web client, when a user clicks these buttons and link labels that associate with the **Open Smart Search Widget** button action, the system opens a Smart Search window.

Installation and upgrade

- This release combines Upgrade Utility with Application Patch Manager. Now you can use Upgrade Utility to the upgrade your Service Manager applications from version 9.3x/9.4x/9.5x/9.6x to version 9.62.
- Now you can migrate the database from Oracle to PostgreSQL. For detailed instructions, see https://softwaresupport.softwaregrp.com/doc/KM03319848.
- Now you can deploy the Service Manager Collaboration chat server and chat service on a Linux system.
- The LyncAgent, previously known as an inseparable module in the chat server, now can be deployed standalone.

Localization

To localize Service Manager into an unofficially supported language, the company's partners are now able to export translatable content from Service Manager, translate these content, and then import the localized content back to Service Manager. For detailed instructions, see Localize Service Manager into unsupported languages.

Accessibility

- Now a screen reader can recognize the toolbars and then read the toolbar size and the position of each button inside. You can use a series of keyboard shortcuts to navigate through the buttons in the toolbar.
- In this release, the page numbers in the record list paging toolbar are recognized as buttons instead of links. Meanwhile, the focus has a series of behavior updates.

Performance

Service Manager now supports 1,500 concurrent users when you use the PostgreSQL database.

Documentation

The Service Manager Help Center now combines the Codeless help center and Hybrid help center to a single help center, and is delivered on ITOM Practitioner Portal in a look-and-feel consistent with the help center for other ITOM products. For topics only applicable to Hybrid or Codeless, you can find the indicators in the topic title from the navigator and at the beginning of a topic.

9.61

Hot Topic Analytics

This release introduces the following Hot Topic Analytics (HTA) enhancements.

- Analyze bigger data volume Previously, HTA can index three million records only. This release removes this limitation and HTA can analyze indexed data for Smart Search now.
- Provide more meaningful topics This release enhances the backend algorithm for Hot Topic Analytics so that the topics are more meaningful.
- Consolidate indexes for HTA and Smart Search This release reduces the overall data volume.
- Add more filters to control HTA behavior This release adds the following two filters to **Advanced Filter** so that HTA can generate a better Hot Topic Analytics map.
    - **Min doc of topic**: Controls the minimum number of records in each topic.
    - **Topic number**: Controls the number of topic blocks in the current Hot Topic Analytics map.
      Note: This feature is also introduced in version 9.52 p3.

Disaster recovery

The disaster recovery feature enables you to quickly recover your Smart Analytics data when Smart Analytics crashed. The data that can be recovered includes Hot Topic Analysis data, Smart Tickets data, and Smart Search data. You can recover data from the latest backup, and then perform a delta index to reindex the new data that is created after the backup.

Mandanten support in Smart Ticket

In previous releases, Smart Ticket supports the multi-company mode only. Now this feature extends the multiple-tenancy function to support Service Manager Mandanten in Smart Ticket. You can enable Smart Ticket for different groups of data separated by Mandanten.

Copy and paste images in HTML Editor

Previously, you can only copy and paste images in HTML Editor when you use Chrome or Firefox. Now this feature is also supported when you use Edge or IE.

Paste screenshots in a record

From a record detail form in the web client, you can press CTRL+V to attach the screenshot saved in your clipboard to the record. If the cursor is placed in an editable field or text area of the record, the text "<Screenshot name>.png" is

automatically added right behind the cursor.

Enable toolbar buttons on ESS pages

By default, the action buttons on ESS pages are displayed at the bottom of the pages. You can use the esstoolbarbutton parameter to enable toolbar buttons on ESS pages. After you enable this parameter, the action buttons are displayed on the toolbar at the top of ESS pages instead of at the bottom.

Copy Request and Change models with Task Planner

Now you can copy Change/Request models with task plans now. For more information, see Configuring change models and Clone a request model.

Automatically change tab size

When you opening many tabs in the web client, the system automatically decreases the tab size so that you can see more tabs in a screen and quickly go to different tabs.

Set the initial state of the command field

By default, the initial state of the command field is collapsed. You can use the Web parameter: expandCommandLine parameter to set the initial state so that the command field is expanded by default.

Configure virtual group size for inbox views

You can configure the number of records that are displayed as one virtual group in inbox views for both the web client and the Windows client.

Configurable min-width

In the web client accessible view, you can use the detailViewMinWidth parameter to increase the min-width value of a web page if the system displays some texts incompletely after you enlarge the browser text size or font size.

Option menu removed

Option menu is removed from the accessible mode to leave more space to the record list.

Enhanced system navigator

The system navigator is enhanced as follows:

- Re-implement the focusable elements and the tab sequence for better accessibility.
- Enhance the shortcuts for navigation. See the shortcuts for "Navigation Menu" in Web client.

Enhanced notebook control

The notebook control is enhanced as follows:

- Re-implement the focusable elements and the tab sequence for better accessibility.
- Enhance the shortcuts for navigation. See the "Keyboard shortcuts for notebook tab headers" section in Web client.
- Enable the screen reader to report the position of the focused tab header.

User Basic Information Card updated

The User Basic Information Card is updated as follows:

- Add a Cancel button.
- Set the initial focus to the photo.

Image buttons

The accessibility mode uses image buttons instead of text buttons to avoid button overlapping on UI.

Message history implemented as a list

In the message history dialog, each message item is not focusable now and the document body receives the initial focus. You can use Up/Down arrow or Page Up/Page Down key to view the messages. When JAWS is running, you can use the JAWS command to navigate through each message item.

Shortcut list implemented as a list

In the shortcut list dialog, each shortcut item is not focusable now and the document body receives the initial focus. You can use Up/Down arrow or Page Up/Page Down key to view the shortcuts. When JAWS is running, you can use the JAWS command to navigate through each shortcut item.

Privacy settings

You can configure the privacy settings and information for administration and users who are using the Service Manager system. See the Privacy Settings Guide for Administrators and End Users for detailed instructions and the sample unload file.

Delta Migration Tool improvement

This release improves the stability of the Delta Migration Tool. In addition, the Delta Migration Tool now provides more user-friendly wizard pages for import and export.

Upgrade improvement

- Application Patch Manager aggregates the language upgrade packages. Now you can upgrade multiple languages at the same time. Meanwhile, the UI becomes more friendly by displaying detailed information during the upgrade process.
- This release combines Upgrade Utility with the lightweight upgrade utility (available in Service Manager 9.60). When upgrading from SM 9.3x, 9.4x, and 9.5x, Upgrade Utility automatically selects the upgrade package as appropriate.

SM-ALM adapter 1.04

SM-ALM Adapter 1.0.4 is required when integrating ALM with SM RTE 9.61. ALM Synchronizer can connect to Service Manager by using HTTPS URL through SM-ALM adapter. The new adapter is released on `OpenText Marketplace` .

Support localization for inbox

Service Manager upgrade attempts to enable localization for the customized inbox names. If you have customized inbox names, you can search the scmessage record for active languages other than English and then translate the content of Text for the language.

9.60

Smart Ticket tuning toolkit

This release provides a Smart Ticket tuning toolkit to assist in tuning your Smart Ticket configuration and improving the Smart Ticket classification accuracy. This toolkit includes a data distribution analysis tool that can provide reports on your data distribution, and a visualization tool that can generate a confusion matrix based on a set of sample test data. Additionally, this toolkit can help you achieve better results by modifying certain IDOL configuration parameters from the Smart Ticket configuration UI.

Oracle Connector

This release provides an Oracle Connector to automatically aggregate Knowledge Management documents from an Oracle database server. The files are then sent to Connector Framework Server (CFS), which processes the information and indexes it into an IDOL Server. IT agents can search against these files through Smart Search.

Enable phrase queries

If you select this checkbox, Smart Search automatically adds quotations to the search criteria.

Ignore certain special characters

If you select this checkbox, Smart Search interprets special elements as normal characters instead of a query syntax. These elements include asterisks (*), question mark (?), colon (:), double quotation marks ("), brackets, boolean, and proximity operators such as AND, NOT, OR, EOR, XOR, NEAR, DNEAR, WNEAR, BEFORE, and AFTER. Select this checkbox to disable wildcards, phrase queries, field restrictions and boolean operations.

DevOps support

Supports DevOps for applications tailoring, which is based on native Git integration. This feature enables you to modify, commit, and deploy code changes inside Service Manager. The commit and deploy function inside Service Manager guarantees a "Review Based Development" that only allows users with special permissions to check in and deploy codes.



Note

This feature is available on OpenText Marketplace as a content pack.

Shared Inbox

You can configure a shared mailbox for the "EWS" or "IMAPS" mail protocol as the mailbox for receiving inbound email.

Service Management Automation Service Portal support

The company has chosen Service Management Automation (SMA) Service Portal as the strategic focus for further Service Portal development, and Service Manager Service Portal (SMSP) will no longer evolve functionally. Customers are encouraged to adopt SMA Service Portal as a replacement for SMSP. SMSP is delivered in this release only for the existing SMSP install base.

Upgrade utility

Provides an additional lightweight upgrade utility for upgrading from SM 9.5x. By using this lightweight upgrade utility to upgrade Service Manager from 9.5x to 9.60, the upgrade time is similar to a minor-minor upgrade with Application Patch Manager (APM).

Federation of change tasks

The SM-UCMDB integration now supports federating Change Task records from Service Manager to UCMDB.



Note

This feature is available only when ServiceManagerEnhancedAdapter9.41 is used for the integration.

Consolidation of Service Manager adapters

All Service Manager adapters for the SM-UCMDB integration are now consolidated into three:

- ServiceManagerEnhancedAdapter9.41(based on the generic framework)
- ServiceManagerAdapter9.41 (based on XSLT)
- ServiceManagerAdapter9.x (based on XSLT)

Rebranding

Both the Service Manager product interface and product documentation now use Micro Focus branding.

Language packs

The following three languages that were not supported after Service Manager 9.51 are now added back to Service Manager language packs: Brazilian Portuguese, Korean, and Turkish.

9.52

Minimum search results relevance threshold

Service Manager Service Portal 9.52 allows you to specify the minimum percentage of the relevance that the search results must have to the query.

Change approval

Service Manager Service Portal 9.52 incorporates the Change approval functionality that was previously available through content packs together with further enhancements. If you are designated as an approver of Change requests, you can approve all categories of Changes.

For more information about how to enable Change approval, see Enable Change approval.

> **Note**
>
> If you are working with Service Manager 9.41 (Codeless only), 9.50, or 9.51, you can still enable Service Manager Service Portal Change approval by browsing to the `[%SX_HOME%]/contentStorage/sm-external-approval/sm` directory, and then importing the SXExternalApproval.unl unload file to Service Manager.

Accept/Reject actions on Service Requests

In Service Manager Service Portal 9.52, you can accept or reject a Service Manager Service Portal request while the request is in the Resolved status. This functionality was previously available through content packs.

For more information, see *Service Manager Service Portal Consumer Help*.

Support of SAML Single Sign-On

Service Manager Service Portal supports SAML2.0 based single sign-on using Microsoft ADFS as the Identity Provider (IdP).

Search enhancement

The type ahead feature of the **Search Service Manager Service Portal** text box in Service Manager Service Portal 9.52 supports multiple words and sentences. When you type a few characters in the text box, the system automatically displays the **Suggested search** list and the **Suggested result** list. The **Suggested search** list lists the recommended search terms and highlights your search term. You can select a term in this list to open a search result page. The **Suggested result** list lists a series of suggested search results and highlights your search term in the titles and descriptions. You can select a result in this list to open the target ticket.

Service Manager Service Portal also provides correction when the system can't find any matches for your search terms. For example, if you type iphoen in the **Search Service Manager Service Portal** text box and then system can't find a match in the search results, the system automatically suggests iphone.

For more information about Service Manager Service Portal search configuration, see Configure SMSP search.

Installation simplification

- The installer script capability is extended to enable Chat, Survey, and LW-SSO at the same time, all in one step.
- Support for remote installation is added so that you can install Service Portal on multiple nodes by running the installer on the load balancer node only.

Ability to change initial passwords

To improve security, you can change the initial passwords used in both a single instance deployment and a clustered deployment of Service Portal.

Service Portal Swedish language support

Service Portal now supports Swedish.

Migration from Propel to Service Portal

You can find instructions for migrating from Propel to Service Portal in the help center (**Administer** > **Service Portal Administration Guide** > **Migrating Propel to Service Portal**).

Process Designer Codeless Configuration Management

The Configuration Management module is reimplemented on Process Designer technology. The module now uses a default Configuration Item workflow. When you upgrade to Service Manager 9.52, a migration tool will convert all Classic Configuration Items to Codeless Configuration Items.

> **Note**
>
> Currently, the Configuration Management module continues to use the master Format Control record and State settings in the device Object instead of RuleSets. Additionally, Contract Management still runs in Classic mode.

For more information, see the Configuration Management section in the Service Manager Help Center.

Colored thresholds and ranges in Service Manager reports

You can configure reports on the dashboard to use colors to highlight defined thresholds and ranges of values. When you define a colored range for a report, the section of the relevant axis falling within that range is displayed in a defined color, and threshold markers are displayed on the report to mark the limits of the range.

For more information, see Add colored ranges to a report.

Paste images to the HTML Editor

You can now paste images to the HTML Editor as attachments.

> **Note**
>
> Out-of-box, the copy and paste function is only available in Knowledge Management. To enable this functionality for other modules, you must meet following prerequisites:
>
> - You are running the Service Manager 9.52 (or later) web client and server.
> - The web client is open in the Mozilla Firefox or Google Chrome browser.
> - The form contains an Attachment Container control.
> - The Insert Image Option property is defined for the HTML Editor control on the form.
>
> Currently, this functionality is unsupported in HTML email.

Smart Analytics New license files

The existing Smart Analytics license files are no longer valid on April 30, 2017.

New license files are included in Smart Analytics 9.52. If you upgrade to Service Manager 9.52 or perform a first-time installation of Service Manager 9.52 before April 30, you need take no further action.

However, if you will not upgrade to or install Service Manager 9.52 before April 30, you must update the license files. To help you do this, a Smart Analytics License Tool is included in the Service Manager 9.52 release package. Simply follow the steps in the tool to renew the license files. Additionally, the tool is available to download from the following Software Support website: https://marketplace.microfocus.com/itom/content/idol-license-file-update-for-sma-propel-smsp

Set Smart Analytics stop phrase from Service Manager UI

Previously, you could only add stop phrases by updating the qssp.db file for Hot Topic Analytics. After this configuration, you had to restart a series of Smart Analytics services. As of Service Manager 9.52, you can configure stop phrases on the **Configure IDOL Stop Phrase** page in the Service Manager UI without restarting the Smart Analytics services.

For more information, see Set stop phrases for Hot Topic Analytics.

Configure the maximum number of Hot Topic Analytics blocks

By default, the Hot Topic Analytics topic map displays up to 10 blocks. Service Manager 9.52 enables you to configure the maximum number of blocks in a Hot Topic Analytics topic map.

SAML SSO based on Service Manager Service Portal's built-in IdM

In addition to the standalone Identity Manager (IdM) service, Service Manager now supports SAML Single Sign-On using the IdM service that is built in to Service Manager Service Portal.

9.51

Order numbers and request numbers are searchable from Service Manager Interactions

Order numbers and request numbers generated on the Service Portal side are now automatically synchronized to the Portal Order ID and Portal Request ID fields on the Service Manager Interaction detail form and search form.

Bi-directional attachments to Service Manager service and support requests

To enhance communication between portal users and service desk personnel, attachments added in Service Manager Service Portal are visible in Service Manager and attachments added in Service Manager are visible in Service Manager Service Portal.

Service Portal installation mechanism enhancements

The Service Portal installation mechanism is enhanced in the following ways:

- Service Portal now can be installed on a Red Hat Linux system that has no Internet access.
- The installer is redesigned to use a single shell script that automates the installation process.

> **Note**
> You still need to run additional scripts (such as enableSurvey and enableChat) to perform some post-installation tasks.

Support of Close action for service requests in Service Portal

If fulfillment has not started for a service request (in pending approval or denied state), the request can be closed.

Simplified access control configuration for multiple groups in Service Portal

For catalogs and catalog items, bulk actions make it possible to grant access to multiple groups with one operation.

New Calculated Representation group type in Service Portal

In addition to LDAP and database representation groups, it is now possible to create a new calculated group by specifying criteria in the **Identity** application. For example, create a calculated group to restrict access to users that are in a specific geographical location.

Reverse proxy support in Service Portal

New Ansible automation to help with configuration of Nginx reverse proxy for Service Portal.

Two-way SSL support in Service Portal

Service Portal supports client authentication via certificate with Service Manager.

Propose knowledge documents from external libraries in Smart Email

Previously in an outbound email, the knowledge documents proposed by the virtual agent Sage only included KM articles from the SM knowledge library. Now, if the corresponding connectors (the SharePoint connector, file system connector, or HTTP connector) are set up in Smart Analytics, the proposed knowledge documents also includes SharePoint pages, documents on a file system, or web pages from external libraries.

Propose knowledge documents from external libraries in Service Manager Collaboration

Previously in a chat, when you type your questions or issues, the virtual agent performs Smart Search with your access rights and provides you several links that are relevant to your question. The links only include Knowledge Management document links and Service Catalog item links. Now, if the corresponding connectors (the SharePoint connector, file system connector, or HTTP connector) are set up in Smart Analytics, the proposed knowledge documents also include SharePoint pages, documents on a file system, or web pages from external libraries.

Display Service Portal ticket ID in Service Manager Collaboration

When you open an End User Chat window in Service Portal, you can specify the Service Portal ticket number from the **Previous Support Ticket ID** drop-down list if you have submitted a support ticket before the chat.

Configurable child task behavior in Process Designer

By default, when a parent task is not created, the child task is created and moved to the "Active" state. You can now configure the child task to stay in the "Waiting" state in this situation.

For more information about how to do this, see Configure child task behavior when the parent task is not created.

Language selection in Service Request Catalog

You can now configure Service Request Catalog to display a language selection box on the login page.

For information about how to enable this feature, see Enable language selection on the Service Request Catalog login page.

Smart Search indexing

Smart Search indexing for "sclib" type knowledgebase libraries is enhanced in the following ways:

- The back-end indexing mechanism is refactored to improve performance.
- You can schedule indexing based on a time period record.
- You can view the detailed status of indexing jobs.

Smart Search box

If you have Smart Analytics installed, a Smart Search icon is added to the top-right of the UI. Clicking the icon displays a search box that performs a Smart Search. This enables you to use the Smart Search feature of Smart Analytics to search for content wherever you are in the Service Manager UI, without having to navigate through menus.

New server patch installation tool

Service Manager 9.51 includes a new server patch installation tool (PatchSetup.bat or PatchSetup.sh) and a new server patch uninstallation tool (PatchUninstall.bat or PatchUninstall.sh). The installation tool is located in the patch directory after you unzip the patch, and the uninstallation tool is created in the <*SM Installation*>_uninstall directory after you run the installation tool.



Note

Running these tools will overwrite the configuration files (such as the LWSSO configuration file and XML files for Jgroups) in the RUN directory in the Service Manager server installation directory. Remember to reapply any changes that you have made to these files after you run the patch installation or uninstallation tool.

For detailed information about how to use the new tools, refer to the Upgrade the Service Manager Server and Backup and backout instructions topics.

Demo data unload file

Service Manager 9.51 provides a demo data unload file (demodata.unl) for testing and demonstrating the new 9.51 features after you have upgraded to the 9.51 applications in a fresh installation environment. This demo data package is for Service Manager 9.51 Codeless only. To import the data package, you must use the Apply Demo Data wizard provided by Service Manager 9.51.

For more information about how to do this, see the "Service Manager 9.51 Demo Data" topic in the Service Manager Help Center.

Service Catalog search returns both cart items and non-cart items

By default, you can submit a Service Catalog request from **Service Catalog** > **Order from Catalog**, and then search for the desired cart items, or you can submit a Support Catalog request from **Service Catalog** > **Non-cart Catalog Requests**, and then search for non-cart services. In an out-of-box Service Manager system, these two search results use different formats and can't be merged. However, you can now customize the Service Catalog search result to include both cart items and non-cart items for a better user experience.

For more information, see Customizing Service Catalog search result.

Command/Search box replaced with icon

The Command/Search box at the top of the UI is replaced with a command icon. Click the icon to display the Command/Search box.

This UI enhancement helps simplify the tool bar, provides a unified and consistent user experience across the company's software, and eliminates potential confusion between the Command/Search icon and the Smart Search icon.

Improved experience for RTL language displays

If you select a right-to-left (RTL) language (for example, Arabic) when you log in to Service Manager 9.51, the navigator panel is displayed on the right side of the UI to better align with the direction of the text. Additionally, the following changes improve the user experience when Service Manager is displayed in an RTL language:

- The text of accordion items and tree items in the navigator pane is aligned to the right
- The navigator toolbar is aligned to the right
- The right and left arrow keys collapse and expand the tree, respectively (in LTR language versions, the key mapping is reversed)

9.50

Smart Email

Smart Email is a new feature that enables users to interact with Service Manager through email messages. The supported features are as follows:

- Automatic record creation based on an inbound email
- Automatic replies (outbound email) with links to suggested solutions, including KM articles and service catalog offerings, that are based on the inbound email.
- Email-based approval for service catalog items
- Email-based commenting
- Integrating with Smart Ticket
- Supporting Hot Topic Analytics for interactions or incidents created from email

For more information, see Smart Email Overview

Service Manager Chat

Service Manager 9.50 Collaboration has a more extensive concept, which combines IT Collaboration (previously knows as SMC) and End User Chat. IT Collaboration enables Service Manager IT operators to collaborate in real-time (or anytime) when handling an Interaction, Incident, Incident Task, Request, Request Task, Problem, Problem Task, Change, or Change Task. End User Chat builds a communication channel between Service Manager Service Desk agents and Service Manager Service Portal users or the Employee Self-Service (ESS) portal users so as to increase IT efficiency, improve customer satisfaction and reduce IT support costs. Additionally, the virtual agent accelerates solution delivery without human intervention. Powered by Smart Analytics, it provides 24x7 support and automatically proposes KM articles and Catalog offerings as solutions. The virtual agent can be customized to propose other solutions as required.

Note

In this release, Service Manager Collaboration supports English, German, French, Spanish, Italian, and Dutch. It doesn't support JAWS.

For more information, see IT Collaboration and End User Chat.

Note

Service Manager Collaboration doesn't support right-to-left text alignment in this release.

Hybrid mode enhancement

In Service Manager 9.50, the Applications Upgrade Utility is enhanced to automatically migrate the Classic Change module to Process Designer. This makes Hybrid mode available to all customers who are upgrading from a Service Manager 9.3*x* system that has legacy technology applied or from a Service Manager 9.4*x* Hybrid system.

For more information about the different modes of Service Manager and for a summary of changes that are applied when you migrate to Hybrid mode, see Service Manager modes: Classic, Codeless, and Hybrid.

Classic mode dropped

Service Manager 9.50 is unavailable in Classic mode. If you are upgrading from a Classic mode version of Service Manager, you must upgrade to either of the Process Designer-based modes of Service Manager: Codeless and Hybrid. Migration functionality is built into the Applications Upgrade Utility to help you do this.

For more information about the different modes of Service Manager and for a summary of changes that are applied when you migrate to Hybrid mode, see Service Manager modes: Classic, Codeless, and Hybrid.

Service Manager Survey framework enhancement

The Service Manager Survey functionality is extended to support Service Portal as the survey portal and support the use of multiple survey templates for ESS, SRC, and Service Manager Service Portal surveys.

The SM Survey tailoring mechanism is also significantly simplified. Users can easily create custom questionnaires without the need to tailor any forms. Each questionnaire can be used for all SM surveys (ESS, SRC, and Service Manager Service Portal).

Note

This enhancement doesn't affect Survey Integration. Surveys that are based on an external connector work the same way as before.

For more information, see Service Manager Survey.

Use notification when sending emails for the exported Service Manager reports

When exporting reports as email attachments, you can select the **Use Notification** checkbox and then select a notification definition to send emails by following the notification rules. Additionally, you can add customized notification definition records.

For details, see Create a report schedule.

Hot Topic Map is now available in both Service Manager report and dashboard

After you enable Smart Analytics in your Service Manager system, you can create Hot Topic Map reports for Service Manager survey, the Service Desk module, Incident Management module, and Problem Management module. Additionally, you can add Hot Topic Maps to the report dashboards for these modules.

For more information, see Hot Topic Map.

New Drill Down Process option in Service Manager report

The behavior of dashboards with a category of ToDo can be configured to the same of the To Do Queue now. This release adds a new option **Drill Down Process** to the New Report Wizard. You can use this new option to specify whether clicking a record in the report will drill down to the record stored in the ToDo table or to the record details page.

Automatic refresh for a dashboard in Service Manager report

This release adds a new checkbox **Support Auto Refresh** to each dashboard to enable automatic refresh for a specific dashboard. With this option, both the dashboard owner and audience can view up-to-date data in the dashboard.

For more information, see Enable automatic refresh for a dashboard.



Note

This checkbox is hidden if your report administrator has disabled the Auto Refresh functionality for dashboards. For more information, see Configure report settings.

Run calculation report and duration report in frontend

This release adds a new checkbox **Run in Frontend** to each calculation report and duration report. You can select this checkbox to run the current calculation or duration report immediately. When clicking the **Refresh** button on the Preview tab of a saved report, the system generates a preview of the current report at once.

For more information, see Report calculation chart properties and Report duration chart properties.

Service Manager ChatOps

Service Manager ChatOps is a simplified collaboration model that enables people, processes, tools and bots (chat robots) to exchange information, trigger activities and automate manual tasks in a simpler, and more cost-efficient and rapid way.

Compared to traditional collaboration tools, Service Manager ChatOps provides two unique differentiators:

- A war room, that is, a central place for a specific topic or task, where both people and chat bots gather to raise questions, respond to inquiries, track progress, monitor status, and make decisions.
- Systems of engagement, which centralizes various tools in war rooms, and enables people to quickly get needed information and easily what's going on, and chat bots are able to automate most of ops-related tasks.

For more information, see Service Portal ChatOps on the OpenText Marketplace.

Server embedded JRE upgrade

The embedded JRE in the Service Manager server for Windows is now OpenJDK 8.

For Linux, the Service Manager server has no jre embedded. You need to manually install an OpenJDK JRE or create a symbolic link to an Oracle JRE.

Dynamic debugging using JavaScript

Now you can send the dynamic debugging messages using Service Manager JavaScript. In addition, you can also customize the output directory and the log file name for the debugging messages.

For more information, see Dynamic debugging of user sessions or schedulers.

Support of SQL Server AlwaysOn

The Service Manager Server now supports a cluster of SQL Server instances with the SQL Server AlwaysOn functionality enabled.

For more information, see Support of SQL Server AlwaysOn.

Configuration of web parameters

As of version 9.50, you can set most context parameters of the Web application and all initialization parameters of Servlets from both the web.xml file and the webtier.properties files. The parameters configured in these files take precedence in the following order:

- Custom webtier.properties located in the <*customize-folder*>/config folder
- Default webtier.properties located in the <*webtier*>/WEB-INF folder
- Default web.xml located in the <*webtier*>/WEB-INF folder

For more information, see Web tier parameters.

JavaScript editor

The JavaScript editor on Service Manager Windows client has the following enhancements:

- Content assist
- Syntax highlighting
- Quick outline
- Hyperlink
- Keyboard shortcuts

Set variables as the default values for custom fields in Service Request Catalog

When you enter a variable or an expression as the default value and select the **Is Expression** checkbox at the same time, the tailoring values for custom fields are automatically filled in the user interface. This also applies to CI information retrieval and fulfillment. If you use variables as the default value for the item title and description fields, the title of the items are automatically filled when you submit these items in your cart.

This enhancement supports the following content:

- Traditional expressions in Service Manager applications, such as name in $lo.operator
- Jscall syntax to return advanced query results, such as the location of a logged in user (As long as a predefined JavaScript expression can return a query result, it can be set as a default value in custom fields)

  Note
  To use jscall, make sure you define the Javascript function in the Script library first.

- Any RAD expressions
- Text, Multiple Text, Checkbox, and Pick List default value types
- Pre-defined variables in Service Manager

Smart Analytics enhancements

Smart Analytics are enhanced in this release:

- The installer is optimized for installation and upgrade.
- Hot topic analytics is available for surveys, and as a report in the Dashboard.
- The image-to-text feature is improved for better Optical Character Recognition (OCR) quality.
- Smart Search is supported in self-service user view (ess.do).
- Context-aware search is supported for the Title field when you create a knowledge document.

Support of SAML Single Sign-On (SSO)

The SAML SSO solution leverages Identity Manager (IdM) as the service provider (SP) and requires the use of Microsoft Active Directory Services (ADFS) as the identity provider (IdP).

Based on SAML 2.0, this solution supports the Service Manager web tier, SRC, and Mobility Client, and is compatible with both the legacy LW-SSO solution and FIPS mode.

Note

Currently, SAML SSO is unsupported by Service Portal. If you are already using or planning to use Service Portal as an end user portal, we don't recommend you to enable SAML SSO.

For more information, see SAML Single Sign-On.

Enhanced FIPS 140-2 compliance

The FIPS compliance of Service Manager is significantly enhanced to support the following:

- FIPS validated TLS connections
- FIPS validated LW-SSO
- FIPS compliant random number generation algorithms

Note

This enhancement is ported from Service Manager 9.41p3.

For more information, see FIPS mode.

Service Manager Upgrade Utility enhancements

Service Manager Upgrade Utility in this version includes the following enhancements:

- Automatically purge the existing upgrade files before loading the pre-upg.bin file.
- Automatically load the Upgrade Utility file transfer.bin.
- Automatically detect the out-of-box upgrade and custom upgrade.
- The **smupgrade** command is now obsolete. Instead, you can access the following options in **System Administration** > **Ongoing Maintenance** > **Upgrade Utility**.
  - SQL Compare Utility
  - View/Merge Results
  - Apply Upgrade
  - Create Custom Upgrade
- Provides field merge UI when solving conflicts of renamed upgrade result for simple objects.

Location of client unload files changed

Previously, all platform unloads were included in the server package only, including those that are required for Windows client and web client fixes.

In Service Manager 9.61, unloads are now split between the following packages:

- Unloads related to the server, or to the server and the client: in the Server installer (<Server installation path>\platform_unloads)
- Unloads related to the web client: webtier-9.50.zip\unloads
- Unloads related to the Windows client: windows-client-9.50.zip\unloads

SM-UCMDB integration

The following enhancements are introduced for this integration:

- The SM side integration setup is moved from the System Information Record to Integration Manager (SMIS), which is a central place for integration configuration.
  For more information, see How to Add UCMDB and UCMDB UI Connection Information.
- The Get Related and Impact Simulation widgets of the UCMDB UI are embedded in Service Manager. Users can access them in the context of an affected service or CI in the Configuration, Change, Incident, Problem, and Interaction modules.

> **Note**
> By default, the two UCMDB UI widgets are disabled in Service Manager. To use them, you need to enable them individually.

For more information, see Centralized CI Visualization and Impact Analysis.

Computer Telephony Integration

This integration is enhanced to support an additional method, which uses native HTML and JavaScript instead of the CTI applet. This method is supported only for Service Manager 9.50 or later, and doesn't require the installation of any CTI support code the first time you connect using the telephony URL.

For more information, see Computer Telephony Integration (CTI) with the Web client.

Change Task Automation

Service Manager 9.61 allows you to link change tasks to Operations Orchestration OO flows. This enables you to automate implementation of change tasks by manually or automatically launching OO flows.

For more information, see Automated implementation of change tasks.

AutoPass licensing enhancement

The AutoPass licensing mechanism is enhanced with the following new capabilities:

- Support of integration with Usage Hub for centralized license monitoring
- New server command that enables automated license update

For more information, see AutoPass licensing.

Service Manager rebranding

Service Manager and the Service Manager Help Center both now use `Micro Focus` branding.

HTML5 desktop notifications

As of version 9.50, the Service Manager web client also supports HTML5 desktop notifications for incoming Service Manager Collaboration conversation messages and new conversation invitations in the following scenarios:

- When the browser is open and the Service Manager web client is not the currently active webpage, the notification appears on the lower-right corner. Click this notification to return to the Service Manager web client webpage.
- When the browser is minimized, the browser window icon flashes in the taskbar. Click the browser window icon to return to the Service Manager web client webpage.

> **Note**
> Before using the HTML5 desktop notification feature on Google Chrome and Mozilla Firefox, you must configure the browser settings and allow the Service Manager web client URL to show notifications.

Drag and drop attachments

You can now drag and drop supported files from your local drive directly to the "Attachments" section of records.

Contextual menu

A Service manager contextual "More" menu is displayed instead of the browser menu when you right-click lists on the details pane of a record in the web client.

For more information, see Configure the behavior when you right-click in the web client.

ITIL alignment: Configuration Management

- In addition to recording activity updates, the Configuration Management module also provides field-level audit history for updates to a configuration item (CI).

For more information, see View the audit history of a configuration item.

- When an outage occurs and the associated CI has an SLT, the outage costs to the business are calculated and stored in the outagedetail records. The default Outage Cost per Hour is only applied if you don't specify Outage Cost per Hour in the CI form. You can configure the default Outage Cost per Hour in the Configuration Management Environment record.
  For more information, see Configuration Management environment record
- In a CI record, you can view related records of more types. For example, you can view documents related to a CI through the newly added **Related Documents** tab. You can also check the counts of each related record type.
  For more information, see View related records for a CI record.

ITIL alignment: Availability Management

- The availability requirements for any service are documented in the Service Level Agreement and agreed by the IT Service provider and the customer. An Availability Plan is a document which outlines the calculated forecast needs for a service to be able to meet those needs for the next business year. Its primary purpose is to define and document a plan to fulfill the forecasted requirements.
  For more information, see View the availability plan of a business service.
- Reliability is a measure of how long a service or component can perform its function without interruption. The Component Reliability functionality in the Configuration Management module automatically calculates the reliability of a service or component, and presents the information in a monthly report.
  For more information, see View component reliability.
- The Configuration Management module allows you to view outage information of a business or component, as well as the records affected by each outage.
  For more information, see View component availability.

ITIL alignment: Knowledge Management

- The Knowledge Management module provides an option **Notify Service Subscribers on Publish** that enables the system to immediately notify users upon the publication of a document that is important to them. Each knowledge document can be associated to a service so that the system can immediately notify users who have subscribed to the associated service upon the publication of the document.
  For more information, see Notify service subscribers of the publication of a document.
- New fields and tabs are added in the definition form of knowledge document. When creating or editing a knowledge document, you can add tags and specify associated business services which can be used as search keywords and displayed to end users. You can also link one document to another through the **Related Records** tab. In addition, you can trigger context-aware search to search for similar knowledge documents if you use Smart Analytics 9.50 as the search engine.
  For more information, see Create a knowledge document.
- When you search knowledgebases using Solr, more advanced search filters are available so that you can perform a more accurate search. For example, you can search by affected services. You can also define different search criteria for each of the specified knowledgebase to narrow down your search results.
  For more information, see Use advanced search.

ITIL alignment: Service Catalog

- Service Manager 9.50 provides an out-of-box Service Catalog workflow which conforms to the principles of ITIL 2011 Edition. You can adapt this default workflow to meet your specific process and business needs.
  For more information, see Service Catalog Management process.
- Several new tabs and fields are added in the Service Catalog item and bundle detail forms so that you can provide more information about the service item or bundle. You can log fulfillment summary and value proposition for a service item, update activities regarding it or associate a service item with existing or new change records and knowledge documents.
  For more information, see Edit a bundle or item.

Centralized help center

Service Manager product manuals and online help are now centralized in a single help center. The restructured help center now contains the following information nodes:

- Release notes
- Get started
- Install
- Upgrade
- Integrate
- Administer
- Use
- Troubleshoot
- Develop

The help center is released as a .zip file on Software Support Online website and also published on the OpenText Software Documentation Portal.

Service Manager Service Portal Shop application

The Shop application enables the Service Portal consumer to shop for catalog items, place orders, and monitor and manage details related to these orders.

Request Support in Service Manager Service Portal

By using the Request Support application, end users can get support assistance from IT in a simple, easy, and interactive way.

If Smart Analytics is enabled in Service Manager, users can use the Smart Ticket feature to submit requests in Service Manager Service Portal.

Service Manager Service Portal Knowledge application

The Knowledge application enables end users to browse knowledge and support articles. End users can scroll up and down a list of articles to browse, search by keyword, and sort or set filters to customize the display.

Service Manager Service Portal Survey

Users can receive survey links through email and then open the links to respond to the surveys directly from the Service Portal user interface. In addition, users can also click the **Surveys** tile on the launch pad to respond to their open surveys, as well as view their closed surveys. For more information, see the Service Portal online help.

Service Manager Service Portal Chat

End users can click the chat button in the Service Manager Service Portal to communicate with either a virtual agent (Sage) or a Service Desk IT agent in real-time to quickly address the service requests and support requests as they arise. Service Manager Process Designer Assignment rule settings streamlines the End User Chat process and automatically routes the chat requests to the correct Service Desk assignment group. Sage simulates the way a human being responds to a question and helps to reduce IT support costs by suggesting Knowledge Management document links and Service Catalog item links or automating common cases. Therefore, end users can receive prompt, concise answers when they need them the most.



Note

To use the virtual client, your enterprise must own a Smart Analytics license and set up Smart Analytics.

For more information, see End User Chat.

Service Manager Service Portal Hot News

The Hot News application enables end users to view RSS feeds in Service Portal.

Service Manager Service Portal My Workstream

Service Portal workstream contains a series of feeds on your activities, and allows your administrator to share announcements.

9.41

Smart Search

Smart Search is a brand new search experience that enables you to search across Service Manager modules and into a variety of content such as SharePoint sites (including SharePoint documents with entitlement), static webpages, and shared folders. Smart Search provides a greater search capability than SOLR, and supports various operators such as AND, OR, NEAR, NOT, BEFORE, and AFTER. You can integrate multiple knowledge libraries by configuring different search connectors, so that all change analysts, incident analysts, request analysts, service desk analysts, problem analysts, change managers, incident managers, request managers, service desk managers, problem managers, and SRC users can search all the information that they can access.

By configuring Smart Search preconditions and actions, IT users can search for content from different libraries easily and quickly. Users can also process a record with the context aware search, which automatically searches and displays records or articles related to the current record. From the search result, users can perform actions such as copying solutions or finding similar records, so as to improve the resolution rate and reduce resolution time.

Hot Topic Analytics enhancements

Hot Topic Analytics in the new version of Smart Analytics for Service Manager includes the following enhancements:

- Hot Topic Analytics is now available in three modules
  After you enable Smart Analytics in an out-of-box system, you can use Hot Topic Analytics for the Service Desk, Incident Management, and Problem Management modules. Additionally, you can access Hot Topic Analytics from the report dashboards for these modules.
- Creating knowledge articles
  Now you can easily create knowledge articles based on the analysis performed by Hot Topic Analytics.
- Setting parent/child relationship among incidents
  When you review the hot topics suggested by Hot Topic Analytics in Incident Management, you can use the Set Parent action to open a wizard, and then select the parent and child incident. The system will suggest a list of parent incidents, ordered by their relevance to the selected child incidents, and then you can select the parent for the child incidents. You can also create a new parent incident from the same wizard.
- New RESTful APIs
  New RESTful APIs are provided for Hot Topic Analytics, as well as Smart Ticket and Smart Search.

Logical Name solution

In previous versions of Service Manager, the **device** table used the **logical.name** field (labeled **CI Identifier**) as both a unique key field and a CI display name field, and used the **id** field (labeled **CI Name**) to display CI identification numbers. As a result, duplicate CI names were not allowed, while some external systems that integrate with Service Manager, such as Universal CMDB (UCMDB), allow duplicate CI names, which caused so-called "duplicate logical names issue." Moreover, other modules that consume CI data, such as the Incident and Change modules, can't have their CI data automatically synchronized when CIs are renamed or removed, which leads to data integrity loss.

The following features of the logical name solution in Service Manager 9.41 resolve these problems:

- Updated Configuration Item dbdict and form
- Allowing user-specified CI Identifiers for new CIs
- Ensuring cross-module CI data integrity through the Reference Field mechanism
- Skipping Query Rewriting in link line records
- Auto Complete in the web client
- Behavior changes of the Fill and Find functions
- Updated DEM Reconciliation Rules functionality
- New or updated RAD and JavaScript functions

- Support for CI reports

Tip

- For more detailed information about this solution and the post-upgrade manual tasks required to adopt it in a production environment, see the Service Manager Logical Name Solution white paper.
- To enable the logical name solution, you must upgrade the Service Manager applications, server, and clients to version 9.41. If you are still running an earlier version of the applications, the solution is disabled and your integrations aren't impacted.

Integrating Service Manager 9.41 with other products

Service Manager 9.41 has implemented code changes to resolve the impact of the logical name solution on integrations. A few integrations also require code changes on the other endpoint product side, which are available only after the Service Manager 9.41 release and hence require manual changes by the customer at the time of the Service Manager 9.41 release.

Note

For more detailed information, see the Service Manager Logical Name Solution white paper.

Global ID solution

Service Manager 9.41 supports the company's Global ID solution for product integrations such as Service Asset Configuration Management (SACM).

Previously, the identification of CIs from the UCMDB and UD solutions was difficult, and potentially resulted in the duplication of CIs in products such as Service Manager, Asset Manager, and Run-time Service Model. The Global ID solution uses the UCMDB global ID as a reconciliation key in the data push framework, thus facilitating the reconciliation of CIs across Service Manager and other products.

For more information, refer to Software Recommendations for Global ID Best Practices in CMS.

Support of Automated Service Modeling (ASM)

As version of 9.41, Service Manager supports the ASM functionality in the UCMDB UI. Service CIs and consumer-provider relationships that are discovered by ASM can be pushed to Service Manager; additionally, you can tailor Service Manager such that Service Manager users can access ASM in the context of a business service, and access Impact Simulation in the context of an affected CI.

Support of ASM enables Service Manager users to view the accurate service trees that are discovered by ASM and facilitates service modeling in Service Manager.

Note

Automated Service Modeling requires the UCMDB ASM Enhanced package to be deployed in UCMDB.

For more information, refer to UCMDB UI.

Hybrid mode

In Hybrid mode, Process Designer technology can be fully functional, but the mode also supports legacy technology such as Format Control. Service Manager 9.41 Hybrid is designed explicitly to ease the transition between Service Manager Classic and Service Manager Codeless by enabling you to continue to take advantage of your previous investments in legacy tailoring. This mode is available only to customers who are upgrading from a Service Manager 9.3*x* system that has Process Designer Content Pack 9.30.2 (PDCP3) applied.

Note

If you are upgrading a Service Manager 9.3*x* system that has Process Designer Content Pack 9.30.1 (PDCP2) applied, you can upgrade to Hybrid mode by first applying PDCP3.

When you upgrade to Service Manager 9.41 Hybrid, a migration tool that is embedded into the Applications Upgrade Utility automatically migrates some legacy technology to Process Designer (for example, the tool automatically generates Process Designer workflows that continue to use legacy states, format control, and process). The extra steps in the Applications Upgrade Utility that comprise the migration tool are displayed automatically when you upgrade from an applicable system.

Additionally, further manual tailoring enables you to continue using even more legacy features (for example, you can run the legacy Request Management module and the Process Designer-based Request Fulfillment module in parallel).

Service Manager Collaboration

As of version 9.41, Service Manager Collaboration supersedes the previous Enterprise Collaboration (EC) based instant messaging solution. As an instant messaging tool embedded in Service Manager, Service Manager Collaboration enables Service Manager IT operators to collaborate in real time (or anytime) when handling an Interaction, Incident, Incident Task, Request, Request Task, Problem, Problem Task, Change, or Change Task. Service Manager users who don't log on to Service Manager but are available on Microsoft Office Lync can also be invited to a Collaboration conversation.

Note

The chat server can be deployed on the Windows system only, but it works well with the Service Manager servers on all the platforms such as Linux.

For more information, refer to Service Manager Collaboration.

Service Manager Reports enhancements

In Service Manager 9.41, Service Manager Reports can display in the same report both the raw data from the system and the new data calculated from the raw data. Particularly, you can generate a duration report that displays Service Level Management information against status, phase, and assignment group changes, such as the duration of record handling.

The following is a summary of the implementation.

- Calculation Report and duration Report
  Calculation Reports can reorganize the standard report data to show an overlapping report, which can display both the raw standard report and the calculated report. Duration Reports can count and display the time duration reports against status, phase and assignment group changes depending on the system data provided by the SLM module license and configuration.
- Data preparation framework for duration reports

Service Level Management enhancements

Service Level Management is enhanced in this version to support calculating the Process Target expiration based on assignment groups, so that you can monitor the performance of internal/external teams as per the agreed Operational Level Agreements or Underpinning Contracts. In addition, we offer a new calculation type to calculate the Process Target expiration time based on your work schedule.

For more information about these features, refer to Calculation of Process Target metrics.

Streamlined interaction

> **Note**
>
> The streamlined interaction solution is disabled by default. This enables you to continue to use your existing interaction workflows without any issues or additional configuration after you upgrade to Service Manager 9.41. To use the new streamlined interaction solution, simply manually enable it after you upgrade to Service Manager 9.41 Codeless or Service Manager 9.41 Hybrid.
>
> For information about how to enable the streamlined interaction solution, see the Service Manager 9.41 Help Center (Codeless version).

To increase IT agents' efficiency and to enhance user experience, Service Manager 9.41 introduces a new, streamlined interaction solution. This streamlined interaction solution provides the following features and benefits:

- A simplified, intuitive form for interaction logging that requires fewer fields to fill and fewer clicks
- A streamlined workflow that requires fewer steps in interaction handling
- Status synchronization between interaction and fulfillment records:
  - End users have full visibility of fulfillment status
  - IT agents can focus on fulfillment records
- Visibility on the attachment of interaction in the fulfillment record
- Consolidated menu entry for interaction creation, which is based on whether Smart Analytics and the streamlined interaction solution are enabled or not

For more information on the streamlined interaction solution, see the Service Desk section in Service Manager 9.41 Help Center (Codeless version) and the Service Manager 9.41 Processes and Best Practices Guide (Codeless version).

Service Request Catalog enhancements

Service Request Catalog 9.61 introduces the following new enhancements:

- SRC Survey
  SRC Survey is based on the Service Manager HTML Email solution (JavaMail) and applies the out-of box internal Survey connector. By sending surveys from the records, you can collect user satisfaction by ratings or open comments. The system automatically generates an interaction record of a Complaint or Compliment category if the user registers an interaction. The administrators can add new questions to surveys and customize the answer types in the survey.
- Show related records
  The request details page lists all related records in the Fulfillment Summary section. The information includes the ID, the title, and the status of the related record.

Service Manager Mobility enhancements

Service Manager Mobility in this version includes the following enhancements:

- A Related Records tab is added to the Detail view of a record in the power user view in Service Manager 9.41 Codeless.
- A list of related records is added to the open tickets and the closed tickets in the self-service user view.
- The display name of a CI can be displayed in comfill for mobility. Now you can fill a CI by its display name.
- You can now search from SharePoint and Wiki pages (such as HTTP library) in addition to the knowledge base library in self-service user view, based on the prerequisites that you have purchased a Smart Analytics module license, enabled Smart Analytics, and configured the connectors to the SharePoint and HTTP libraries correctly.
- When Smart Analytics is enabled, the attachments in the knowledge base library can be searched directly.
- When Smart Analytics is enabled, the search will perform a spell check to return meaningful results. For example, if you search for "offica," the search result will return records that include the term "office" if there is no exact result for "offica."
- The **Open Ticket** button is renamed to **Submit a Request** in the self-service user view.

Service Manager Upgrade Utility enhancements

Service Manager Upgrade Utility in this version includes the following enhancements:

- Provides a simplified UI wizard by grouping the upgrade process to various phases with sequential step numbers.
- Provides two extra wizard screens for the customers who are upgrading from Service Manager 9.3*x* with Process Designer Content Pack 9.30.2 (PDCP3) applied to Service Manager 9.41 Hybrid.
- Removes the data scan option.

HTML Editor allowlist

The HTML Editor enables you to visually add and edit rich text content formatted with HTML tags. Though the HTML Editor is powerful, web sites may be abused without a proper security control. Therefore, as of Service Manager 9.41, you can use the HTML Editor allowlist to define a list of allowed HTML elements.

For more information about the HTML Editor allowlist, see Enable HTML Editor allowlist.

Enhanced query hash algorithm

Service Manager 9.41 provides an enhanced query hash algorithm, which ensures a higher level of system security when the Service Manager web client or Service Request Catalog (SRC) is handling URLs. By default, this functionality is disabled for backward compatibility.

Prerequisites

To use this functionality, your system must have the following configurations:

- Service Manager server, web client, and SRC version 9.41 or later
- Service Manager 9.41 or later applications, or
  (For SRC) Service Manager 9.4x (earlier than 9.41) applications with QCCR1E120868_SRC940p3_SM940.unl applied. This unload file is available from the SRC 9.41 package.

> **Note**
> SRC 9.41 works with Service Manager 9.4x applications only. Therefore, there is no SRC unload for Service Manager 9.3x applications.

> **Caution**
> After upgrading to applications 9.41 (by running the upgrade utility or the applications patch manager) or after applying the unload for this functionality, restart your Service Manager server. Additionally, after applying the unload, you need to tailor the System Information Record form (info.company.g).

Tailoring the System Information Record form

To enable this functionality in a Service Manager system running the 9.3*x* or 9.40 applications, after applying the unload for your applications version, you still need to tailor the System Information Record form. To do so, follow these steps:

1. Log in to the Service Manager Windows client as a system administrator.
2. Open the info.company.g format in Forms Designer in Design mode.
3. In the General tab, add a checkbox with the following settings in the Properties pane.

Property	Setting
Caption	Enable Enhanced Query Hash
input	strong.queryhash.flag

4. In the General tab, add another checkbox with the following settings in the Properties pane.

Visible Condition	[strong.queryhash.flag]
Caption	Allow Legacy Query Hash
input	keep.old.queryhash.flag

5. Click **OK** twice to save this format.
6. Restart the Service Manager server.
7. Go to **System Administration** > **Base System Configuration** > **Miscellaneous** > **System Information Record**, and then click the **General** tab to verify the two checkboxes are successfully added.

Demo data unload file

Service Manager 9.41 provides a demo data unload file (demodata.unl) for testing and demonstrating the 9.61 new features after you have upgraded to the 9.41 applications on a fresh installation environment. This demo data package is for Service Manager9.61 Codeless only. To import the data package, you must use the new Apply Demo Data wizard provided by Service Manager 9.41. For detailed instructions about how to access the Apply Demo Data wizard and load the demo data package, see *Service Manager Installation and Upgrade Documentation Center*.

To-Do alerts

To-Do alerts are operator-specific notifications that appear in a floating window at the top of the screen immediately after an operator logs in to the system. The window appears only when there are pending alerts. The operator can view and acknowledge the To-Do alerts, and check the details of the records listed. The To-Do alerts feature must be enabled for individual operators by an administrator.

User experience improvements in Service Manager web client

Service Manager 9.41 includes a number of user experience improvements to the web client. For more information, refer to the Service Manager 9.41 Release Notes.

Inactivity timer default behavior change

The inactivity timer is a feature that administrators can configure to close user sessions that have been idle for a specified period of time. In Service Manager9.61, this feature is enabled by default, and the time-out value is set to 30 minutes.

For more information about the inactivity timer and how to configure it, see Inactivity timer.

9.40

Smart Analytics

Built on Service Manager 9.40 and using an OEM-licensed version of IDOL, SM Smart Analytics heralds the debut of the "Big Data" edition of Service Manager.

Smart Analytics enables your Service Manager to become a more intelligent and efficient system by extracting and understanding your content. Smart Analytics includes the following features in this release:

Smart Ticket

With Smart Ticket, you can quickly submit a Service Desk record by just entering a description or attaching a picture. SM Smart Analytics will intelligently populate other fields such as category or affected services by extracting and analyzing the content that you entered in the record.

Hot Topic Analytics

Hot Topic Analytics intelligently displays an interactive diagram indicating the hot topics among recent incidents so that you can easily discover incident trends and identify problem candidates.



Note

In this release, Hot Topic Analytics doesn't support accessibility features.

For more information, see Smart Analytics overview.

Service Manager Reports

The Service Manager Reports feature provides reports and dashboards to enable faster analysis and improved time to resolution. Service Manager reports organize data into various chart formats, and dashboards display one or more reports. In this way, Service Manager Reports can provide global information about critical activities or metrics.

The Service Manager The Service Manager Reports feature provides light-weight reporting for active operational data. As such, the reports are designed to retrieve, represent, and visualize at most 100,000 active records out of millions. To define analytic reports against the entire dataset, we recommend that you use third party business intelligence tools.

Important: Please note that this initial release of Service Manager Reports has minimal calculation capabilities. As such, we recommend that you continue to use Crystal Reports or other third party tools for calculation-intensive reporting.

Service Manager Reports schedules assist report managers or administrators to send reports or dashboard information to the relevant users or user groups at scheduled intervals. The report schedule specifies who is to be notified, when they're notified, and the notification method.

Service Manager monitors the performance impact of reports and dashboards. If the time spent on generating a report exceeds the time threshold that the administrator sets, the report performance log collects the information and displays it on Report Running Status dashboard. Report Administrators can take the following measures to eliminate the impact of the slow reports:

- Enable the cache
- Enable database replication
- Enable indexing for the table query
- Disable the report

After you upgrade to Service Manager 9.40, MySM is disabled.

- MySM is unsupported on Service Manager 9.40 applications +Service Manager 9.40 binaries. Customers can leverage the new Service Manager Reports feature to meet their requirements. Service Manager Reports can incorporate the charts and pages created in MySM by using the provided migration script.
- MySM is supported on Service Manager 9.3x applications + Service Manager 9.40 binaries. Existing customers can continue to use MySM after upgrading to Service Manager 9.40 binaries only.

New System Navigator

Service Manager 9.40 provides a new System Navigator, which has the following enhancements:

- You can easily switch the System Navigator between the following two modes:
  - Sidebar mode. In the sidebar mode, the System Navigator only displays the icons of the top-level menu items. When the mouse hovers over an icon, a pop-up menu immediately appears on the right side of this icon and displays the submenu.

    

    Note

    The sidebar mode only works in Power User view (index.do) and Enterprise Self-Service view (ess.do), but doesn't work in Accessible view (accessible.do) and Self-Service Accessible view (accessible_ess.do).

  - Accordion mode. The accordion mode looks and works similar as the traditional System Navigator.

  For more information about the two modes, see Switching the System Navigator.

Note

When you deploy the web client of Service Manager 9.40 together with an earlier version of Service Manager application, you need to perform the following actions:

- You must install the QCCR1E114612_SM940_SM930.unl unload file. Otherwise, the System Navigator doesn't work. For more information about how to install an unload file, refer to the following section in the Service Manager 9.40 Release Notes:
  Installation notes > Application Unload installation
- We recommend that you set the *Enablesidebarmenu* parameter to FALSE to disable the icons and the sidebar mode of the System Navigator. Otherwise, the Service Manager web client uses the default icon for all menu items.

- You can customize the icons of the first-level menu items. Service Manager provides the out-of-box icons so that you can easily specify them in the menu record.
  For more information about how to customize the menu icons, see Customize System Navigator menu icons.
- Service Manager 9.40 enhances the branding capability for the new System Navigator. For more information, see "Additional branding implementation options" in Branding the web client

Vertical layout

Service Manager 9.40 provides a new vertical layout for the list pane and the detail pane. You can easily toggle between the horizontal and vertical layouts by using the  switch. The vertical layout has the following advantages:

- The vertical layout can present more information in the detail pane and list more records in the list pane.
- When you move the mouse over a record ID in the record list, a hover window can display the values of all the fields that are configured as record list columns.

By default, the vertical layout displays the first four columns in the list pane. You can easily show or hide columns. To do this, follow the instructions in the **Show or hide columns** section in Working with record lists.

Color indicator

The color indicator can apply a color mark-up on a field if the value of the field matches the pre-defined color indicator setting. The color indicator settings apply to record list, detail form, and reporting.

Note

- In detail form, the color indicator setting only applies to the Combo and Comfill widgets.
- Color indicator doesn't support Accessible view (accessible.do) and Self-Service Accessible view (accessible_ess.do).

Service Manager 9.40 already provides out-of-box color indicator settings on several fields. For example, the **Severity**, **Priority**, and **Impact** fields in several tables. You can customize the out-of-box settings on these fields or create new color indicator settings for other fields. For more information about how to create or edit the color indicator setting, see Configuring color indicator.

In the record list, you can quickly switch on or off the color indicator of a column. To do this, use the **Color Indicate** option in the drop-down menu of that column.

Note

Color indicator requires the 9.40 version of Service Manager application.

Enhanced Quick Jump

The following new capabilities are available in the Quick Jump component so that users can move even faster among sections in record details:

- **Expand All**: Expand all first-level sections in record details.
- **Collapse All**: Collapse all first-level sections in record details.
- **Back To Top**: Go back to the top of record details.

For more information, see Using Quick Jump in record detail.

Quick help

Service Manager 9.40 provides a quick help that lists all the web client keyboard shortcuts. You can open this quick help by using one of the following methods:

- Click the **Help** button
  - If the web client doesn't have online help, the shortcut list directly opens.
  - If the web client has online help, a drop-down menu appears. Click **Shortcut List** from the drop-down menu.
- Use the keyboard shortcut: Alt+Ctrl+/



Note

Service Manager 9.40 moves the keyboard shortcut configurations from the web.xml file to the shortcut.xml file. The shortcut.xml file is also in the WEB-INF folder.

If you have customized keyboard shortcuts in a previous version of Service Manager and you upgrade to Service Manager 9.40, you must move the keyboard shortcut configurations from your old web.xml file into the shortcut.xml file. Otherwise, your customized keyboard shortcuts don't work. For more information about how to configure the shortcut.xml file, see Editing Web client keyboard shortcuts.

If the configuration of the shortcut.xml file is incorrect, the shortcut list displays an error message.

Functionality merged from Process Designer Content Pack 9.30.3

Process Designer Content Pack 9.30.3 introduced the following new features that are now merged into Service Manager Codeless:

- Implementation of the Process Designer framework and workflows for the Help Desk modules (Service Desk, Incident Management, and Problem Management)
- Support for interaction between Process Designer-based Help Desk modules and other modules
- Support for phase-based Response SLOs (referred to as Service Level Targets (SLTs) in Service Manager 9.40) for Service Desk and for Incident Management
- Introduction of Incident tasks to Help Desk and support for Service Level Agreements (SLAs) for Incident tasks
- A Process Designer security mechanism for Help Desk modules, including:
  - New Process Designer security areas for Help Desk modules
  - New Process Designer security roles for Help Desk modules
  - Help Desk security profiles are migrated to security roles and rights
  - Access rights for the navigation menu and for the Inbox are replaced by Process Designer security roles and rights
- The following usability improvements:
  - Simplification of related records in Help Desk modules
  - The ability to switch between the Group style and the Tab style for a Notebook control in the web client
  - The addition of record numbers to record titles, including Interactions, Incidents, Incident tasks, Problems, and Problem tasks
  - A real-time counter in the Attachments and Related Records sections
  - Enhancements to the ability to trace phase transition in the workflow figure

- The following Process Designer framework enhancements:
    - Workflow-based rule sets to replace file level format control
    - Workflow-based actions can be re-used across phases
    - Workflow backend transitions enable cross-module interaction
    - A new tool that exports workflows into an unload file, so that you can copy workflows from one Process Designer-based system to another Process Designer-based system
    - Phase orders to specify the sequences for Process target calculation

Process Designer-based modules

The following modules are fully reimplemented on Process Designer workflows.

Request Fulfillment

The Request Fulfillment application in Service Manager Codeless enables business staff to improve their productivity and the quality of business services and products. It can also help to reduce the cost of providing services and the effort involved in requesting and receiving access to services. Moreover, the use of the Request Fulfillment application can increase the control level of an organization's services and the number of fulfilled requests.

Request Fulfillment includes the following key features:

- The Request model, which defines the prerequisites, required authorizations, and sequenced or parallel standard tasks that are used to fulfill the service request
- A detailed and customizable product catalog
- Scheduling of service requests and tasks
- Automated request fulfillment
- Order and stock management
- Interaction with other Service Manager applications, such as Service Catalog, Configuration Management, Service Desk, Incident Management, Change Management, and Service Level Management
- Integration with other products:
    - Providing a common web service interface so that other products are able to access service requests and tasks
    - Integration with Asset Manager for request fulfillment billing

For the Request Fulfillment processes and best practices, see the corresponding sections in *Processes and Best Practices Guide* for Service Manager Codeless.

Service Desk

The Service Desk application includes the following key features.

- Automatic updates of records
  Service Manager Codeless enhances the Service Desk by providing an auto-update feature between an interaction and a related incident, problem, change, or request. After the initial escalation of an interaction (where the status of the interaction updates the related link), the auto-update feature will update an interaction when certain status changes occur in the related record.
  In addition, when customer-visible activities in related records occur, these activities may also be reflected in the interaction record.
- New Categories
  You can now escalate from an interaction directly to a problem.
  A new "Compliment" type has been added, which follows the same workflow as complaints.
- Behavior change
  In this version of Service Manager, you may escalate an interaction only one time. Previous versions of Service Manager allowed you to escalate an interaction multiple times.

Problem Management

Problem Management includes the following enhancements.

- Problems that are designated as "Major Problems" now make the review phase at the end of the workflow mandatory.
- Problems now have a "Source"field, which allows you to specify the origin of the incident as an end user, event, an internal source, or elsewhere.
- Known Errors are separated out from Problems and given their own identifier. For details, see Open a known error.
- A new **Cost** tab was added.
- You can modify the categorization of the problem while using the closure wizard.
- You can send a survey directly from the problem to a designated recipient. For more information, see Service Manager Survey.

Incident Management

Incident Management has a number of small enhancements:

- Incidents can now be designated as parent or child of another incident, and includes supporting fields such as "Parent" to designate whether an incident is parent, and "Parent Link" to designate a child and to create the actual link to the parent incident.
- Incidents now have a **Source** field, which allows you to specify the origin of the incident as an end user, event, an internal source, or elsewhere.
- Incidents can now link directly to known errors.
- You can send a survey directly from the incident to a designated recipient. For more information, see Service Manager Survey.
- A new **Cost** tab is added.
- You can modify the categorization of the incident while using the closure wizard.
- You can mark an incident as major incident. After you do this, Service Manager notifies the specified Incident Manager, and the **Review Details** field in the **Major Incident Review**section is mandatory in the Review phase.

Change Management

The Change Management application in Service Manager 9.61 Codeless is reimplemented on Process Designer. The Process Designer based Change Management workflows (including Change and Change Tasks workflows) are easier to maintain than the legacy ones.

ITIL aligned Change workflows

The new Change Management workflows (Change Proposal, Normal Change, Standard Change, and Emergency Change) in the out-of-box system are aligned with the latest version of ITIL:

- Change Proposal: The Change Proposal process allows users to analyze, evaluate, and develop a business case for a change. A Change Proposal is used to describe and document a large, proposed change, usually when the proposed change has significant impact on the organization's IT infrastructure (for example, such as when an organization wants to move all their existing servers to a Linux-based environment). Such changes usually involve planning and evaluation, feasibility studies and the like.

  

  Note

  To support change proposals, Knowledge Management has added two new document subtypes: Business Case and Project Information.

- Normal Change: The Normal Change process defines the steps necessary to process changes that are categorized, prioritized, planned and follow all approvals before deployment. Normal Changes can be further categorized as Major, Significant, and Minor.
- Standard Change: The Standard Change process defines the steps necessary to process a pre-authorized change that follows a standard procedure. For example, a password reset or the provision of standard equipment to a new employee.
- Emergency Change: The Emergency Change process defines the steps necessary to process changes that are intended only to repair an IT service error that is negatively impacting the business at a high level of severity.

Change Models and Change Categories

Change Management can be configured such that new change records are created from either a Change Model or a Change Category.

- A Change Model allows you to define a set of change settings, such as Category, Subcategory, Change Template, Service, Company, Department, Allowed Roles (security roles), and Tasks. When a change is created based on this change model, the change record is automatically populated with the predefined values in the change model.
- A Change Category has a workflow associated with it and one or more subcategories defined for it. When a change is created based on this change category, the change record is automatically populated with the predefined values in the change category. The out-of-box system provides the following change categories: Change Proposal, Standard Change, Normal Change, and Emergency Change.

Task Workflows and Task Categories

To work with the new change workflows, a number of Change Task categories are provided. Each of the task categories has a Process Designer based task workflow associated with it. Additionally, change tasks can be planned within change records by using Task Planner, or planned within change models.

Other enhancements

- A **Cost** tab is added to Change records to improve impact analysis and evaluation of business cost of downtime.
- Remediation planning is expanded for failed changes to allow other options than "back out".
- Change categorization is enhanced:
  - Sub-category "Significant" is added for Normal changes. Significant changes are more larger in scope than minor changes but don't require the enhanced planning and review of a major change.
  - You can modify the categorization of the change while using the closure wizard.
- A Review Required option is provided for Standard, Normal, and Emergency changes, which is used to disallow changes to bypass the Post Implementation Review phase. Once you turn on this flag, the change record can't bypass the Post Implementation Review phase, and the system automatically sends a notification to the Change Coordinator and Change Manager once the change record enters the Post Implementation Review phase.
- The previous "Backout" phase is renamed to the more general "Remediation" phase to more aptly reflect the different mitigation scenarios that may occur as a result of a unsuccessful change. This makes it more clear that some remediation plans may be to take an action other than backing out the change, such as taking no action, trying to implement the change again, raise a problem, etc..
- You can send a survey directly from the change to a designated recipient. For more information, see Service Manager Survey.

Service Level Management

Service Level Management in Service Manager9.61 implements Process Designer for management of Service Level Agreements (SLAs), Underpinning Contracts (UCs) and Operational Level Agreements (OLAs). In addition, the following terminology changes are implemented: service level objectives are renamed to service level targets (in forms and display values only; the underlying table columns and code have not changed due to compatibility considerations), response targets are now process targets, and availability targets are now service targets.

In addition, all three types of service agreements are now treated as equal, and the relationships between them clarified to show OLAs and UCs as supporting (underpinning) agreements to an SLA. Support for regular service reviews has been added through the addition of service review fields, and the addition of new Knowledge document subtypes for Service quality plans, and service improvement plans.



Note

Other aspects of Service Level Management, such as the management and behavior of Service Level Targets (SLTs), Service Contracts, Outage handling, and Service Level Management data have not been modified.

For more information on the new Service Level Management, see the entire Service Level Management documentation set in the Help Center.

Knowledge Management

Knowledge Management has a number of small enhancements in the release. Reference documents now have a new "Subtype" field to support a wider variety of documentation types. These types are described as follows:

- Service Design Package (a document that provides the initial outline of a service agreement and denotes what agreements will be required, who the signatories shall be, and other process oriented details).
- Service Quality Plan (SQP, a long term quality improvement plan for a service agreement)
- Service Improvement Plan (SIP, a limited short term improvement plan for a service agreement)
- Business case (provides a business justification for a change proposed by a formal Change Proposal)
- Project Information (provides information about the project proposed by a formal Change Proposal)
- Availability Plan

Enhanced PD framework

This release includes the following enhancements to the Process Designer framework.

Workflow viewer and workflow editor enhancements

The user experience of viewing, creating, and editing Process Designer workflows is enhanced with the following new features:

- You can now copy and paste phases within a workflow.
- You can now add descriptions to transitions between phases, as well as to phases and workflows.
- The description field for transitions, phases, and workflows now supports formatting (such as italics and bold text) and hyperlinks.
- You can now view a phase's description by hovering the mouse over the phase in the workflow viewer.
- An icon is now displayed in phases in the workflow viewer and workflow editor if the phase has approvals.



Note

In Service Manager Classic, Knowledge Management and Survey Integration workflows are Process Designer-based.

Condition Editor enhancements

The Condition Editor widget is completely redesigned with an easy-to-use graphical interface that includes the following new features:

- You can now build conditions by using meaningful operators instead of characters. For example, the enhanced Condition Editor uses "Greater than" instead of ">" and "Not equals" instead of "!=."
- You can drag and drop individual expressions within conditions. This makes it very easy to modify complex conditions that have many nested expressions.
- You can now copy and paste conditions between condition editors. For example, if you want to apply the same complex condition to an automatic transition in two different workflows, you can create the condition by using Condition Editor in one workflow, copy it, open Condition Editor in the second workflow, and then paste the condition.
- Condition validation is now built into Condition Editor. You can't save an invalid condition, and the specific elements in the condition that fail validation are highlighted in the graphical interface.

Task Planner enhancements

Task Planner is now available for Request Fulfillment as well as for Change Management, and can be used at both the record and model level. The Task Information section in change models, changes, request models, and requests now contains a graphic display of the tasks that are planned for that record. You can open Task Planner directly from this section by clicking **Edit**.

You can now use Task Planner to configure input and output fields in tasks and to set the recommended maximum number of concurrent tasks.

Task Planner is now itself customizable. You can add fields to Task Planner and configure the mapping between the statuses of tasks and the statuses that are displayed by Task Planner.

New and enhanced rule types

New rules

- **Popup Message Box rule**: This rule enables you to create and configure popup message boxes that appear to end users.
- **Assignment rule**: This rule enables you to automatically distribute records (such as tasks or records) to the groups and assignees who are most able to process them.
- **Run Action rule**: This rule automatically runs actions (defined by rule sets and/or backend transitions) on records that have a specified relationship to the record that triggers the rule. For example, you can use this rule to change the workflow phase of related records under specific conditions.
- **Run Scheduled Action rule**: This rule automatically runs an action (defined by rule sets and/or backend transitions) on records after a specified length of time has passed. For example, you can use this rule to automatically close incident records that have been in a Resolved state for a certain number of days.

Enhanced rule

Start or Stop Clock rule: This rule enables you to start or stop an Service Manager clock to measure elapsed time. In this release, the rule is enhanced to enable you to set the timezone of the clock, schedule the clock, and include fields in the clock name when you set the clock name by using a JavaScript.

> **Note**
>
> Additionally, the execution order of rule sets and format control is updated so that rule sets are always executed before format control. Additionally, when a workflow transition occurs, the "update" format control is run instead of the "add" format control. These changes prevent an issue in which rule sets may run twice.

Improved development auditing

Changes to Process Designer elements, such as workflows, phases, or rules, are now logged in the devaudit table. This allows you to track the customizations that you make by using Process Designer, and to unload them from your development environment.

Case Exchange

The out-of-box Service Manager 9.40 includes all the functionalities of the Case Exchange Content Pack for Service Manager 9.34. These functionalities enable the setup of the following Case Exchange integrations.

> **Note**
>
> These integrations are limited to the Incident Management module between the integrated systems.

- The integration between two Service Manager systems

  > **Note**
  >
  > The other Service Manager system must be 9.40 or 9.34 with Case Exchange Content Pack applied.

- The integration between Service Manager and Service Anywhere

For more information about how to create a Case Exchange integration, see Case Exchange framework.

Entity relationship management tools

Three entity relationship management tools were introduced.

- Relationship Manager: a tool that can automatically discover logical entity relationships between tables and fields in your Service Manager system by querying the **erddef**, **link**, and **relatedObjectMap** tables and then save the results in the **relation** table. For more information, see Relationship Manager.
- Entity Relationship Diagram utility: a utility that presents entity relationships for selected files and fields in your database in dynamic diagrams (called Entity Relationship Diagrams or ERDs). For more information, see Entity

Relationship Diagram utility.

> **Note**
> This utility is intended to replace the legacy Entity Relationship Diagram (ERD) creation utility. The legacy ERD creation utility and its documentation are still accessible from the product user interface (**Tailoring** > **Tailoring Tools** > **ERD Create Records**) and the online help, and might be removed in a future release.

- Missing Reference Report utility: a utility that can generate a report for selected files to help you find out and solve potential data integrity problems (missing references). For more information, see Missing Reference Report utility.

Mobile Applications enhancements

Service Manager 9.40 Mobile Applications introduces the following enhancements.

- Self-service user interface
  The employee self-service (ESS) functionality that was previously available through content packs is now incorporated directly into Service Manager. The Service Manager Mobile Applications self-service user view is intended for end-users as an entry point to Service Desk and provides a simplified Service Desk interface for users to perform the following tasks:
  - Search the knowledge base
  - Submit a self-service request
  - Submit a smart request
  - View opened and closed tickets
  - View, approve, or deny pending approval requests

  For more information on installing and using Service Manager Mobile Applications, see the *Service Manager Mobile Applications User Guide*.
- New mobile operating system support
  Service Manager 9.40 Mobile Applications supports iOS 8.

Service Manager Survey

In this release, Service Manager additionally provides the Service Manager Survey tool, which enables you to implement email surveys in Service Manager independently without integration with a third party survey tool.

The Service Manager Survey feature is based on the HTML Email solution (JavaMail), and enables users to manually send individual surveys directly from a record to selected users. Additionally, it enables the system to automatically send scheduled surveys to specified users through an out-of-box internal survey connector based on the survey integration framework.

When users receive a survey link, they can directly click the link or open the link in a web browser, and then log in to Service Manager to complete the survey. They can also view open surveys that they have been invited to join and closed survey that they have completed in the Service Manager portal. In the out-of-box system, Service Manager surveys are designed to achieve the following goals:

- Collect user satisfaction ratings for the following areas: the level of service provided, the speed of response that the user received, and the level of communication regarding the service.
- Collect additional comments from the user (if any)
- Allow the user to select if a complaint or compliment needs to be registered. If the user selects to do so, the system automatically generates an interaction record (Complaint or Compliment category) with the information that the user provided, and sends an email to the user with information about the interaction record. The user can click the record link to view the record details and status.

For more information, see Service Manager Survey.

Service Request Catalog enhancements

- Notification of updates for your requests

To improve the overall communication between IT and end users, a new flag is added to the **Your Requests** list to inform the requesters about updates that are made to their requests by IT operators.
Once a "Visible to Customer" update is added to a request, a flag that contains the following message is displayed to the requester:
This record has new updates.

- Copy read-only fields
  You can now copy read-only fields in SRC pages such as Catalog Item Details, Request Details, Approval Details, and Subscription Details.
  For example, you can copy the request ID of an item on the Your Request Details View page.
- SRC user interface improvement
  The SRC user interface is updated.
- Approve requests and view request details
  Users can now approve or deny request fulfillment records on the Your Approvals Request page, and view their current approvals on the Request Approval Details page.

Enhanced integration with UCMDB UI

In this release, the UCMDB integration has been enhanced. Once you have enabled an integration to UCMDB and UCMDB UI, a **Primary CI History in UCMDB** tab is added for each problem record whose Primary CI is synchronized from UCMDB. You can view the CI changes on that primary CI for root cause investigation.

Support of Unicode data type for Microsoft SQL Server

Prior to version 9.40, Service Manager used the VARCHAR, CHAR, and TEXT data types to store text strings in a Microsoft SQL Server database. Microsoft SQL Server relies on database collation to support a specific language. Although some languages share the same collation, most languages don't. As a result, Service Manager did not support multiple languages when running on a SQL Server database. Service Manager 9.40 is enhanced to support the Unicode data type on SQL Server. During a new installation of the Service Manager 9.40 server, when you run the server configuration utility, if you select the **Use Unicode Data Type** checkbox for SQL Server (see the following figure), Service Manager creates data with the Unicode data type when it loads the applications and demo data, except for the following system tables: dbdict, licenseinfo, lock, and lockshared.

> **Note**
>
> This feature is available for new customers only. Existing customers that have upgraded to version 9.40 can't use this feature.

For more information, see Microsoft SQL Server database Unicode support.

Encryption of client keystore passwords

Service Manager supports encryption of keystore passwords in the Windows and web clients. For more information, see Encryption of client keystore passwords.

Allowing only attachments with certain file extensions from the web client

To prevent potentially dangerous attachment files from being submitted to Service Manager, the Service Manager Server provides support for blocking certain types of attachments submitted through the Windows and web clients, as well as through web services, based on a pre-defined list of forbidden file extensions (a so-called "blacklist"). Only attachments whose file types are in this blacklist are blocked.

Beginning with this release, the web client provides additional protection using a so-called "allowlist" to control what types of attachments are allowed to be submitted to Service Manager. From the web client, you can submit only attachments whose file types are in this allowlist. In the out-of-box system, this allowlist includes the following file types, which are considered safe: bmp, jpg, jpeg, png, gif, txt, log, unl, and csv. This allowlist is defined in the web tier configuration file (web.xml). You can adjust the list at your own risk.

Note

As of Service Manager 9.50, a new allowlist feature is introduced. Therefore, defining lists of file forbidden file extensions is no longer supported, and the allowlist of file extensions configured in the web tier configuration file (web.xml) is no longer triggered.

Accessibility improvements

In addition to the default accessibility functions of the web client, this release also includes accessibility support for the following components:

- Embedded Service Manager Calendar
- Service Manager Reports
- Process Designer Request fulfillment

© Copyright 2026 Open Text

For more info, visit https://docs.microfocus.com