Figure 01/30: Proton: G_E^p/G_D



Figure 02/30: Proton: $G_M^p/(\mu_p G_D)$



Figure 03/30: Proton: $\mu_p G_E^p / G_M^p$



Figure 04/30: Proton: F_1^p and F_2^p



Figure 05/30: Proton: $Q^4F_1^p$ and $Q^6F_2^p$



Figure 06/30: Proton: $Q^2F_2^p/F_1^p$ comparison



Figure 07/30: Neutron: G_E^n/G_D



Figure 08/30: Neutron: $G_M^n/(\mu_n G_D)$



Figure 09/30: Neutron: individual fits for F_1^n and F_2^n



Figure 10/30: Neutron: individual fits for $Q^4F_1^n$ and $Q^6F_2^n$



Figure 11/30: Neutron: fit comparisons and relative uncertainties for F_1^n and F_2^n



Figure 12/30: Neutron: fit comparisons and relative uncertainties for $Q^4F_1^n$ and $Q^6F_2^n$



Figure 13/30: Neutron: $Q^2F_2^n/F_1^n$ individual fits and comparisons



Figure 14/30: Flavor separation: $G_E^{u/d}$ vs Q^2



Figure 15/30: Flavor separation: $G_E^{u/d}$ vs z



Figure 16/30: Flavor separation: $G_M^{u/d}$ vs Q^2



Figure 17/30: Flavor separation: normalized $G_E^{u/d}$ vs Q^2



Figure 18/30: Flavor separation: normalized $G_E^{u/d}$ vs Q^2 (log scale)



Figure 19/30: Flavor separation: normalized $G_M^{u/d}$ vs Q^2





Figure 20/30: Flavor separation: normalized $G_M^{u/d}$ vs Q^2 (log scale)
2019 Fit (PLB)
SBS GMn Fit
SBS Global Fit
2019 Fit (PLB) vs SBS GMn Fit
2019 Fit (PLB) vs SBS Global Fit
All Fits
$G_M^{u/d}/[G_M^{u/d}(0)G_D]$
Q^2 [GeV^2]
$G_M^u/[G_M^u(0)G_D]$
$G_M^d/[G_M^d(0)G_D]$
2019 Fit (PLB)
SBS GMn Fit
SBS Global Fit

Figure 21/30: Flavor separation: $F_1^{u/d}$ vs Q^2



Figure 22/30: Flavor separation: $Q^4F_1^{u/d}$ vs Q^2



Figure 23/30: Flavor separation: $Q^4F_1^{u/d}$ vs Q^2 (log scale)



Figure 24/30: Flavor separation: physical $F_2^{u/d}$ vs Q^2



Figure 25/30: Flavor separation: $Q^4F_2^{u/d}/\kappa_{u/d}$ vs Q^2



Figure 26/30: Flavor separation: $Q^4 F_2^{u/d}/\kappa_{u/d}$ vs Q^2 (log scale)



Figure 27/30: Flavor separation: $F_2^{u/d}/(\kappa_{u/d}F_1^{u/d})$ and relative uncertainty



Figure 28/30: Flavor separation: $F_2^{u/d}/(\kappa_{u/d}F_1^{u/d})$ and relative uncertainty (log scale)



Figure 29/30: Flavor separation: F_1^d/F_1^u and F_2^d/F_2^u



Figure 30/30: Flavor separation: F_1^d/F_1^u and F_2^d/F_2^u (log scale)