Figure 01/25: Proton: G_E^p/G_D



Figure 02/25: Proton: $G_M^p/(\mu_p G_D)$



Figure 03/25: Proton: $\mu_p G_E^p / G_M^p$



Figure 04/25: Proton: F_1^p and normalized F_2^p/κ_p



Figure 05/25: Neutron: G_E^n/G_D



Figure 06/25: Neutron: $G_M^n/(\mu_n G_D)$



Figure 07/25: Neutron: individual fits for F_1^n and normalized F_2^n/κ_n



Figure 08/25: Neutron: fit comparisons for F_1^n and normalized F_2^n/κ_n



Figure 09/25: Flavor separation: $G_E^{u/d}$ vs Q^2



Figure 10/25: Flavor separation: $G_E^{u/d}$ vs z



Figure 11/25: Flavor separation: $G_M^{u/d}$ vs Q^2



Figure 12/25: Flavor separation: normalized $G_E^{u/d}$ vs Q^2



Figure 13/25: Flavor separation: normalized $G_E^{u/d}$ vs Q^2 (log scale)



Figure 14/25: Flavor separation: normalized $G_M^{u/d}$ vs Q^2



Figure 15/25: Flavor separation: normalized $G_M^{u/d}$ vs Q^2 (log scale)



Figure 16/25: Flavor separation: $F_1^{u/d}$ vs Q^2



Figure 17/25: Flavor separation: $Q^4F_1^{u/d}$ vs Q^2



Figure 18/25: Flavor separation: $Q^4F_1^{u/d}$ vs Q^2 (log scale)



Figure 19/25: Flavor separation: physical $F_2^{u/d}$ vs Q^2



Figure 20/25: Flavor separation: $Q^4F_2^{u/d}/\kappa_{u/d}$ vs Q^2



Figure 21/25: Flavor separation: $Q^4F_2^{u/d}/\kappa_{u/d}$ vs Q^2 (log scale)



Figure 22/25: Flavor separation: $F_2^{u/d}/(\kappa_{u/d}F_1^{u/d})$ and relative uncertainty



Figure 23/25: Flavor separation: $F_2^{u/d}/(\kappa_{u/d}F_1^{u/d})$ and relative uncertainty (log scale)



Figure 24/25: Flavor separation: F_1^d/F_1^u and F_2^d/F_2^u



Figure 25/25: Flavor separation: F_1^d/F_1^u and F_2^d/F_2^u (log scale)