

Figure 01/32: Proton: G_E^p/G_D




Figure 02/32: Proton: $G_M^p/(\mu_p G_D)$




Figure 03/32: Proton: $\mu_p G_E^p/G_M^p$




Figure 04/32: Proton: F_1^p and F_2^p




Figure 05/32: Proton: $Q^4F_1^p$ and $Q^6F_2^p$




Figure 06/32: Proton: F_2^p/F_1^p comparison




Figure 07/32: Proton: $Q^2 F_2^p/F_1^p$ comparison




Figure 08/32: Neutron: G_E^n/G_D




Figure 09/32: Neutron: $G_M^n/(\mu_n G_D)$




Figure 10/32: Neutron: individual fits for F_1^n and F_2^n




Figure 11/32: Neutron: fit comparisons and relative uncertainties for F_1^n and F_2^n




Figure 12/32: Neutron: individual fits for $Q^4F_1^n$ and $Q^6F_2^n$




Figure 13/32: Neutron: fit comparisons and relative uncertainties for $Q^4F_1^n$ and $Q^6F_2^n$




Figure 14/32: Neutron: F_2^n/F_1^n individual fits and comparisons




Figure 15/32: Neutron: $Q^2 F_2^n / F_1^n$ individual fits and comparisons




Figure 16/32: Flavor separation: $G_E^{u/d}$ vs Q^2




Figure 17/32: Flavor separation: $G_E^{u/d}$ vs z









Figure 18/32: Flavor separation: $G_M^{u/d}$ vs Q^2




Figure 19/32: Flavor separation: normalized $G_E^{u/d}$ vs Q^2




Figure 20/32: Flavor separation: normalized $G_E^{u/d}$ vs Q^2 (log scale)




Figure 21/32: Flavor separation: normalized $G_M^{u/d}$ vs Q^2




Figure 22/32: Flavor separation: normalized $G_M^{u/d}$ vs Q^2 (log scale)




Figure 23/32: Flavor separation: $F_1^{u/d}$ vs Q^2









Figure 24/32: Flavor separation: $Q^4 F_1^{u/d}$ vs Q^2









Figure 25/32: Flavor separation: $Q^4 F_1^{u/d}$ vs Q^2 (log scale)




Figure 26/32: Flavor separation: physical $F_2^{u/d}$ vs Q^2




Figure 27/32: Flavor separation: $Q^4 F_2^{u/d}/\kappa_{u/d}$ vs Q^2




Figure 28/32: Flavor separation: $Q^4 F_2^{u/d}/\kappa_{u/d}$ vs Q^2 (log scale)




Figure 29/32: Flavor separation: $F_2^{u/d}/(\kappa_{u/d}F_1^{u/d})$ and relative uncertainty




Figure 30/32: Flavor separation: $F_2^{u/d}/(\kappa_{u/d}F_1^{u/d})$ and relative uncertainty (log scale)




Figure 31/32: Flavor separation: F_1^d/F_1^u and F_2^d/F_2^u









Figure 32/32: Flavor separation: F_1^d/F_1^u and F_2^d/F_2^u (log scale)

