Batch effects and confounders


Jeff Leek


@jtleek


www.jtleek.com

















Genetics/Epigenetics

Technical Factors

Color = Environment (Idaghdour et al. 2008)




Color = Processing Year (Cheung et al. 2008)




Color = Allele


(Brem et al. 2005)



http://www.nature.com/nrg/journal/v11/n10/full/nrg2825.html



http://biorxiv.org/content/biorxiv/early/2015/08/25/025528.full.pdf




$$Y = b_0 + b_1 P + b_2 B + e$$

P = Phenotype you care about

B = Batch

Slide adapted from: John Storey



= unobserved

http://biostatistics.oxfordjournals.org/content/8/1/118.abstract

Adjusting batch effects in microarray expression data using empirical Bayes methods

W. Evan Johnson and Cheng Li*

*To whom correspondence should be addressed.

Ariel Rabinovic

+ Author Affiliations

Received February 28, 2006. Revision received April 14, 2006. Accepted April 14, 2006.

Abstract

observed across multiple batches of microarray experiments, often rendering the task of combining data from these batches difficult. The ability to combine microarray data sets is advantageous to researchers to increase statistical power to detect biological phenomena from studies where logistical considerations restrict sample size or in studies that require the sequential hybridization of arrays. In general, it is inappropriate to combine data sets without adjusting for batch effects. Methods have been proposed to filter batch effects from data, but these are often complicated and require large batch sizes (> 25) to implement. Because the majority of microarray studies are conducted using much smaller sample sizes, existing methods are not sufficient. We propose

parametric and non-parametric empirical Bayes frameworks for adjusting

Non-biological experimental variation or "batch effects" are commonly

Table of Contents

This Article

Biostat (2007) 8 (1): 118-127. doi: 10.1093/biostatistics/kxj037

doi: 10.1093/biostatistics/kxj037 First published online: April 21, 2006

» Abstract Free Full Text (HTML) Free

Full Text (PDF) Free Data Supplement

All Versions of this Article:

8/1/118 most recent
- Classifications

Article

kxj037v1

- Services
Alert me when cited

Alert me if corrected Find similar articles

Similar articles in PubMed Add to my archive

Download citation Request Permissions

Disclaimer

+ Citing Articles

+ Google Scholar

Advanced »

Current Issue


July 2015 16 (3)





Alert me to new issues


SEE WHAT
THE
AGENTS
ARE


SAYING!






















Notes and further reading

- Introduction to batch effects
 - http://www.nature.com/nrg/journal/v11/n10/abs/nrg2825.html
- Introduction to batch effects with linear models
 - http://biostatistics.oxfordjournals.org/content/8/1/118.abstract
- Surrogate variable analysis
 - http://journals.plos.org/plosgenetics/article?id=10.1371/journal.pgen.0
 030161