VoiceFixer

Why using mel spectrogram?

Mimic human auditory sensitivity

 High resolution at low frequency and low resolution at high frequency

Reduce the dimension of feature space

 Linear frequency 1025 Mel Frequencies 128

The advancement in inverse mel spectrogram

Neural Vocoder



Testset	Vocoder (TFGAN)	Original
ALL-GSR	3.74	3.95
VCTK-Demand	3.64	3.69
VCTK-Test	3.47	3.51

Almost the same on perceptual quality!

Table.2 MOS score on three evaluation set

VoiceFixer

Why using mel spectrogram?

- Mimic human auditory sensitivity
 - High resolution at low frequency and low resolution at high frequency
- Reduce the dimension of feature space
 - Linear frequency 1025
 Mel Frequencies 128
- The advancement in inverse mel spectrogram
 - Neural Vocoder


Table.2 MOS score on three evaluation set

Testset	Vocoder (TFGAN)	Original
ALL-GSR	3.74	3.95
VCTK-Demand	3.64	3.69
VCTK-Test	3.47	3.51

Almost the same on perceptual quality!

VoiceFixer

Analysis Module



$$\left| \hat{S} \right|_{mel} = F(\left| X \right|_{mel}) \odot \left| X \right|_{mel}$$

$$L_{ana} = \left\| \left\| \hat{X} \right\|_{mel} - \left\| S \right\|_{mel} \right\|_{1}$$