

Motivations

MSS empirical upper bound

- Phase information is critical.
 - So we estimate:
 - **Phase variation**
- Mask magnitude better not limited in value.
 - So we estimate:
 - **Bounded mask + magnitude residual**

Table 1. The empirical upper bounds of MSS systems on MUSDB18. ‘acc.’ indicates accompaniment. On the top row, numbers indicate the limit of the magnitude masks.

	Mixture	IBM	IRM (1)	IRM (inf)	cIRM (1)	cIRM (2)	cIRM (5)	cIRM (10)	cIRM (inf)
vocals	-5.69	10.59	10.04	10.42	19.84	31.02	41.04	47.62	54.50
acc.	-5.68	16.10	15.31	15.97	26.54	37.62	47.33	53.51	60.63
bass	-6.36	7.17	6.05	6.07	17.99	27.88	37.86	44.30	54.12
drums	-4.30	8.75	8.03	8.61	19.10	30.38	39.91	46.45	56.08
other	-4.92	8.20	7.28	7.37	18.97	28.91	39.08	45.64	56.00





Figure 2. cIRMs of vocals, accompaniment, bass, drums, other, and all sources, on the complex 2D plain. Unit circles are drawn in red.

Motivations



Channel-wise subband feature

- What's subband decomposition?




Sample rate: 44100


Convolution with four filters
&
Down sampling $\times 4$




Subband 1



Subband 2



Subband 3



Subband 4

Sample rate: 11025