## UC San Diego

# DSC 102 Systems for Scalable Analytics

Fall 2023

Haojian Jin

Now for the course logistics ...

## Prerequisites

- DSC 100 (or equivalent) is necessary
- Transitively DSC 80; a mainstream ML algorithmics course is necessary
- Proficiency in Python programming
- For all other cases, email me with proper justification; a waiver can be considered

https://haojian.github.io/DSC102FA23/

# Components and Grading

- **❖ 3 Programming Assignments: 40%** (8% + 16% + 16%)
  - No late days! Plan your work well ahead.
  - Plan your credit as well!
- Midterm Exam: 15%
  - \* **TBD**; in-class only (50min)
- Cumulative Final Exam: 35%
  - Dec. 15; Canvas Quiz only (3hrs long but 4hrs limit)
- 10 (of 12) Peer Instruction Activities: 10%
- Extra Credit Peer Evaluation Activities: 4% (likely)
- LMK ahead of time if you need makeup exam slot

https://haojian.github.io/DSC102FA23/

## **Grading Scheme**

### Hybrid of relative and absolute; grade is better of the two

Grade	Relative Bin (Use strictest)	Absolute Cutoff (>=)
A+	Highest 5%	95
А	Next 10% (5-15)	90
A-	Next 15% (15-30)	85
B+	Next 15% (30-45)	80
В	Next 15% (45-60)	75
B-	Next 15% (60-75)	70
C+	Next 5% (75-80)	65
С	Next 5% (80-85)	60
C-	Next 5% (85-90)	55
xample	: Score 82 but 33% le; Rel	: B-; Abs <sub>50</sub> B+; so, B

# Programming Assignments

- PA0: Setting up AWS and Dask
  - Oct 6 to Oct 22
- ❖ PA1: Data Exploration with Dask
  - Oct 23 to Nov 12
- PA2: Feature Eng. and Model Selection with Spark
  - Nov 13 to Dec 04
- Expectations on the PAs:
  - Teams of 2 or 1 (individual); see webpage on academic integrity
  - I will cover the concepts and tools' tradeoffs in the lectures
  - TAs will explain and demo the tools; handle all Q&A
  - You are expected to put in the effort to learn the details of the tools' APIs using their documentation on your own!

https://haojian.github.io/DSC102FA23/

### Course Administrivia

- Lectures: MWF 3pm-3:50pm PT at CENTR 214
  - Attendance optional but encouraged; podcast available
  - No need for clickers.
- Discussions: Friday 9-9:50am PT on Zoom
  - Only for talks on PAs by TAs, for pre-exam review by me
- Instructor: Haojian Jin; haojian@ucsd.edu
  - OHs: Wednesday 4-5 pm PT at 341 HDSI
- Slack for all communications
- Canvas for PA submission, Peer Evaluation Activities, Final Exam

https://haojian.github.io/DSC102FA23/

### Office hours

- Rohit Ramaprasad's OHs: Tuesday 1:00 PM 2:00 PM
- ♦ Sai Sree Harsha's OHs: Thursday 1:00 PM 2:00 PM
- Golokesh Patra's OHs: Monday 11:00 AM 12:00 PM
- Post questions to the ta-public channel.
- Avoid asking repetitive questions.

### General Dos and Do NOTs

### Do:

- Follow all announcements on Piazza
- Try to join the lectures/discussions live
- Raise your hand before speaking
- View/review podcast videos asynchronously by yourself
- To contact me/TAs, use private Slack; if you really need to email, use "DSC 102:" as subject prefix

### Do NOT:

- Harass, intimidate, or intentionally talk over others
- Violate academic integrity on the PAs, exams, or other components; I am very strict on this matter!

# Reasonable person.

- (1) Everyone will be reasonable.
- (2) Everyone expects everyone else to be reasonable.
- (3) No one is special.
- (4) Do not be offended if someone suggests you are not being reasonable.

Now for the course structure ...

# DSC 102 will get you thinking about the <u>fundamentals of</u> <u>systems for scalable analytics</u>

- 1. "Systems": What resources does a computer have? How to store and efficiently compute over large data? What is cloud?
- 2. "Scalability": How to scale and parallelize data-intensive computations?
- 3. For "Analytics":
  - 1. Source: Data acquisition & preparation for ML
  - 2. **Build**: Model selection & deep learning systems
  - 3. **Deploying** ML models
- 4. Hands-on experience with scalable analytics tools

# Data Systems Concerns in ML

```
Key concerns in ML:
```

Accardow do "ML Systems" relate to ML?

Runtime efficiency (sometimes)

```
Additional key practical concerns in ML Systems:
ML Systems : ML : Computer Systems : TCS
Long-standing
concerns in the
Manageability

Developability

ME Systems:

Value of the concerns in t
```

# Conceptual System Stack Analogy


	Relational DB Systems	ML Systems
Theory	First-Order Logic Complexity Theory	Learning Theory Optimization Theory
Program Formalism	Relational Algebra	Tensor Algebra Gradient Descent
Program Specification	SQL	TensorFlow? Scikit-learn?
Program Modification	Query Optimization	???
Execution Primitives	Parallel Relational Operator Dataflows	Depends on ML Algorithm

Hardware

CPU, GPU, FPGA, NVM, RDMA, etc.

## Real-World ML: Pareto Surfaces

Q: Suppose you are given ad click-through prediction models A, B, C, and D with accuracies of 95%, 85%, 90%, and 85%, respectively. Which one will you pick?



- Real-world ML users must grapple with multi-dimensional *Pareto* surfaces: accuracy, monetary cost, training time, scalability, inference latency, tool availability, interpretability, fairness, etc.
- Multi-objective optimization criteria set by application needs / business policies.


## Learning Outcomes of this course

- Explain the basic principles of the memory hierarchy, parallelism paradigms, scalable data systems, and cloud computing.
- Identify the abstract data access patterns of, and opportunities for parallelism and efficiency gains in, data processing and ML algorithms at scale.
- Outline how to use cluster and cloud services, dataflow ("Big Data") programming with MapReduce and Spark, and ML tools at scale.
- Apply the above programming skills to create end-to-end pipelines for data preparation, feature engineering, and model selection on large-scale datasets.
- Reason critically about practical tradeoffs between accuracy, runtimes, scalability, usability, and total cost.

### What this course is NOT about

- NOT a course on databases, relational model, or SQL
  - Take DSC 100 instead (pre-requisite)
- NOT a course on internal details of RDBMSs
  - Take CSE 132C instead
- NOT a training module for how to use Spark
- NOT a course on ML or data mining algorithmics; instead, we focus on ML systems

## Tentative Course Schedule




## Suggested Textbooks




Aka "CompOrg Book" Aka "Comet Book"






Aka "Cow Book"



Aka "Spark Book"




Aka "MLSys Book"

(Free PDFs available online; also check out our library)

# Why so many textbooks?!

1. Computer systems are about carefully layering levels of abstraction.



- 2. Analytics/ML Systems is a recent/emerging area of research.
- 3. Also, DSC 102 is the first UG course of its kind in the world!

## Tentative Course Schedule

Week	Topic					
1-2		Basics of Machine Resources: Computer Organization				
Systems Principles		Basics of Machine Resources: Operating Systems				
		Basics of Cloud Computing				
4-5	Parallel and Scalable Data Processing: Parallelism Basics					
6		Midterm Exam on TBD				
6-7		Parallel and Scalable Data Processing: Scalable Data Access				
7-8	Parallel and Scalable Data Processing: Data Parallelism					
9	Dataflow Systems					
10		ML Model Building Systems				
11		Final Exam on Dec 15				

## UC San Diego

# DSC 102 Systems for Scalable Analytics

Topic 1: Basics of Machine Resources

Part 1: Computer Organization

Ch. 1, 2.1-2.3, 2.12, 4.1, and 5.1-5.5 of CompOrg Book


**Q:** What is a computer?

A programmable electronic device that can store, retrieve, and process digital data.

## Outline

- ---
- Basics of Computer Organization
  - Digital Representation of Data
  - Processors and Memory Hierarchy
- Basics of Operating Systems
  - Process Management: Virtualization; Concurrency
  - Filesystem and Data Files
  - Main Memory Management
- Persistent Data Storage

# Parts of a Computer



### Hardware:

The electronic machinery (wires, circuits, transistors, capacitors, devices, etc.)


### Software:


Programs (instructions) and data

# Key Parts of Computer Hardware

- Processor (CPU, GPU, etc.)
  - Hardware to orchestrate and execute instructions to manipulate data as specified by a program
- Main Memory (aka Dynamic Random Access Memory)
  - Hardware to store data and programs that allows very fast location/retrieval; byte-level addressing scheme
- Disk (aka secondary/persistent storage)
  - Similar to memory but persistent, slower, and higher capacity / cost ratio; various addressing schemes
- Network interface controller (NIC)
  - Hardware to send data to / retrieve data over network of interconnected computers/devices

# Abstract Computer Parts and Data





# Key Aspects of Software

### Instruction

- A command understood by hardware; finite vocabulary for a processor: Instruction Set Architecture (ISA); bridge between hardware and software
- Program (aka code)
  - A collection of instructions for hardware to execute
- Programming Language (PL)
  - A human-readable formal language to write programs; at a much higher level of abstraction than ISA
- Application Programming Interface (API)
  - A set of functions ("interface") exposed by a program/set of programs for use by humans/other programs

#### Data

Digital representation of information that is stored, processed, displayed, retrieved, or sent by a program

### Main Kinds of Software

#### Firmware

Read-only programs "baked into" a device to offer basic hardware control functionalities

### Operating System (OS)

- Collection of interrelated programs that work as an intermediary platform/service to enable application software to use hardware more effectively/easily
- Examples: Linux, Windows, MacOS, etc.

### Application Software

- A program or a collection of interrelated programs to manipulate data, typically designed for human use
- Examples: Excel, Chrome, PostgreSQL, etc.


## Outline

- Basics of Computer Organization
  - Digital Representation of Data
  - Processors and Memory Hierarchy
- Basics of Operating Systems
  - Process Management: Virtualization; Concurrency
  - Filesystem and Data Files
  - Main Memory Management
- Persistent Data Storage


Q: But why bother learning such low-level computer sciencey stuff in Data Science?

## Luxury of "Statisticians"/"Analysts" of Yore

- Methods: Sufficed to learn just math/stats, maybe some SQL
- Types: Mostly tabular (relational), maybe some time series
- Scale: Mostly small (KBs to few GBs)
- Tools: Simple GUIs for both analysis and deployment; maybe an R-like console



# Reality of Today's "Data Scientists"



Data preparation

Training & Inference

Model Selection

34

Monitoring

## Why bother with these in Data Science?

- Basics of Computer Organization
  - Digital Representation of Data
  - Processors and Memory Hierarchy
- Basics of Operating Systems
  - Process Management: Virtualization; Concurrency
  - Filesystem and Data Files
  - Main Memory Management
- Persistent Data Storage

You will face myriad and new data types

Compute hardware is evolving fast

You will need to use new methods on evolving data file formats on clusters / cloud

Storage hardware is evolving fast



O Location statistician

Experience



### **Statistician Salaries** United States >

Overview

Industry

**Salaries** 

Interviews

Insights

**Employer Size** 

Career Path

### How much does a Statistician make?

Updated Jan 4, 2022

All industries

All company sizes  $\vee$ 


All years of Experience  $\vee$ 


Very High Confidence

\$88,989<sub>/yr</sub>

**Average Base Pay** 

2,398 salaries





- **88,989**
- = 28,223!


#### **Outline**

- Basics of Computer Organization
- Digital Representation of Data
  - Processors and Memory Hierarchy
  - Basics of Operating Systems
    - Process Management: Virtualization; Concurrency
    - Filesystem and Data Files
    - Main Memory Management
  - Persistent Data Storage

#### Q: What is data?

```
♪ とりコモワ コアノハニ トヨ 1キ タイルハ 乗り ちホマヱソヤロラ サノミエオ!ン ₹
                                                                          7モマキザ ハ霊
                                                                                    オラサリエ ヨソチウス
                                                                                                   VICK
           ヒ翼ィ鮫のメハエブ 1テ 2 コホ 妻マイユキホ 基立 4 1オ クフ ヘワホ ヮワ ケェユ 1サー
                                                        テハニノフ ゥオッキ ソハコックシャツ キノケ罪サソケワネノス!カト
         \cup \sigma
                                                                                                    K I A
            リサクソサホ シオノオ シコレノ マサユメカオキ 5 アラアリフ 8
                                                                                                    ∈ B ∪ I
                                                                          リアイヌハレコキ
                                                                                                    6 E E
            Qヒヌラテリ 1へ!カフカオオ ヘフヲォカ重
            オチマカィリロヘチナフキボノメニ母
                                 ウィザメ キーアツア
          🛛メッミワヨシキカキ 第ノウオツソ 1万 🏗
                                                         こ モテ なし 跳り モリ かんりょ
                                                                          「!マモ!ホサ!
                  サイン ソザアノル ・ スッツタピ 2ソンテセン
                                                                   77920
                                                                                                   カノトエノソノホ
    三文章 ロネ2ネヌ ホノベノラダポュウヌラ州 キシ動モオソセマシル
                                                                                                    C / #1
                  ユオリキカソ タミリチオ イキゥュノリミ
                                                        しゅりハエ夢ロ本メザトッリへ 1072エ
                                                                             LYSET
                                             トルラヤラクオ!サ
                                                                                    ロサランヒサリ
                                                                                                    ひしま
                                                          Oカシノルノヌワニサチウオへ
                                         エ零ホワツ8ソホメ
               8 🗥
                  ナルアファホラノムノンアへのヰホ 8オ
                                                                           フケキキソリオ
                                                                                    60
     ヌハヌコ藍ミヌハウフ製ノヘヤワヒネ5キシュ 聖フ潔ソホヒオ
                                                                          フノキキシシノ
                                                     L ±
                                                        うりこト ミヘノヤアヒ ヒノノオ 🛚
                                                                                    マアイホシオウ
              エサラツヒロエハタイプノエホノエ室ヒリラ票
                                        アオースオノフ罗ムポーピラ
                                                                                    アオオドかずり
                                                        フテキム豚エノ ヌノウノウオロテノイノッテ イ
                                                                                                    C7 K1
 ヤサノフ ヒ♪ルチボトマカラロ2ルトア重シ ムホラロフンサツロ側重
                                                          ポフ!コオウを総オムされホエコオ業ホウェハ
                                        + 10
                                                     とせ
                                                                                    434
                                                              雅5新ノツミヒロエソットユエユホネッ
        ッオラリ 回夢ロュチム参グミヒ 1ケソホマ! オオッ似ロ
                                                                                    二木ウキヤ零ケ
                                                                                                    しじホ
                     !ァ楽キ ヒトオヤチタ 4ルス学
                                        ГØ
                                                                 ホラマシ ホ重ヒ変タウラフォホノノケコヒフ季ホコマラナユ
                                                              ラブ撃腕 乗りアノの季ヤオヌッケスプソ
                                                        ンコワヌオ製コスホレメキカチコノスホァルキ季ウ
   2 ゥチワヤオツフルノオヒァマム霊メ - 個フノ奈Q乗りソ
                                  マミ てそ
                                                                                    変差メノ 膨ミワ
                                                                                                    7 9 6
                ウサブショセブノブアナイボッセ
                                            参二文 重ホノース アッシノト ノ 7 アオキテク 家マムエソムニヘモフ ハー 5 キゥヨレュヒ へひへ
                                                                                      ジワホイマト
               ソシオヨコ8オキ 1フトソロ
                                              #3コアヌノフカ♥
                                                        オハ雅 テロペ! 愛祖主郷ス郷 人名雅ス ヱンオルラソン
                                                                                              STIE
                                                   100B
                ホオノハフラオヒヘッケッチ
                                        11 6
                                                        カノノかハカーオカキチボ婴ル 🛛 イッオ エモウコチオチル婴リフィ渡ー
                                                        裏牛!サホエメサキ婴ノセ痛ナ 2フノヤ!♪ナ
        フソラ 🌌 キオト 黒ソ 1モ 1ホ ネホカ 🛛 オヤ
                                            ヨフキネバッイウヤケ
                               67££3 £64
     夢っモ ガンフ 九渓 カケコ 高速リーモオサシレ 撃つ 3
                                            マクレチセン オヌモホ
                                                        マフチオハト ァハツオフマ 愛ノイヌオニオ ゥチチセン ひりテユ ひニヒ
                                                                                              4 ハ ワ で
       ホノラ オヘチポトウキデチ!フテクヌヨォヨィロ☆カオムオキナ
                                            ヨユムモディヘア ヘノブデリン エソオンル エミロシノメフオ 8 7ネゥーアノオホオ 0 オコソ道
                                                                                                   3 ⊂ 4
                                            イソムンツウサジェントオミホーイサーフキキノマモヨヒュアシフホー 1ノノキウミヘアキッ
       ン 1季九潔オ 7ショシアムワワノヱフソッヱノカタチェノ
                                                                                                   \mathbf{x} \wedge \mathbf{x}
            ハイハキ Qワウホホェヌ母と変まのでいる。
                                  7 C Z
                                            ♪ ℚオメツラ 霊払 ∩ 經
                                                        参セーノファホェカノコフハァテホ
                                                                            オノハッツ トアウネネノウイレネタュヌモ
                                       FILE
                                                                                     フノホネレ 1イ
                                                ユネノュケサヌ 墨マチセヒラヘノムカサ8ホェホリ
                                                                            愛ハコ 1ノリノアホンプキトト
                 ■ソュテヌヒホロU(∞)エュキ!
                                       924
                                            深した 9半りママオトオヌジコフソフキノ 5ラノ撃 キテハ
                                                                            / ホムソィヌ』5ツミモヘホヤ
     ! Wトーマヒッホサ!3個角端チグマノウト ジアーキオムミフ
                                            フトリラワキオミア ノロノノカムキソフォホト 🧦 💖 🕹
                                                                            ノノチノ ウマアチアヒュィカマア55
                                              ③ヒ潔キッオフヒヒ リチ!ニオニキ契カ器体8要 🎤
            ユオユニヲ潔ウクQエオヨリノ 1世テサノラト1
                                                                              8イ!スク310 1フラウテ
                                       2 C (4
            ツキト ロソラノィノ!サチハムツ豚ノシレノオ 2
                                                』ルシナソタツソタ ♪ガネ@ハノシロフウシノメ
                                       モヒハ
                                                                             ヨヒチコチウヒノワノィホ
                                       - (2 to
       雅ル野ッコラハコソマルヒヒヘ 野オ 4 ホコミシムホエフレウ
                                            !ヒセラララキュハー ヘコホケ疹 重水艦チ艦のフキウコチト
  原モブルノキウユピホヌ物ムセテノケっヒフハノフオ銀ハーブンタニ
                                       KOL
                                                                             オザチミツ集のナノヒァオ
                                            ソルコホオケエキ 🛭 ロッテフェホノソホメキセソノヨシ 🤹 🗸
                                                                                            3661
チノユ カップラニ8オメフケコラボウオノムムシメウ レ8ケマ フソロナフマ
                                           シチオ種のエミホノッのウ!ちサキミ学工!舞みンフ重ソ学
                                                                            ◊ 43 サ 5 平 熊ネヘン フルゥ
             ムコノタノポコ 1撃が発表テルコ受撃!リ!オ
                                       C5 4
                                                    シノエテヤエケッケ / 5メシザラウオチヒホ
                                                                            ヨヒュゥチラヒ 4∃ ♥カラ ◎
             ワンソウ 2ソシアツレ マタメムオタチセフタ
                                                    うホスタオノエサチマニ 7ノフス 玉エノウト
       人事市等
                                                                             ロチ野野ホキコワオオタタ
             サラキメニ ヱウッノ
                          ヌシムッヒニカノマフ
                                                     スタワツ 1ホストメ
 ソツザホュケムツ事動ヒシマオ ッちノラト シサノノノオヘアットムマフェオ
                                                     ナソノの家配受砂コノハーブ!フハデゥ季
                                                                            ンオネシワノちァノロニウヲ
 サノウウオラルヤメヒキヌウ黒5チ®キコ病 ラザノィロム型フニ®ウムンミチ
                                               メオコヒデノヒモカヘキ・ウデノヌゥユノキオムケウ
ィメア@メデー サユヌソニカナノ 翼木口88 リヤイメウルザファホケっサりょう
                                                    マヘヌトッネ ホノリョ オツヨノュシチエ
トゥチ季!5ノュ製サムチチ ウウラホサチヱフヘュカミゥ夢ロヘ
                                               フオオイキソ 夢を懸ち ソモミ事後テツ切れキオム
                                                                             ♪ホケォ!ソワ霊サチュモ
                                                                            ウアコココミケモオシタノチ
       キツコハホホオハ!ェホ2フ よりソキワツマサザチ
                                               ヒルオゥ 型っキマグノコホチウ森ル
                                                                    乙ピサマラソン
           シブノ部イマコルっかマモワテロチロ変まりロヌコカリオブ
                                                              ヤソ署イコラヤ駅トチリウハ チノホヘネロ シロノヒ
    セノ森テリ
                                                   ハラト イヨヱノリ 34巻の 愛ォークマコ 1つ 製小 2 転っり ニハ 5 ロチトキ より立。
           ウノルヤ零ル 8 ノ 4 ノ 4 ホ € フ フ ス 5 ヱ ਡ イ ツ ウ 夔 コ ヘ カ!
    ロホフフワオノヘチイクキシ 2ハ9ヨレミシコエフノエネヌ アノノチア
                                                 イルノミヤツヌト温サ
                                                              ソエルトオ (3)ンセコボス
                                                                            フタマツ トヘデオ!ウトリスタルホウ
       アース乗車乗りノオ振りひゅれモトムヤルッッ8∃ヒホシウュノリエ
    オキッカフチノラエトト・カー・カススカスススス サヤストキス
                                                              U
                                                                             ★ホヨフヒソ トノシヌエヒ
                                                       2017 アライエ窓
                                                                                    トオヨフフノ
            41357E4E
                            0765
                                                       当 ルキロエ
                                                                                            🦱 प 🤫
                                                                            E3 1/2 100 101 100012
                                                    ヌピ キオムカヘ ァヌ
            マンククヨカノヒ
                      \nabla \mathbf{x} \times \mathbf{K}
                                                                  1の二8イモ
                                                                                   まりキヒョフ
                                                 ホサラホノ ルワフラ
                                                                                            LE 37
            シババラウオエミ
                      46/6
    イオハションハノモエキヒノキノ
                                                              6, 40
                                                                            デリポノ使アノュタホタウ
                       F (13) I
                                                                  ロッチょ 1のドコ
                                                                            ♪ トゥイミチラオフヘルノホ
    ウエピオノロウク禁ロコア振ノペアルコホメ
                               エイヒ8~サウヤスア
                                                                  巨くを事り
                                                                                            コハギサスアナ
    エゥイ罗ョヤ霊琴ォルロフ 9髪のキンホウナ
                                           E. 1
                                               世ピノノノロ ウィオエア
                                                              KΕ
                                                                    アヘス
                                                                            ッチノ !! ウホヒレオオハザイ
                                                                                            カロオチゥハウ
    シラテクトリソ振98ネ撃ボイソノウェ撃キ
                            ヤエテオフオ協力が無し 1
                                           9 C
                                                      7 U U C
                                                              rt 4
                                                                  CULL
                                                                               オウァナフオムトモ!ヒ
    オポューコリサソンへカワ ウミイテェ 1ウオソニルヨチッコウゅっムち
                                               ミワレタキ キャフラカ
                                                                  ソカヌ類ヱ
                                                                         テビ
                                                                               りってりへ コトコソキイ
                                                                                            99 + 9 7 K
    カップノフソエラのヒヤヌェワニザフヤノキ
                                      10 CU (cal
                                                                              10 サソダワ ノウヱハ♪ムモヲソヱキ
                        CA
                                                                               サシワチソレチバスキヲ
    重2ホソナオホ婴ノオヒノウヰテチノ
                            ヤイエ のト電器コラフノ
                                           110
     そにし Eっ リリマキ鞭 丘主郷口 ビ
                                               鯵チェイマルウォホハゥノ
                                                              C \rightarrow
                                                                               日 クタチオコヨェクホコ
    イカノマチヌヒテコフワチオトモエ
                                 Z | # C
                                                                      C/L+
                                                                              ソ 7ユカテマヨノホック
                                                                                             Dr VEA
                                                              N I V
                                            04
     たたこと ハマ霊 そりゅぎ ちゅこえ
                         L. C
                                                              ひとゅうタ
                                                                               ハ動りテマキドヒテウム
とをし
                             C | 4
C C +
     ヤノオシアペネヘトホラフゥ!丿
                         10.0
                                            # E
                                                                               ◎●夢ヰ丿ワー かかオヤヨフソノウエ1
9 5 4
          フラノロェラホトサ&ノテ
                                                                               ∃撃キヌェソデオナ≴ヒ
                                                                                            フチップリイカリ
                         1 2
                                                                               デのノオカトテオフヒ』
         【日の日】二八〇〇】
                                 ルテハサアへ
                                            C 4
                                               きょうりょうへん マガサ
                                                                                            進り受しるハドボ
I k \exists
     シハムマアネ器セホオノセオ 4ツラ
                                                                               ウホフユコノ ィミケワ
                                                                                                手下を占
4.2
    ※! 回溯愛ノネヒ!ノウキフ ゥーハソヒキ ミホイェノォ ィノマで飛シマヒノウ
                                               ∉8リ署メノラキルエオウ
                                                              サッホニアムトア
                                                                              ミヌ製テ 蜀ルテユウ集
    トオイトシップオコモヌ 1 ァセート 5 オ 0 スフッフ! すち コホオ コスサブヒ 事 3 ノアシャムム 2 ノウテ
                                                              エチフラマオカシケのラ
                                                                                オレテクワ罪シェ都
                                                                                              アウ墨螺 5 9ト
                                            ₹ 4
                                               タッサプウザ間ルノチコ フィ夢ミピイラノ深へミ森
                                                                                オオエァマヌワキ!
    モハホムチオマホン愛力 ァソュフホワケヲ多ヘアヨヤォオヱラヒロフ
                                                                                              ノロヨフモ8 🐗
    フ雅オミタか 1ヘリノコ キシシミノサチソコキノエムテウキエノトノ
                                           \kappa \in
                                                                                E17 ((0 0 x 0 0)
                                               ロ 2 ホラオノフ Ø アカキ ル イエユ 乗うハウハノノオ
```

- Bits: All digital data are sequences of 0 & 1 (binary digits)
  - Amenable to high-low/off-on electromagnetism
  - Layers of abstraction to interpret bit sequences
- Data type: First layer of abstraction to interpret a bit sequence with a human-understandable category of information; interpretation fixed by the PL
  - Example common datatypes: Boolean, Byte, Integer, "floating point" number (Float), Character, and String
- Data structure: A second layer of abstraction to organize multiple instances of same or varied data types as a more complex object with specified properties
  - Examples: Array, Linked list, Tuple, Graph, etc.



- The size and interpretation of a data type depends on PL
- A Byte (B; 8 bits) is typically the basic unit of data types
- Boolean:
  - Examples in data sci.: Y/N or T/F responses
  - Just 1 bit needed but actual size is almost always 1B, i.e., 7 bits are wasted! (Q: Why?)

#### Integer:

- Examples in data science: #friends, age, #likes
- Typically 4 bytes; many variants (short, unsigned, etc.)
- ❖ Java int can represent -2<sup>31</sup> to (2<sup>31</sup> 1); C unsigned int can represent 0 to (2<sup>32</sup> 1); Python3 int is effectively unlimited length (PL magic!)

**Q:** How many unique data items can be represented by 3 bytes?

- Given k bits, we can represent 2<sup>k</sup> unique data items
- $\diamond$  3 bytes = 24 bits =>  $2^{24}$  items, i.e., 16,777,216 items
- Common approximation: 2<sup>10</sup> (i.e., 1024) ~ 10<sup>3</sup> (i.e., 1000); recall kibibyte (KiB) vs kilobyte (KB) and so on

Q: How many bits are needed to distinguish 97 data items?

- lacktriangle For k unique items, invert the exponent to get  $\log_2(k)$
- $\diamond$  But #bits is an integer! So, we only need  $\lceil \log_2(k) \rceil$
- So, we only need the next higher power of 2
- $97 -> 128 = 2^7$ ; so, 7 bits

**Q:** How to convert from decimal to binary representation?

- 1. Given decimal n, if power of 2 (say, 2<sup>k</sup>), put 1 at bit position k; if k=0, stop; else pad with trailing 0s till position 0
- 2. If n is not power of 2, identify the power of 2 just below n (say, 2<sup>k</sup>); #bits is then k; put 1 at position k
- 3. Reset n as n 2<sup>k</sup>; return to Steps 1-2
- 4. Fill remaining positions in between with 0s

Decimal
510
<b>47</b> <sub>10</sub>
16310
<b>16</b> 10

Position/Exponent of 2	0	1	2	3	4	5	6	7
Power of 2	1	2	4	8	16	32	64	128
	1	0	1					
Q: Binary to decir	1	1	1	1	0	1		
	1	1	0	0	0	1	0	1
	0	0	0	0	1			

**Q:** Binary to decimal?


- Hexadecimal representation is a common stand-in for binary representation; more succinct and readable
  - ♦ Base 16 instead of base 2 cuts display length by ~4x
  - ❖ Digits are 0, 1, ... 9, A (10₁₀), B, ... F (15₁₀)
  - From binary: combine 4 bits at a time from lowest

Decir	mal	Binary	Hexadecimal	
510	)	1012	516	Alte
471	10	0 11112	2 F <sub>16</sub>	not
163	10 10	10 00112	A 316	0xA
161	10	1 00002	1 016	

Alternative notations 0xA3 or A3H

#### Float:

- Examples in data sci.: salary, scores, model weights
- IEEE-754 single-precision format is 4B long; doubleprecision format is 8B long
- Java and C float is single; Python float is double!



#### Float:

Standard IEEE format for single (aka binary32):

$$(-1)^{sign} \times 2^{exponent-127} \times (1 + \sum_{i=1}^{23} b_{23-i} 2^{-i})$$

$$(-1)^0 \times 2^{124-127} \times (1+1\cdot 2^{-2}) = (1/8) \times (1+(1/4)) = 0.15625$$

(NB: Converting decimal reals/fractions to float is NOT in syllabus!)

Due to representation imprecision issues, floating point arithmetic (addition and multiplication) is not associative!

- In binary32, special encodings recognized:
  - Exponent 0xFF and fraction 0 is +/- "Infinity"
  - Exponent 0xFF and fraction <> 0 is "NaN"
  - ♦ Max is ~ 3.4 x 10<sup>38</sup>; min +ve is ~ 1.4 x 10<sup>-45</sup>

- More float standards: double-precision (float64; 8B) and half-precision (float16; 2B); different #bits for exponent, fraction
- Float16 is now common for deep learning parameters:
  - Native support in PyTorch, TensorFlow, etc.; APIs also exist for weight quantization/rounding post training
  - NVIDIA Deep Learning SDK support mixed-precision training; 2-3x speedup with similar accuracy!
- New processor hardware (FPGAs, ASICs, etc.) enable arbitrary precision, even 1-bit (!), but accuracy is lower