

1 20131118

1.1 任务

1. 分别到IEEE/Google/Springer三个数据库上查找关于EEG和brain computer interface (BCI) 的论文，并整理成文件列表。

1.2 解决方案

1. 三个数据库查找论文情况如下：

IEEE 见附件export2013.11.18-06.17.03.csv

Google 下面参考文献前39（编号1-39）个

Springer 下面参考文献后16（编号40-55）个

因为Google里面查找的文档里面包含了IEEE数据库里面的，所以IEEE数据库里面找的没细看，直接将论文导出了。

1.3 备注

- Task1中，查找时用的关键词是EEG && BCI。

References

- [1] Benjamin Blankertz, K-R Muller, Gabriel Curio, Theresa M Vaughan, Gerwin Schalk, Jonathan R Wolpaw, Alois Schlogl, Christa Neuper, Gert Pfurtscheller, Thilo Hinterberger, et al. The bci competition 2003: progress and perspectives in detection and discrimination of eeg single trials. *Biomedical Engineering, IEEE Transactions on*, 51(6):1044–1051, 2004.
- [2] C Guger, G Edlinger, W Harkam, I Niedermayer, and G Pfurtscheller. How many people are able to operate an eeg-based brain-computer interface (bci)? *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 11(2):145–147, 2003.
- [3] Christoph Guger, Alois Schlogl, Christa Neuper, Dirk Walterspacher, Thomas Strein, and Gert Pfurtscheller. Rapid prototyping of an eeg-based brain-computer interface (bci). *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 9(1):49–58, 2001.

- [4] Eleanor A Curran and Maria J Stokes. Learning to control brain activity: a review of the production and control of eeg components for driving brain-computer interface (bci) systems. *Brain and cognition*, 51(3):326–336, 2003.
- [5] Christoph Guger, Herbert Ramoser, and Gert Pfurtscheller. Real-time eeg analysis with subject-specific spatial patterns for a brain-computer interface (bci). *Rehabilitation Engineering, IEEE Transactions on*, 8(4):447–456, 2000.
- [6] Georg E Fabiani, Dennis J McFarland, Jonathan R Wolpaw, and Gert Pfurtscheller. Conversion of eeg activity into cursor movement by a brain-computer interface (bci). *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 12(3):331–338, 2004.
- [7] George Townsend, Bernhard Graimann, and Gert Pfurtscheller. Continuous eeg classification during motor imagery-simulation of an asynchronous bci. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 12(2):258–265, 2004.
- [8] Yijun Wang, Zhiguang Zhang, Yong Li, Xiaorong Gao, Shangkai Gao, and Fusheng Yang. Bci competition 2003-data set iv: an algorithm based on cssd and fda for classifying single-trial eeg. *Biomedical Engineering, IEEE Transactions on*, 51(6):1081–1086, 2004.
- [9] Alois Schlögl, Felix Lee, Horst Bischof, and Gert Pfurtscheller. Characterization of four-class motor imagery eeg data for the bci-competition 2005. *Journal of neural engineering*, 2(4):L14, 2005.
- [10] Thilo Hinterberger, Andrea Kübler, Jochen Kaiser, Nicola Neumann, and Niels Birbaumer. A brain-computer interface (bci) for the locked-in: comparison of different eeg classifications for the thought translation device. *Clinical Neurophysiology*, 114(3):416–425, 2003.
- [11] Gert Pfurtscheller, D Flotzinger, M Pregenzer, Jonathan R Wolpaw, and D McFarland. Eeg-based brain computer interface (bci). search for optimal electrode positions and frequency components. *Medical progress through technology*, 21(3):111–121, 1994.
- [12] Yuanqing Li, Jinyi Long, Tianyou Yu, Zhulian Yu, Chuanchu Wang, Haihong Zhang, and Cuntai Guan. An eeg-based bci system for 2-d cursor control by combining mu/beta rhythm and p300 potential. *Biomedical Engineering, IEEE Transactions on*, 57(10):2495–2505, 2010.

- [13] Gert Pfurtscheller, Gernot R Müller-Putz, Jörg Pfurtscheller, and Rüdiger Rupp. Eeg-based asynchronous bci controls functional electrical stimulation in a tetraplegic patient. *EURASIP Journal on Applied Signal Processing*, 2005:3152–3155, 2005.
- [14] N Jeremy Hill, Thomas Navin Lal, M Schroder, Thilo Hinterberger, Barbara Wilhelm, Femke Nijboer, Ursula Mochty, Guido Widman, Christian Elger, Bernhard Scholkopf, et al. Classifying eeg and ecog signals without subject training for fast bci implementation: comparison of nonparalyzed and completely paralyzed subjects. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 14(2):183–186, 2006.
- [15] Christoph Guger, Werner Harkam, Carin Hertnaes, and Gert Pfurtscheller. Prosthetic control by an eeg-based brain-computer interface (bci). In *Proc. aaate 5th european conference for the advancement of assistive technology*, pages 3–6, 1999.
- [16] Kim Dremstrup Nielsen, Alvaro Fuentes Cabrera, and Omar Feix do Nascimento. Eeg based bci-towards a better control. brain-computer interface research at aalborg university. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 14(2):202–204, 2006.
- [17] Ch Guger, A Schlogl, Dirk Walterspacher, and Gert Pfurtscheller. Design of an eeg-based brain-computer interface (bci) from standard components running in real-time under windows-entwurf eines eeg-basierten brain-computer interfaces (bci) mit standardkomponenten, das unter windows in echtzeit arbeitet. *Biomedizinische Technik/Biomedical Engineering*, 44(1-2):12–16, 1999.
- [18] Mahnaz Arvaneh, Cuntai Guan, Kai Keng Ang, and Chai Quek. Optimizing the channel selection and classification accuracy in eeg-based bci. *Biomedical Engineering, IEEE Transactions on*, 58(6):1865–1873, 2011.
- [19] G Pfurtscheller, GR Muller-Putz, A Schlogl, B Graimann, R Scherer, R Leeb, C Brunner, C Keinrath, F Lee, G Townsend, et al. 15 years of bci research at graz university of technology: current projects. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 14(2):205–210, 2006.
- [20] Matthias Kaper, Peter Meinicke, Ulf Grosse-kathoefer, Thomas Lingner, and Helge Ritter. Bci competition 2003-data set iib: Support vector

- machines for the p300 speller paradigm. *Biomedical Engineering, IEEE Transactions on*, 51(6):1073–1076, 2004.
- [21] Silvia Chiappa, Nicolas Donckers, Samy Bengio, and Frédéric Vrins. Hmm and iohmm modeling of eeg rhythms for asynchronous bci systems. In *ESANN*, pages 193–204, 2004.
- [22] Benjamin Blankertz, Christin Schäfer, Guido Dornhege, and Gabriel Curio. Single trial detection of eeg error potentials: A tool for increasing bci transmission rates. In *Artificial Neural Networks-ICANN 2002*, pages 1137–1143. Springer, 2002.
- [23] Benjamin Blankertz, K-R Muller, Dean J Krusienski, Gerwin Schalk, Jonathan R Wolpaw, Alois Schlogl, Gert Pfurtscheller, Jd R Millan, M Schroder, and Niels Birbaumer. The bci competition iii: Validating alternative approaches to actual bci problems. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 14(2):153–159, 2006.
- [24] Jaime A Pineda, BZ Allison, and A Vankov. The effects of self-movement, observation, and imagination on μ rhythms and readiness potentials (rp’s): toward a brain-computer interface (bci). *Rehabilitation Engineering, IEEE Transactions on*, 8(2):219–222, 2000.
- [25] Fabien Lotte, Marco Congedo, Anatole Lécuyer, Fabrice Lamarche, Bruno Arnaldi, et al. A review of classification algorithms for eeg-based brain-computer interfaces. *Journal of neural engineering*, 4, 2007.
- [26] QiBin Zhao, LiQing Zhang, and Andrzej Cichocki. Eeg-based asynchronous bci control of a car in 3d virtual reality environments. *Chinese Science Bulletin*, 54(1):78–87, 2009.
- [27] Benjamin Blankertz, Guido Dornhege, Matthias Krauledat, K-R Muller, Volker Kunzmann, Florian Losch, and Gabriel Curio. The berlin brain-computer interface: Eeg-based communication without subject training. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 14(2):147–152, 2006.
- [28] Cristian Grozea, Catalin D Voinescu, and Siamac Fazli. Bristle-sensors-low-cost flexible passive dry eeg electrodes for neurofeedback and bci applications. *Journal of neural engineering*, 8(2):025008, 2011.
- [29] Robert Leeb, Reinhold Scherer, Claudia Keinrath, Christoph Guger, and Gert Pfurtscheller. Exploring virtual environments with an eeg-based

- bci through motor imagery/erkundung von virtuellen welten durch bewegungsvorstellungen mit hilfe eines eeg-basierten bci. *Biomedizinische Technik/Biomedical Engineering*, 50(4):86–91, 2005.
- [30] C Neuper, GR Müller, A Kübler, N Birbaumer, and G Pfurtscheller. Clinical application of an eeg-based brain–computer interface: a case study in a patient with severe motor impairment. *Clinical neurophysiology*, 114(3):399–409, 2003.
- [31] Damien Coyle, Jhonatan Garcia, Abdul R Satti, and T Martin McGinny. Eeg-based continuous control of a game using a 3 channel motor imagery bci: Bci game. In *Computational Intelligence, Cognitive Algorithms, Mind, and Brain (CCMB), 2011 IEEE Symposium on*, pages 1–7. IEEE, 2011.
- [32] M Pgegenzer, G Pfurtscheller, and D Flotzinger. Selection of electrode positions for an eeg-based brain computer interface (bci). auswahl von elektrodenpositionen furein auf eeg-ableitungen basierendes brain computer interface (bci). *Biomedizinische Technik/Biomedical Engineering*, 39(10):264–269, 1994.
- [33] Wei-Yen Hsu. Continuous eeg signal analysis for asynchronous bci application. *International journal of neural systems*, 21(04):335–350, 2011.
- [34] A Schlogl, C Keinrath, R Scherer, and P Furtscheller. Information transfer of an eeg-based brain computer interface. In *Neural Engineering, 2003. Conference Proceedings. First International IEEE EMBS Conference on*, pages 641–644. IEEE, 2003.
- [35] Pierre W Ferrez and José del R Millan. Error-related eeg potentials generated during simulated brain–computer interaction. *Biomedical Engineering, IEEE Transactions on*, 55(3):923–929, 2008.
- [36] J Kalcher, Doris Flotzinger, Ch Neuper, S Göllly, and G Pfurtscheller. Graz brain-computer interface ii: towards communication between humans and computers based on online classification of three different eeg patterns. *Medical and Biological Engineering and Computing*, 34(5):382–388, 1996.
- [37] Dennis J McFarland, A Todd Lefkowicz, and Jonathan R Wolpaw. Design and operation of an eeg-based brain-computer interface with digital signal processing technology. *Behavior Research Methods, Instruments, & Computers*, 29(3):337–345, 1997.

- [38] Febo Cincotti, Donatella Mattia, Claudio Babiloni, Filippo Carducci, Serenella Salinari, Luigi Bianchi, Maria Grazia Marciani, and Fabio Babiloni. The use of eeg modifications due to motor imagery for brain-computer interfaces. *Neural Systems and Rehabilitation Engineering, IEEE Transactions on*, 11(2):131–133, 2003.
- [39] Siamac Fazli, Cristian Grozea, Marton Danoczy, Benjamin Blankertz, Florin Popescu, and Klaus-robert Müller. Subject independent eeg-based bci decoding. In *Advances in Neural Information Processing Systems*, pages 513–521, 2009.
- [40] Ricardo Silva, NunoAndr?and Maximiano and HugoAlexandre Ferreira. Hybrid brain computer interface based on gaming technology: An approach with emotiv eeg and microsoft kinect. In Laura M. Roa Romero, editor, *XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013*, volume 41 of *IFMBE Proceedings*, pages 1655–1658. Springer International Publishing, 2014.
- [41] AhmadTaher Azar, ValentinaE. Balas, and Teodora Olariu. Classification of eeg-based brain-computer interfaces. In Barna Iantovics and Roumen Kountchev, editors, *Advanced Intelligent Computational Technologies and Decision Support Systems*, volume 486 of *Studies in Computational Intelligence*, pages 97–106. Springer International Publishing, 2014.
- [42] Jun-Yeup Kim, Seung-Min Park, Kwang-Eun Ko, and Kwee-Bo Sim. Optimal eeg channel selection for motor imagery bci system using bpso and ga. In Jong-Hwan Kim, Eric T. Matson, Hyun Myung, and Peter Xu, editors, *Robot Intelligence Technology and Applications 2012*, volume 208 of *Advances in Intelligent Systems and Computing*, pages 231–239. Springer Berlin Heidelberg, 2013.
- [43] Jun-Yeup Kim, Seung-Min Park, Kwang-Eung Ko, and Kwee-Bo Sim. A binary pso-based optimal eeg channel selection method for a motor imagery based bci system. In Geuk Lee, Daniel Howard, Dominik zak, and YouSik Hong, editors, *Convergence and Hybrid Information Technology*, volume 310 of *Communications in Computer and Information Science*, pages 245–252. Springer Berlin Heidelberg, 2012.
- [44] J. Pascual, R. Lorenz, B. Blankertz, and C. Vidaurre. Hybrid eeg-based bci user interface for action selection. In Jos?L Pons, Diego Torricelli, and Marta Pajaro, editors, *Converging Clinical and Engineering*

- Research on Neurorehabilitation*, volume 1 of *Biosystems Biorobotics*, pages 1171–1175. Springer Berlin Heidelberg, 2013.
- [45] Gerd Gr ü bler, Abdul Al-Khodairy, Robert Leeb, Iolanda Pisotta, Angela Riccio, Martin Rohm, and Elisabeth Hildt. Psychosocial and ethical aspects in non-invasive eeg-based bci research-a survey among bci users and bci professionals. *Neuroethics*, pages 1–13, 2013.
- [46] Jianyi Liang, Hao Zhang, Ye Liu, Hang Wang, Junhua Li, and Liqing Zhang. A frequency boosting method for motor imagery eeg classification in bci-fes rehabilitation training system. In Chengan Guo, Zeng-Guang Hou, and Zhigang Zeng, editors, *Advances in Neural Networks - ISNN 2013*, volume 7952 of *Lecture Notes in Computer Science*, pages 284–291. Springer Berlin Heidelberg, 2013.
- [47] Dongxue Lin, Feng Duan, Wenyu Li, Jingyao Shen, QingMei Wang, and Xun Luo. Optimizing the individual differences of eeg signals through bp neural network algorithm for a bci dialing system. In Kazayuki Ima-mura, Shiro Usui, Tomoaki Shirao, Takuji Kasamatsu, Lars Schwabe, and Ning Zhong, editors, *Brain and Health Informatics*, volume 8211 of *Lecture Notes in Computer Science*, pages 479–488. Springer International Publishing, 2013.
- [48] Kenji Nakayama, Hiroki Horita, and Akihiro Hirano. A bci system based on orthogonalized eeg data and multiple multilayer neural networks in parallel form. In Konstantinos Diamantaras, Wlodek Duch, and Lazaros S. Iliadis, editors, *Artificial Neural Networks - ICANN 2010*, volume 6352 of *Lecture Notes in Computer Science*, pages 205–210. Springer Berlin Heidelberg, 2010.
- [49] Benjamin Blankertz, Christin Schfer, Guido Dornhege, and Gabriel Curio. Single trial detection of eeg error potentials: A tool for increasing bci transmission rates. In Jos é R. Dorronsoro, editor, *Artificial Neural Networks - ICANN 2002*, volume 2415 of *Lecture Notes in Computer Science*, pages 1137–1143. Springer Berlin Heidelberg, 2002.
- [50] Marcin Koodziej, Andrzej Majkowski, and Remigiusz J. Rak. A new method of eeg classification for bci with feature extraction based on higher order statistics of wavelet components and selection with genetic algorithms. In Andrej Dobnikar, Uro Lotri, and Branko er, editors, *Adaptive and Natural Computing Algorithms*, volume 6593 of *Lecture Notes in Computer Science*, pages 280–289. Springer Berlin Heidelberg, 2011.

- [51] A. Roman-Gonzalez. Eeg signal processing for bci applications. In ZdzisawS. Hippe, JuliuszL. Kulikowski, and Teresa Mroczek, editors, *Human - Computer Systems Interaction: Backgrounds and Applications 2*, volume 98 of *Advances in Intelligent and Soft Computing*, pages 571–591. Springer Berlin Heidelberg, 2012.
- [52] Shrishail Patki, Bernard Grundlehner, Toru Nakada, and Julien Penders. Low power wireless eeg headset for bci applications. In JulieA. Jacko, editor, *Human-Computer Interaction. Interaction Techniques and Environments*, volume 6762 of *Lecture Notes in Computer Science*, pages 481–490. Springer Berlin Heidelberg, 2011.
- [53] Donghag Choi, Yeonsoo Ryu, Youngbum Lee, and Myoungcho Lee. Performance evaluation of a motor-imagery-based eeg-brain computer interface using a combined cue with heterogeneous training data in bci-naive subjects. *BioMedical Engineering OnLine*, 10(1):1–12, 2011.
- [54] Dominic Heger, Felix Putze, and Tanja Schultz. Online recognition of facial actions for natural eeg-based bci applications. In Sidney Mello, Arthur Graesser, Björn Schuller, and Jean-Claude Martin, editors, *Affective Computing and Intelligent Interaction*, volume 6975 of *Lecture Notes in Computer Science*, pages 436–446. Springer Berlin Heidelberg, 2011.
- [55] Kyuwan Choi. Electroencephalography (eeg)-based neurofeedback training for brain-computer interface (bci). *Experimental Brain Research*, 231(3):351–365, 2013.